

■ 4D SVG

-  [Introduction](#)
-  [Attributes](#)
-  [Colors and Gradients](#)
-  [Documents](#)
-  [Drawing](#)
-  [Filters](#)
-  [Structure and Definitions](#)
-  [Text](#)
-  [Utilities](#)
-  [4D SVG Constants](#)
-  [Appendixes](#)
-  [Alphabetische Liste der Befehle](#)

★ Introduction

- ★ 4D SVG Component
- ★ Development tools
- ★ Syntax details

4D SVG Component

SVG (Scalable Vector Graphics) is a two-dimensional vector graphics file based on XML. 4D includes an integrated rendering engine that can be used to display SVG files.


The XML language used for manipulating SVG pictures is particularly rich and extensive. In order to make getting started easier, 4D provides the SVG component, which includes numerous commands that can be used to create and manipulate common graphic objects. This library is not intended to be exhaustive but rather to meet the most frequent needs of 4D developers. Note that additional needs can be processed with the 4D XML commands.

Installation and implementation

You can install the 4D SVG Component in 4D v11 SQL release 3 (version 11.3) or higher. The host database must be running in Unicode mode (you cannot use this component in databases running in ASCII Compatibility mode).

Like all 4D components, the 4D SVG Component is installed by copying the component folder (4D SVG.4dbase) into the Components folder of the database. The Components folder of the database must be located at the same level as the structure file. Since components are loaded on startup, the database must not be launched before completely copying all the elements.

If the component is correctly installed, the **4D SVG** element appears on the Methods page of the database, in the "Component Methods" section:



You can expand this element in order to view all the component commands. These commands can be used in the 4D Method editor just like 4D language or standard plug-in commands.

Note that the 4D SVG Component lets you benefit from additional windows for the selection of commands and for SVG code rendering. For more information, please refer to the **Development tools** section.

SVG Effects and Direct2D (Windows)

Starting with 4D v13, the Direct2D graphics rendering engine is used by default on Windows. Depending on your hardware and software configuration, using this engine can alter the rendering of some SVG effects such as shadows. In this case, you can disable Direct2D in your application with the **SET DATABASE PARAMETER** command.


Development tools

The 4D SVG component provides a set of tools intended to facilitate the entry of code and to preview the SVG graphics:

- the syntax palette
- the color palette
- the SVG viewer.

Syntax Palette

The syntax palette lists the 4D SVG component commands grouped by themes:




This palette can be used to insert the component commands into the Method editor by simple drag and drop. The command is then pasted in the method with its parameters. The optional parameters are prefixed by an underline.

To display the syntax palette, you can either:

- execute the **SVGTool_Display_syntax** method, or
- click on the **SVG** button and choose the **SVG Component syntax** command in the 4D Pop component palette if you are using it (see below).

Color Palette

The color palette displays the name and a sample of each color specified in the SVG standard, as well as a slider that can be used to vary the rate of opacity:




You can use this palette to insert an SVG color reference by drag and drop into the 4D Method editor. The color is inserted as a string that includes the rate of opacity, if any (for example "lavender:30" for the color lavender with an opacity of 30%). For more information about color references, please refer to the [SVG Colors](#) section.

You can also drag and drop a color into the 4D Form editor. This creates a square of color in the form of a static SVG picture.

To display the color palette, just execute the [SVGTool_Display_colors](#) method.

SVG Viewer

4D SVG provides an SVG viewer that is particularly useful during the development phase:




The viewer window has two pages which can be accessed via the **Picture** and **Source** buttons or the **View** menu:

- **Picture:** This page provides a display area into which you can drag and drop or open an SVG picture file (via the **File** menu). You can also display a valid SVG reference using the [SVGTool_SHOW_IN_VIEWER](#) command.

- **Source:** This page lets you view the XML code associated with the picture. You can select and copy the code, but you cannot modify it.

When the window is in the foreground, you can modify several display optins and save the picture file on disk using the **View** menu:



Note: The "Picture" page has a standard context menu.


To display the viewer window, you can either:

- execute the **SVGTool_Display_viewer** method. In this case, the window appears empty.
- call the **SVGTool_SHOW_IN_VIEWER** method by passing a valid SVG reference in order to preview the picture reference (see the description of the command)
- click on the **SVG** button and choose the **SVG viewer** command in the 4D Pop component palette if you are using it (see below).


Integration to 4D Pop

4D Pop is a set of components dedicated to developer productivity and grouped into a tool bar that can be integrated into the 4D development environment.

When you use 4D Pop and 4D SVG at the same time, a new button is added to the 4D Pop tool bar:



This button gives direct access to the development assistance tools of 4D SVG:



Note: 4DPop is included in the additional tools on the 4D full installer.

Syntax details

SVG_Ref

Most of the 4D SVG component commands manipulate SVG structures via **SVG_Ref** type references.

An SVG_Ref is a 16-character string type expression. It uniquely identifies a SVG structure loaded in memory. This can be an SVG document loaded via the [SVG_Copy](#), [SVG_New](#), [SVG_Open_picture](#) or [SVG_Open_file](#) commands, or any SVG structure handled by programming (object, filter, path, etc.).

An SVG_Ref is an XML reference. All SVG_Ref references can be used as *elementRef* parameters for the 4D XML DOM commands.

Once you no longer need it, remember to call the [SVG_CLEAR](#) command with the SVG_Ref reference in order to free up memory.

Optional parameters

Unless otherwise mentioned, optional number arguments are ignored if their value is equal to -1 and text arguments are ignored if an empty string is passed.

Coordinates

Unless otherwise mentioned, the position (*x*, *y*) and size (*width*, *height*, *radius*) parameters are expected in the current user coordinate system.

Attributes

- ⚙️ SVG_ADD_NAMESPACE
- ⚙️ SVG_GET_ATTRIBUTES
- ⚙️ SVG_Get_class
- ⚙️ SVG_Get_fill_brush
- ⚙️ SVG_Get_ID
- ⚙️ SVG_SET_ATTRIBUTES
- ⚙️ SVG_SET_ATTRIBUTES_BY_ARRAYS
- ⚙️ SVG_SET_CLASS
- ⚙️ SVG_SET_CLIP_PATH
- ⚙️ SVG_SET_DIMENSIONS
- ⚙️ SVG_SET_FILL_BRUSH
- ⚙️ SVG_SET_FILL_RULE
- ⚙️ SVG_SET_FILTER
- ⚙️ SVG_SET_ID
- ⚙️ SVG_SET_MARKER
- ⚙️ SVG_SET_OPACITY
- ⚙️ SVG_SET_ROUNDING_RECT
- ⚙️ SVG_SET_SHAPE_RENDERING
- ⚙️ SVG_SET_STROKE_BRUSH
- ⚙️ SVG_SET_STROKE_DASHARRAY
- ⚙️ SVG_SET_STROKE_LINECAP
- ⚙️ SVG_SET_STROKE_LINEJOIN
- ⚙️ SVG_SET_STROKE_MITERLIMIT
- ⚙️ SVG_SET_STROKE_WIDTH
- ⚙️ SVG_SET_TRANSFORM_FLIP
- ⚙️ SVG_SET_TRANSFORM_MATRIX
- ⚙️ SVG_SET_TRANSFORM_ROTATE
- ⚙️ SVG_SET_TRANSFORM_SCALE
- ⚙️ SVG_SET_TRANSFORM_SKEW
- ⚙️ SVG_SET_TRANSFORM_TRANSLATE
- ⚙️ SVG_SET_VIEWBOX
- ⚙️ SVG_SET_VIEWPORT_FILL
- ⚙️ SVG_SET_VISIBILITY
- ⚙️ SVG_SET_XY

SVG_ADD_NAMESPACE

SVG_ADD_NAMESPACE (*svgObject* ; *prefix* {; *URI*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	SVG object reference
<i>prefix</i>	Text	Prefix of namespace
<i>URI</i>	Text	URI of namespace

Beschreibung

The **SVG_ADD_NAMESPACE** method adds an XML namespace attribute to the root of the DOM Tree for the SVG object designated by the *svgObject* parameter. You can use this method, more specifically, to add a namespace to an SVG code snippet.

In *prefix*, pass a string containing the prefix of the namespace attribute. You can use one of the following constants:

- "svgNS" for a standard SVG namespace (<http://www.w3.org/2000/svg>)
- "xlinkNS" for a standard XLink namespace (<http://www.w3.org/1999/xlink>)

In this case, the *URI* parameter is unnecessary.

You can also pass the prefix of a custom namespace in the *prefix* parameter and its URI in the corresponding parameter. In this case, the *URI* parameter is mandatory and if it is omitted, an error is generated.

Beispiel

The following code:

```
SVG_ADD_NAMESPACE($svgRef;"svgNS")
```

... adds the following code to the root of the SVG object:

```
<xmlns="http://www.w3.org/2000/svg">
```

SVG_GET_ATTRIBUTES

SVG_GET_ATTRIBUTES (*svgObject* ; *namesArrayPointer* ; *valuesArrayPointer*)

Parameter

svgObject
namesArrayPointer
valuesArrayPointer

Typ

SVG_Ref
Zeiger
Zeiger

Beschreibung

→ SVG reference
→ Alpha array of attribute names
→ Alpha array of attribute values

Beschreibung

The *SVG_GET_ATTRIBUTES* command fills the arrays pointed to by *namesArrayPointer* and *valuesArrayPointer* respectively with the names and values of the attributes of the element whose reference is passed in the *svgObject* parameter. If *svgObject* is not valid or if this attribute does not exist, an error is generated.

SVG_Get_class

`SVG_Get_class (svgObject {; classNames}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	→ SVG object reference
classNames	Zeiger	→ Pointer to array of class names
Funktionsergebnis	Text	→ Class name(s)

Beschreibung

The **SVG_Get_class** command returns the class name(s) for an SVG image whose reference is passed in the *svgObject* parameter. Class name(s) are returned as a string, with each name separated by a space.

In the optional *classNames* parameter, you can pass a pointer to an array, whose elements will be filled with the class name(s).

Beispiel

```
// define 2 styles
SVG_Define_style($Dom_SVG;".colored {fill: yellow; fill-opacity: 0.6; stroke: red; stroke-width: 8;
stroke-opacity: 0.6}")
SVG_Define_style($Dom_SVG;".blue {fill: blue}")

// create a group and set a default style
$Dom_g:=SVG_New_group($Dom_SVG)
SVG_SET_CLASS($Dom_g;"colored blue")

ARRAY TEXT($tTxt_Classes;0)
$Txt_buffer:=SVG_Get_class($Dom_g;->$tTxt_classes)

// $Txt_buffer = "colored blue"
// $tTxt_classes{1} = "colored"
// $tTxt_classes{2} = "blue"
```

SVG_Get_fill_brush

SVG_Get_fill_brush (*svgObject*) -> Funktionsergebnis

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	SVG object reference
Funktionsergebnis	Text	Fill color

Beschreibung

The **SVG_Get_fill_brush** command returns the fill color of an SVG image whose reference is passed in the *svgObject* parameter. If *svgObject* does not have a "fill" attribute, the command returns an empty string.

SVG_Get_ID

SVG_Get_ID (*svgObject*) -> Funktionsergebnis

Parameter

svgObject
Funktionsergebnis

Typ

SVG_Ref
String

Beschreibung

 Reference of SVG element
 Name of element

Beschreibung

The *SVG_Get_ID* command returns the value of the 'id' attribute of the element whose reference is passed in the *svgObject* parameter. If *svgObject* is not valid or if this attribute does not exist, an error is generated.

SVG_SET_ATTRIBUTES

SVG_SET_ATTRIBUTES (*svgObject* ; *attributeName* ; *attributeValue* {; *attributeName2* ;
attributeValue2 ; ... ; *attributeNameN* ; *attributeValueN*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>attributeName</i>	String	Name of attribute to set
<i>attributeValue</i>	String	Value of attribute

Beschreibung

The *SVG_SET_ATTRIBUTES* command can be used to assign one or more custom attributes to an SVG object having the *svgObject* reference. If one or more of these attributes already exist, their values are replaced by those passed as parameters.

The attributes and their values are passed as paired parameters.

Beispiel

```
$svg:=SVG_New  
$object:=SVG_New_rect($svg;10;10;200;200;0;0;"black";"white";2)  
SVG_SET_ATTRIBUTES($object;"style";"fill:red; stroke:blue; stroke-width:3")
```

SVG_SET_ATTRIBUTES_BY_ARRAYS

`SVG_SET_ATTRIBUTES_BY_ARRAYS (svgObject ; namesArrayPointer ; valuesArrayPointer)`

Parameter

svgObject
namesArrayPointer
valuesArrayPointer

Typ

SVG_Ref
Zeiger
Zeiger

Beschreibung

→ Reference of SVG element
→ Names of attributes
→ Synchronized values of attributes

Beschreibung

The `SVG_SET_ATTRIBUTES_BY_ARRAYS` command can be used to assign one or more custom attributes to an SVG object having the `svgObject` reference. If one or more of these attributes already exist, their values will be replaced by those passed as parameters.

The attributes and their values are passed using two arrays, to which `namesArrayPointer` and `valuesArrayPointer` point.

Beispiel

```
$svg:=SVG_New
$object:=SVG_New_rect($svg;10;10;200;200;0;0;"black";"white";2)
ARRAY TEXT($attributes;0)
ARRAY TEXT($values;0)
APPEND TO ARRAY($attributes;"fill")
APPEND TO ARRAY($values;"red")
APPEND TO ARRAY($attributes;"stroke")
APPEND TO ARRAY($values;"blue")
APPEND TO ARRAY($attributes;"stroke-width")
APPEND TO ARRAY($values;"3")
SVG_SET_ATTRIBUTES_BY_ARRAYS($object;->$attributes;->$values)
```

SVG_SET_CLASS

`SVG_SET_CLASS (svgObject ; class)`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Referenz des SVG Element
class	Text	Name der Klasse

Beschreibung

Der Befehl *SVG_SET_CLASS* setzt die Klasse für das Objekt, übergeben in *svgObject*. Ist *svgObject* keine gültige Referenz, wird ein Fehler erzeugt.

Referenz: <http://www.w3.org/TR/SVG/styling.html#ClassAttribute>

Beispiel

Siehe Beispiel zur Funktion *SVG_Define_style*.

SVG_SET_CLIP_PATH

SVG_SET_CLIP_PATH (*svgObject* ; *clipPathID*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Referenz des SVG Element
<i>clipPathID</i>	Text	Name des ClipPath

Beschreibung

Der Befehl *SVG_SET_CLIP_PATH* csetzt den ClipPath mit Namen *clipPathID* für das Objekt, übergeben in *svgObject*. Ist *svgObject* keine gültige Referenz oder ist der ClipPfad nicht definiert, wird ein Fehler erzeugt.

Referenz: <http://www.w3.org/TR/2001/REC-SVG-20010904/masking.html#EstablishingANewClippingPath>

Beispiel 1

Runden ClipPath definieren, der dann einem Bild zugewiesen wird:



```
//Runden ClipPath definieren
$Dom_clipPath:=SVG_Define_clip_path($Dom_SVG;"theClip")
$Dom_circle:=SVG_New_circle($Dom_clipPath;150;100;100)

//Gruppe erstellen
$Dom_g:=SVG_New_group($Dom_SVG)

//Bild einfügen
$Txt_path:=Get 4D folder(6)+"logo.svg"
READ PICTURE FILE($Txt_path;$Pic_buffer)
$Dom_picture:=SVG_New_embedded_image($Dom_g;$Pic_buffer)
SVG_SET_ID($Dom_picture;"MyPicture")

//ClipPath auf Gruppe anwenden
SVG_SET_CLIP_PATH($Dom_g;"theClip")
```

Beispiel 2

Das gleiche Bild mit einem rechteckigen ClipPath mit abgerundeten Ecken:



```
//Rechteckigen ClipPath definieren
$Dom_clipPath:=SVG_Define_clip_path($Dom_SVG;"theClip")
$Dom_rect:=SVG_New_rect($Dom_clipPath;5;10;320;240;10;10)

//Gruppe erstellen
$Dom_g:=SVG_New_group($Dom_SVG)

//Bild einfügen
$Txt_path:=Get 4D folder(6)+"logo.svg"
READ PICTURE FILE($Txt_path;$Pic_buffer)
$Dom_picture:=SVG_New_embedded_image($Dom_g;$Pic_buffer)
SVG_SET_ID($Dom_picture;"MyPicture")

//ClipPath auf Gruppe anwenden
SVG_SET_CLIP_PATH($Dom_g;"theClip")
```

SVG_SET_DIMENSIONS

SVG_SET_DIMENSIONS (*svgObject* ; *width* {; *height* {; *unit*} })

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>width</i>	Lange Ganzzahl	Dimension on the X axis
<i>height</i>	Lange Ganzzahl	Dimension on the Y axis
<i>unit</i>	String	Unit of measurement

Beschreibung

The *SVG_SET_DIMENSIONS* command can be used to set the dimensions for the SVG object having the *svgObject* reference. If these attributes already exist, their values are replaced by those passed as parameters.

If the *unit* parameter is passed, it will be used. The expected values are: px, pt, pc, cm, mm, in, em, ex or %. An incorrect *unit* value generates an error. If the parameter is omitted, the values of the *width* and *height* parameters are expected in the user coordinate system.

Beispiel

```
$svg :=SVG_New ` Create a new document
$object:=SVG_New_rect($svg;10;10;200;200;0;0;"black";"white";2)
SVG_SET_DIMENSIONS($object;-1;400) ` New height
```

⚙️ SVG_SET_FILL_BRUSH

SVG_SET_FILL_BRUSH (*svgObject* ; *color*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>color</i>	String	Color expression

Beschreibung

The *SVG_SET_FILL_BRUSH* command can be used to set the fill color for the SVG object having the *svgObject* reference. If this attribute already exists, its value is replaced by the value passed in the parameter.

For more information about colors, please refer to the “[SVG Colors](#)” section.

Beispiel

```
$svg:=SVG_New  
$object:=SVG_New_rect($svg;10;10;200;200;0;0;"black";"white";2)  
SVG_SET_FILL_BRUSH($object;"blue")
```

⚙️ SVG_SET_FILL_RULE

SVG_SET_FILL_RULE (*svgObject* ; *fillRule*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Referenz des SVG Elements
<i>fillRule</i>	Text	Modus zum Füllen von Objekten

Beschreibung


Der Befehl *SVG_SET_FILL_RULE* gibt die Füllregel für das SVG Objekt an, definiert in *svgObject*. Ist *svgObject* keine gültige Referenz, wird ein Fehler erzeugt.

Der Parameter *fillRule* muss einen der folgenden Werte enthalten: "nonzero", "evenodd" oder "inherit". Andernfalls wird ein Fehler erzeugt.

Referenz: <http://www.w3.org/TR/SVG/painting.html#FillRuleProperty>

Beispiel

Beispiele für Füllregeln:



```
//Pfad mit der Füllregel 'evenodd' erstellen
$Dom_path:=SVG_New_path($Dom_SVG;250;75)
SVG_PATH_LINE_TO($Dom_path;323;301;131;161;369;161;177;301)
SVG_PATH_CLOSE($Dom_path)
SVG_SET_FILL_BRUSH($Dom_path;"red")
SVG_SET_STROKE_WIDTH($Dom_path;3)
SVG_SET_FILL_RULE($Dom_path;"evenodd")
```

```
//Ein ähnliches Objekt mit der Füllregel 'nonzero' erstellen
$Dom_path:=SVG_New_path($Dom_SVG;250;75)
SVG_PATH_LINE_TO($Dom_path;323;301;131;161;369;161;177;301)
SVG_PATH_CLOSE($Dom_path)
SVG_SET_FILL_BRUSH($Dom_path;"red")
SVG_SET_STROKE_WIDTH($Dom_path;3)
SVG_SET_FILL_RULE($Dom_path;"nonzero")
//Horizontales Bewegen
SVG_SET_TRANSFORM_TRANSLATE($Dom_path;300)
```

SVG_SET_FILTER

`SVG_SET_FILTER (svgObject ; id)`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
id	String	Name of filter

Beschreibung

The `SVG_SET_FILTER` command can be used to associate a filter with the object having the `svgObject` reference. If `svgObject` is not a valid reference, an error is generated. If the attribute already exists, its value is replaced.

The `url` parameter is the name of the filter to be used as specified by the `SVG_Define_filter` command. If this name does not exist, an error is generated.

Beispiel

See the `SVG_Define_filter` command.

SVG_SET_ID

SVG_SET_ID (*svgObject* ; *id*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>id</i>	String	ID to assign to object

Beschreibung

The **SVG_SET_ID** command can be used to set the 'ID' property of the SVG object having the *svgObject* reference. If this attribute already exists, its value is replaced by the value passed in the parameter.

The object id is used to reference an object. This reference will then be recovered using the [**SVG_Get_ID**](#) command. The id is also used by the 4D [**SVG Find element ID by coordinates**](#) command (see the 4D documentation).

Beispiel

```
$svg:=SVG_New  
$object:=SVG_New_rect($svg;10;10;200;200;0;0;"black";" white";2)  
SVG_SET_ID($object;"border")
```

SVG_SET_MARKER

SVG_SET_MARKER (*svgObject* ; *id* {; *position*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>id</i>	String	Name of marker
<i>position</i>	String	Position of marker

Beschreibung

The **SVG_SET_MARKER** command can be used to associate a marker with the object having the *svgObject* reference or to remove an existing marker. If *svgObject* is not the reference of a 'line', 'path', 'polyline' or 'polygon' element, an error is generated. If the attribute already exists, its value is replaced.

The *id* parameter is the name of the marker element to be used as specified by the [SVG_Define_marker](#) command. If this name does not exist, an error is generated.

In order to remove an existing marker, pass "none" or an empty string in the *id* parameter.


The optional *position* parameter can be used to set the position of the marker with respect to the object. It is possible to place different markers (if desired) at the beginning, end or any other peak of a path. The values may be as follows:

- *start* to place a marker at the beginning of the path
- *end* to place a marker at the end of the path
- *middle* to place a marker at each peak other than at the beginning and end.
- *all* to place markers at all peaks of the path.

If this parameter is omitted, the marker will be placed at the end of the path.

Beispiel 1

Draw an arrow:




```
$SVG:=SVG_New
`Set the arrow
$arrow:=SVG_Define_marker($SVG;"arrow";0;5;4;3;-1)
SVG_SET_VIEWBOX($arrow;0;0;10;10)
$path:=SVG_New_path($arrow;0;0)
SVG_SET_FILL_BRUSH($path;"black")
SVG_PATH_LINE_TO($path;10;5)
SVG_PATH_LINE_TO($path;0;10)
SVG_PATH_CLOSE($path)

$line:=SVG_New_path($SVG;100;75)
SVG_SET_STROKE_WIDTH($line;10)
SVG_PATH_LINE_TO($line;200;75)
SVG_PATH_LINE_TO($line;250;125)
`Put an arrow at the end of a path
SVG_SET_MARKER($line;" arrow ")
```

Beispiel 2

Draw a diagram with different markers at the beginning and end:



```
$SVG:=SVG_New
SVG_SET_DEFAULT_BRUSHES("red";"red")

`Set a circle to mark the points
$point:=SVG_Define_marker($SVG;"pointMarker";2;2;3;3)
SVG_SET_VIEWBOX($point;0;0;4;4)
SVG_New_circle($point;2;2;1)

`Set a square for the starting point
$start:=SVG_Define_marker($SVG;"startMarker";1;1;2;2)
SVG_New_rect($start;0;0;2;2)

`Set a triangle for the end point
$end:=SVG_Define_marker($SVG;"endMarker";5;5;3;3;60)
SVG_SET_VIEWBOX($end;0;0;10;10)
SVG_New_regular_polygon($end;10;3)

ARRAY LONGINT($tX;0)
ARRAY LONGINT($tY;0)
`X axis
For($Lon_i;0;200;20)
    APPEND TO ARRAY($tX;$Lon_i+10)
End for
`Data
APPEND TO ARRAY($tY;100)
APPEND TO ARRAY($tY;100)
APPEND TO ARRAY($tY;30)
APPEND TO ARRAY($tY;30)
APPEND TO ARRAY($tY;80)
APPEND TO ARRAY($tY;60)
APPEND TO ARRAY($tY;10)
APPEND TO ARRAY($tY;40)
APPEND TO ARRAY($tY;50)
APPEND TO ARRAY($tY;70)
$line:=SVG_New_polyline_by_arrays($SVG;->$tX;->$tY;"red";"none";5)
`Arrange the markers:
SVG_SET_MARKER($line;"startMarker";"start")
SVG_SET_MARKER($line;"pointMarker";"middle")
SVG_SET_MARKER($line;"endMarker";"end")
```

SVG_SET_OPACITY

SVG_SET_OPACITY (*svgObject* ; *background* {; *Linie*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>background</i>	Lange Ganzzahl	Opacity (%)
<i>Linie</i>	Lange Ganzzahl	Opacity (%)

Beschreibung

The *SVG_SET_OPACITY* command can be used to set the opacity of the filling and the line of the object having the *svgObject* reference. If these attributes already exist, their values are replaced by those passed as parameters.

The values expected must be included between 0 and 100.

Beispiel

```
$svg :=SVG_New ` Create a new document
$object:=SVG_New_rect($svg ;10;10;200;100;0;0;"red";"blue")
SVG_SET_OPACITY($object;-1;50) `Set the line opacity to 50%
```

⚙️ SVG_SET_ROUNDING_RECT

SVG_SET_ROUNDING_RECT (*svgObject* ; *roundedX* {; *roundedY*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>roundedX</i>	Lange Ganzzahl	Radius on X axis
<i>roundedY</i>	Lange Ganzzahl	Radius on Y axis

Beschreibung

The *SVG_SET_ROUNDING_RECT* command can be used to set the radii of the ellipse used to round the corners of a rectangle having the *svgObject* reference. If these attributes already exist, their values are replaced by those passed as parameters. If *svgObject* is not the reference of a rectangle, an error is generated.

The values are expected in the user coordinate system.

Beispiel

```
$svg :=SVG_New ` Create a new document
$object:=SVG_New_rect($svg ;10;10;200;100)
SVG_SET_ROUNDING_RECT($object;20) `Round the corners
```

SVG_SET_SHAPE_RENDERING

SVG_SET_SHAPE_RENDERING (*svgObject* ; *rendering*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ Referenz des SVG Elements
<i>rendering</i>	Text	→ Typ des Renderns

Beschreibung

Der Befehl *SVG_SET_SHAPE_RENDERING* bestimmt, welcher Kompromiss (trade-off) für das Rendern grafischer Elemente für das Objekt, definiert in *svgObject* gemacht werden soll. Ist *svgObject* keine gültige Referenz, wird ein Fehler erzeugt.

Der Parameter *rendering* muss einen der folgenden Werte enthalten: "auto", "optimizeSpeed", "crispEdges", "geometricPrecision" oder "inherit". Andernfalls wird ein Fehler erzeugt.

Referenz: <http://www.w3.org/TR/2001/REC-SVG-20010904/painting.html#ShapeRenderingProperty>

SVG_SET_STROKE_BRUSH

`SVG_SET_STROKE_BRUSH (svgObject ; color)`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
color	String	Color expression

Beschreibung

The `SVG_SET_STROKE_BRUSH` command can be used to set the color used for the lines of the SVG object having the `svgObject` reference. If this attribute already exists, its value is replaced by the value passed in the parameter.

For more information about colors, please refer to the "[SVG Colors](#)" section.

Beispiel

```
$svg:=SVG_New  
$object:=SVG_New_rect($svg;10;10;200;200;0;0;"black";"white";2)  
SVG_SET_STROKE_BRUSH($object;"red")
```

SVG_SET_STROKE_DASHARRAY

SVG_SET_STROKE_DASHARRAY (*svgObject* ; *dash* {; Wert1...N}{; Wert1...N2} ; ... ; Wert1...NN})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Referenz des SVG Elements
<i>dash</i>	Zahl	Länge des ersten Strichs
Wert1...N	Lange Ganzzahl	Länge der Abstände und Striche

Beschreibung

Der Befehl *SVG_SET_STROKE_DASHARRAY* setzt das Muster für Striche und Zwischenräume, um den Pfad des SVG Objekts, definiert in *svgObject*. Ist *svgObject* keine gültige Referenz, wird ein Fehler erzeugt.

Der gesamte Wert des Parameters *dash* gibt die Länge des ersten Strichs des gestrichelten Musters an. Werden die Parameter *value1...N* weggelassen, sind Striche und Zwischenräume der gestrichelten Linie gleich lang.

Ein Dezimalwert im Parameter *dash* gibt den Anfangsabstand an, von dem aus die Striche starten.


Bei *dash* gleich 0 wird das gestrichelte Muster entfernt.

Die Parameter *value1...N* geben abwechselnd die Längen der Zwischenräume und Striche an, die auf den ersten Strich folgen. Bei einer geraden Anzahl von Werten (inkl. dem ersten Strich) wird die Liste der Werte wiederholt, bis sie eine gerade Anzahl von Werten erstellt.

Referenz: <http://www.w3.org/TR/SVG/painting.html#StrokeProperties>

Beispiel

Beispiel für Pfad mit gestrichelter Linie:



```
//Linie
$Dom_line:=SVG_New_line($Dom_SVG;10;10;500;500)
SVG_SET_STROKE_WIDTH($Dom_line;10)
SVG_SET_STROKE_DASHARRAY($Dom_line;8,099)
SVG_SET_STROKE_BRUSH($Dom_line;"red")

//Rechteck
$Dom_rect:=SVG_New_rect($Dom_SVG;25;30;320;240;10;10;"red";"yellow:30")
SVG_SET_STROKE_WIDTH($Dom_rect;5)
```

```
SVG_SET_STROKE_DASHARRAY($Dom_rect;2)
//Kreis
$Dom_circle:=SVG_New_circle($Dom_SVG;350;400;100;"blue";"none")
SVG_SET_STROKE_DASHARRAY($Dom_circle;2;4;6;8)
```

SVG_SET_STROKE_LINECAP

`SVG_SET_STROKE_LINECAP (svgObject ; mode)`


Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
mode	String	Rendering mode

Beschreibung

The `SVG_SET_STROKE_LINECAP` command can be used to specify the form of the path ends of the SVG object having the `svgObject` reference. If this attribute already exists, its value is replaced by the value passed as parameter.

The `mode` parameter must contain one of the following strings, handled by SVG:

- `butt` (default): standard
- `round`
- `square`
- `inherit`: inherited from parent object



If the `mode` parameter contains any other value, an error is generated.

SVG_SET_STROKE_LINEJOIN

`SVG_SET_STROKE_LINEJOIN (svgObject ; mode)`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
mode	String	Rendering mode

Beschreibung

The `SVG_SET_STROKE_LINEJOIN` command can be used to specify the form of the path peaks of the SVG object having the `svgObject` reference. If this attribute already exists, its value is replaced by the value passed as parameter.

The `mode` parameter must contain one of the following values, managed by SVG:

- `miter` (default): standard
- `round`
- `bevel`
- `inherit`: inherited from parent object



If the `mode` parameter contains any other value, an error is generated.

SVG_SET_STROKE_MITERLIMIT

SVG_SET_STROKE_MITERLIMIT (*svgObject* ; *join*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ Referenz des SVG Elements
<i>join</i>	Lange Ganzzahl	→ Wert des join

Beschreibung

Der Befehl *SVG_SET_STROKE_MITERLIMIT* setzt die Beschränkung der Länge des "miter join" zwischen Pfad und Umriss des SVG Objekts, definiert in *svgObject*. Ist *svgObject* keine gültige Referenz, wird ein Fehler erzeugt.

Ist der Parameter *join* -1, gilt der Standardwert (4). Bei *join* gleich 0 wird die Definition des Attributs entfernt. Jeder andere Wert < 0 verursacht einen Fehler.

Referenz: <http://www.w3.org/TR/SVG/painting.html#StrokeProperties>

SVG_SET_STROKE_WIDTH

`SVG_SET_STROKE_WIDTH (svgObject ; strokeWidth {; unit})`

Parameter

svgObject
strokeWidth
unit

Typ

SVG_Ref
Zahl
String

Beschreibung

→ Reference of SVG element
→ Line thickness
→ Unit of measurement

Beschreibung

The `SVG_SET_STROKE_WIDTH` command can be used to set the thickness of lines for the SVG object having the `svgObject` reference. If this attribute already exists, its value is replaced by the value passed in the parameter.

Pass the value of the line thickness in `strokeWidth`. The optional `unit` parameter can be used to specify the unit to be used. You can pass one of the following values: px, pt, pc, cm, mm, in, em, ex or %. If the `unit` parameter is omitted, the `strokeWidth` parameter is expected in the user coordinate system

Beispiel

```
$svg :=SVG_New
SVG_SET_STROKE_WIDTH(SVG_New_rect($svg;10;10;200;200;0;0;"black";"white";2);10)
```

⚙️ SVG_SET_TRANSFORM_FLIP

SVG_SET_TRANSFORM_FLIP (*svgObject* ; *Horizontal* {; *Vertikal*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>Horizontal</i>	Boolean	Horizontal flip
<i>Vertikal</i>	Boolean	Vertical flip

Beschreibung


The *SVG_SET_TRANSFORM_FLIP* command can be used to apply a horizontal and/or vertical flip to an SVG object having the *svgObject* reference.

If the *horizontal* parameter is set to True, a horizontal flip is applied.

If the *vertical* parameter is set to True, a vertical flip is applied.

Beispiel

Flipping of a text object:



```
svgRef:=SVG_New
SVG_SET_VIEWBOX(svgRef;0;0;400;200)
$tx:=SVG_New_text(svgRef;"4D";10;0;"");96)
SVG_SET_FONT_COLOR($tx;"blue") `Change the color
&NBSP;
`Effect:
$tx:=SVG_New_text(svgRef;"4D";10;0;"");96) `Take the same text
SVG_SET_FONT_COLOR($tx;"lightblue") `Change the color
SVG_SET_TRANSFORM_FLIP($tx;True) `Apply a vertical flip
SVG_SET_TRANSFORM_SKEW($tx;-10) `Incline
SVG_SET_TRANSFORM_TRANSLATE($tx;-17;-193) `Reposition
```

SVG_SET_TRANSFORM_MATRIX

`SVG_SET_TRANSFORM_MATRIX (svgObject ; a ; b {; c ; d {; e ; f}})`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
a	Lange Ganzzahl	Element a of transform matrix
b	Lange Ganzzahl	Element b of transform matrix
c	Lange Ganzzahl	Element c of transform matrix
d	Lange Ganzzahl	Element d of transform matrix
e	Lange Ganzzahl	Element e of transform matrix
f	Lange Ganzzahl	Element f of transform matrix

Beschreibung

The `SVG_SET_TRANSFORM_MATRIX` command applies a matrix transformation to the SVG object having the `svgObject` reference.

This type of transformation can be used to combine transformations like, for example, a rotation and a translation.

Beispiel

Writing with SVG is easy

```
SVG_SET_TRANSFORM_MATRIX($ID;0,707;-0,707;0,707;0,707;255,03;111,21)
```

~ Is equivalent to applying the 3 following transformations:

```
SVG_SET_TRANSFORM_TRANSLATE($ID;50;90)
```

```
SVG_SET_TRANSFORM_ROTATE($ID;-45)
```

```
SVG_SET_TRANSFORM_TRANSLATE($ID;130;160)
```

SVG_SET_TRANSFORM_ROTATE

`SVG_SET_TRANSFORM_ROTATE (svgObject ; angle {; x ; y})`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
angle	Lange Ganzzahl	Angle of rotation
x	Lange Ganzzahl	Coordinate on X axis of center of rotation
y	Lange Ganzzahl	Coordinate on Y axis of center of rotation


Beschreibung

The `SVG_SET_TRANSFORM_ROTATE` command applies a rotation of the value `angle` in degrees to the SVG object having the `objectRef` reference.

The `angle` of rotation is expected in degrees; the rotation is made clockwise.

If the optional `x` and `y` parameters are not passed, the rotation is carried out with respect to the origin of the current user coordinate system. If these parameters are provided, the rotation is carried out with respect to the coordinates passed (`x`, `y`).

Beispiel



```
svgRef:=SVG_New
`Draw a red rectangle with a blue border
$rec:=SVG_New_rect($svg;150;50;200;400;0;0;"blue";"red";10)
`Apply a rotation of 10° clockwise with respect to the center
SVG_SET_TRANSFORM_ROTATE($rec;370;175;225)
```

SVG_SET_TRANSFORM_SCALE

`SVG_SET_TRANSFORM_SCALE (svgObject ; scaleX {; scaleY})`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
scaleX	Zahl	Value on X axis
scaleY	Zahl	Value on Y axis

Beschreibung

The `SVG_SET_TRANSFORM_SCALE` command applies a change of horizontal and/or vertical scale to an SVG object having the `svgObject` reference.

If the `scaleX` value is not null, the object is enlarged (`value >1`) or reduced (`0 < value < 1`) horizontally for the number of units passed. The value 1 is equal to no change to the object scale.

If the `scaleY` parameter is provided, the object is enlarged (`value >1`) or reduced (`0 < value < 1`) vertically for the number of units passed. The value 1 is equal to no change to the object scale. If this parameter is omitted, its value is supposed to be equal to `scaleX`.

Beispiel



```
$SVG:=SVG_New
$Text:=SVG_New_text($SVG;"Hello world!";5)
SVG_SET_TRANSFORM_SCALE($Text;3;12) `Zoom x*3 y*12
```

⚙️ SVG_SET_TRANSFORM_SKEW

SVG_SET_TRANSFORM_SKEW (*svgObject* ; horizontal {; vertical})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
horizontal	Lange Ganzzahl	Value of incline along X axis
vertical	Lange Ganzzahl	Value of incline along Y axis

Beschreibung

The *SVG_SET_TRANSFORM_SKEW* command specifies a horizontal and/or vertical incline for the *SVG object* having the *svgObject* reference.

If the value of the *horizontal* parameter is not null, the object will be inclined horizontally according to the number of units passed; otherwise, it is ignored.

If the value of the *vertical* parameter is not null, the object will be inclined vertically according to the number of units passed.

Beispiel



```
$svg :=SVG_New
`Draw a background
$SVG_New_rect($svg;0;0;270;160;10;10;"black";"gray")
`Place the text...
$tx:=SVG_New_text($svg;"Hello world!";100;5;"";48)
`in white
$SVG_SET_FONT_COLOR($tx;"white")
`Incline it
$SVG_SET_TRANSFORM_SKEW($tx;-50;10) `Incline
```

SVG_SET_TRANSFORM_TRANSLATE

`SVG_SET_TRANSFORM_TRANSLATE (svgObject ; x {; y})`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
x	Lange Ganzzahl	Coordinate on X axis
y	Lange Ganzzahl	Coordinate on Y axis

Beschreibung

The `SVG_SET_TRANSFORM_TRANSLATE` command specifies a horizontal and/or vertical relocation of the SVG object having the `svgObject` reference.

If the `x` value is not null, the object will be moved horizontally for the number of units passed; otherwise, it will be ignored.

If the `y` parameter is provided, the object will be moved vertically for the number of units passed.

Beispiel



```
svgRef:=SVG_New
`Draw a red rectangle
$Object:=SVG_New_rect(svgRef;0;0;200;100;0;0;"black";"red")
`Draw a square at 0,0
$Object:=SVG_New_rect(svgRef;0;0;20;20)
`Move the square to 150,50
SVG_SET_TRANSFORM_TRANSLATE($Object;150;50)
```

SVG_SET_VIEWBOX

SVG_SET_VIEWBOX (*svgObject* ; *x* ; *y* ; *Breite* ; *Höhe* {; *mode*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>x</i>	Zahl	X position of viewBox
<i>y</i>	Zahl	Y position of viewBox
<i>Breite</i>	Zahl	Width of viewBox
<i>Höhe</i>	Zahl	Height of viewBox
<i>mode</i>	Text	Adjustment to viewBox

Beschreibung

The **SVG_SET_VIEWBOX** command can be used to specify the viewBox of the SVG object having the *svgObject* reference. If this attribute already exists, its value is replaced by the value passed in the parameter.

The values are expected in the user coordinate system.

The optional *mode* parameter can be used to indicate if the graphic must be fitted, and how so, to the size of the viewBox. The value expected for *mode* must be one recognized by SVG: 'none', 'xMinYMin', 'xMidYMin', 'xMaxYMin', 'xMinYMid', 'xMidYMid', 'xMaxYMid', 'xMinYMax', 'xMidYMax', 'xMaxYMax' and 'true' (for xMidYMid).

Beispiel

```
`Create an SVG document of 4x8cm
$svg:=SVG_New
SVG_SET_DIMENSIONS($SVG;4;8;"cm")
`Declare the user coordinate system here as 1 cm = 250 user points
SVG_SET_VIEWBOX($svg;0;0;1000;2000;"true")
```

SVG_SET_VIEWPORT_FILL

`SVG_SET_VIEWPORT_FILL (svgObject {; color {; opacity}})`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	→ Reference of SVG element
color	String	→ Fill color
opacity	Lange Ganzzahl	→ Percentage of opacity

Beschreibung

The `SVG_SET_VIEWPORT_FILL` command can be used to set the background color of an SVG document having the `svgObject` reference.

If this attribute already exists, its value is replaced by the value passed as parameter. If `svgObject` is an SVG element that does not accept this attribute, an error is generated.

The optional `color` parameter indicates the color to be used for the picture background. If this parameter is omitted or contains an empty string, white will be used. For more information about colors, please refer to the [SVG Colors](#) section.

The optional `opacity` parameter can be used to specify the value of the percentage of opacity to be applied to this fill. If this parameter is omitted or if no opacity has been specified for the document, the value 100% is used.

SVG_SET_VISIBILITY

SVG_SET_VISIBILITY (*svgObject* {; *hide*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
<i>hide</i>	Boolean	True = Show, False = Hide

Beschreibung

The *SVG_SET_VISIBILITY* command hides or shows an SVG object having the *objectRef* reference. If *objectRef* is not the reference of an object that can be hidden, an error is generated.

If the optional *hide* parameter is set to True or omitted, the object will be shown. If it is False, the object will be hidden.

Beispiel

```
$svg :=SVG_New
$object:=SVG_New_rect($svg;10;10;200;200;0;0;"black";" white";2)
SVG_SET_VISIBILITY($object;False) `The object is described but will not be rendered.
```

SVG_SET_XY

`SVG_SET_XY (svgObject ; x {; y})`

Parameter	Typ	Beschreibung
<code>svgObject</code>	<code>SVG_Ref</code>	Reference of SVG element
<code>x</code>	Lange Ganzzahl	Coordinate on X axis
<code>y</code>	Lange Ganzzahl	Coordinate on Y axis

Beschreibung

The *SVG_SET_XY* command can be used to set the coordinates of the top left corner of the rectangular area where the SVG object having the *svgObject* reference is placed. If these attributes already exist, their values are replaced by those passed as parameters. If *svgObject* is an SVG element that does not accept this attribute, an error is generated.

The values are expected in the user coordinate system.

Beispiel

```
$svg :=SVG_New `Create a new document
$object:=SVG_New_image($svg;"#Pictures/logo4D.png") `Place the logo
SVG_SET_XY($object;10;40) `Modify the position of the picture
```

Colors and Gradients

SVG Colors

-  [SVG_Color_from_index](#)
-  [SVG_Color_grey](#)
-  [SVG_Color_RGB_from_CMYK](#)
-  [SVG_Color_RGB_from_HLS](#)
-  [SVG_Color_RGB_from_long](#)
-  [SVG_FADE_TO_GREY_SCALE](#)
-  [SVG_Filter_ColorMatrix](#)
-  [SVG_GET_COLORS_ARRAY](#)
-  [SVG_GET_DEFAULT_BRUSHES](#)
-  [SVG_Get_named_color_value](#)
-  [SVG_SET_BRIGHTNESS](#)
-  [SVG_SET_DEFAULT_BRUSHES](#)
-  [SVG_SET_HUE](#)
-  [SVG_SET_SATURATION](#)

Definition of colors

SVG recognizes all the alternative syntaxes for the colors defined in the CSS2 standard. The commands of the 4D SVG component support all these syntaxes.

A color can be expressed in one of the following forms:

- RGB format

Format	Example
--------	---------

#rgb #f00

#rrggbb #ff0000

rgb(r,g,b) rgb(255,0,0)

 rgb(100%, 0%, 0%)

- "Color" keyword format

SVG accepts an extensive list of color name keywords, for example "red".

The list of keywords, as well as their RGB equivalents, can be found in the **4D SVG Constants** theme: **SVG Colors (Names)** and **SVG Colors (RGB)**. You can also view this list and insert the color values directly via the 4D SVG Color palette. For more information, please refer to **Development tools**.

None

Pass the "**none**" keyword in the *backgroundColor* or *foregroundColor* parameters in order to not have a fill or stroke at all. The "none" keyword can be used with most SVG commands.

Opacity

It is possible to specify the opacity in the color expressions of the component commands by using the syntax "color:opacity" where opacity is a number included between 0 (no color) and 100 (color completely opaque). So "red:50" will be interpreted as a red at 50% opacity.

Gradients

Gradients are progressive transitions of color along a vector. These gradients are set with the *SVG_Define_linear_gradient* and *SVG_Define_radial_gradient* commands. Once set, the gradients are used by reference using the "url(#GradientName)" syntax.

Similarly, it is possible to set a custom color associated with an opacity using the *SVG_Define_solidColor* command.

⚙️ SVG_Color_from_index

SVG_Color_from_index (index) -> Funktionsergebnis

Parameter

index
Funktionsergebnis

Typ

Lange Ganzzahl
Textfeld

Beschreibung

Number of color
Color designated by index



Beschreibung


The **SVG_Color_from_index** returns the SVG color matching the 4D color specified in the *index* parameter.

The *index* parameter designates a number in the 4D color palette, where colors are numbered from 1 to 256. For more information about this point, refer to the description of the 4D **OBJECT SET COLOR** command.

Beispiel

In this example, we recreate the 4D color palette:

```
$Dom_svg:=SVG_New
$Lon_line:=0
For($Lon_ii;0;15;1)
    $Lon_column:=0
    For($Lon_i;1;16;1)
        $Txt_color:=SVG_Color_from_index(($Lon_ii*16)+$Lon_i)
        $Dom_rect:=SVG_New_rect($Dom_svg;$Lon_column;
        $Lon_line;11;11;0;0;"white";$Txt_color)
        $Lon_column:=$Lon_column+11
    End for
    $Lon_line:=$Lon_line+11
End for
SVGTool_SHOW_IN_VIEWER($Dom_svg)
```



SVG_Color_grey

SVG_Color_grey (Prozent) -> Funktionsergebnis

Parameter

Prozent
Funktionsergebnis

Typ

Ganzzahl
String

Beschreibung

Intensity of gray
Color string



Beschreibung

The *SVG_Color_grey* command returns a string expressing a gray color having a *percentage* intensity. The string returned is in "RGB(red, green, blue)" form where the 3 values are equal, the syntax recognized by SVG rendering engines.

Beispiel

```
$txtColor:=SVG_Color_grey(60)
`$txtColor is "rgb(102,102,102)"
```

SVG_Color_RGB_from_CMYK

SVG_Color_RGB_from_CMYK (cyan ; magenta ; yellow ; black {; format}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
cyan	Lange Ganzzahl	→ Cyan value
magenta	Lange Ganzzahl	→ Magenta value
yellow	Lange Ganzzahl	→ Yellow value
black	Lange Ganzzahl	→ Black value
format	Lange Ganzzahl	→ Color format
Funktionsergebnis	Text	↻ Color string

Beschreibung

The *SVG_Color_RGB_from_CMYK* command returns a string expressing the color corresponding to the four color parameters, *cyan*, *magenta*, *yellow* and *black*, passed as arguments. The string returned is in the form "RGB(red,green,blue)" by default, the syntax recognized by SVG rendering engines.

cyan, *magenta*, *yellow* and *black* are longints included between 0 and 100%.

The optional *format* parameter is used to specify the desired format for the color string returned. The values are:

Value	Format
1 (default)	rgb(r,g,b)
2	#rgb
3	#rrggbb
4	rgb(r%, g%, b%)

SVG_Color_RGB_from_HLS

SVG_Color_RGB_from_HLS (hue ; luminosity ; saturation {; Format}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
hue	Lange Ganzzahl	→ Hue value
luminosity	Lange Ganzzahl	→ Luminosity value
saturation	Lange Ganzzahl	→ Saturation value
Format	Lange Ganzzahl	→ Color format
Funktionsergebnis	Text	↔ Color string

Beschreibung

The *SVG_Color_RGB_from_HLS* command returns a string expressing the color corresponding to the *hue*, *luminosity* and *saturation* parameters passed as arguments. The string returned is in the form "RGB(red,green,blue)" by default, the syntax recognized by SVG rendering engines. *hue* is a longint included between 0 and 360°.

luminosity and *saturation* are longints included between 0 and 100%.

The optional *format* parameter is used to specify the desired format for the color string returned. The values are:

Value	Format
1 (default)	rgb(r,g,b)
2	#rgb
3	#rrggbb
4	rgb(r%, g%, b%)

SVG_Color_RGB_from_long

SVG_Color_RGB_from_long (Farbe {; Format}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
Farbe	Lange Ganzzahl	Value of color
Format	Ganzzahl	Format of color
Funktionsergebnis	String	Color string

Beschreibung

The *SVG_Color_RGB_from_long* command returns a string expressing the *color* color passed as an argument. The string returned is in "RGB(red, green, blue)" form, the syntax recognized by SVG rendering engines.

The *color* parameter is a 4-byte longint whose format (0x00RRGGBB) is described below (the bytes are numbered from 0 to 3, from right to left):

Byte Description

- 2 Red component of the color (0..255)
- 1 Green component of the color (0..255)
- 0 Blue component of the color (0..255)

The optional *format* parameter can be used to specify the desired format for the color string returned. The values are:

Value Format

- 1 (default) `rgb(r,g,b)`
- 2 `#rgb`
- 3 `#rrggbb`
- 4 `rgb(r%, g%, b%)`

Beispiel

```
$txtColor:=SVG_Color_RGB_from_long($color)
`$txtColor is "rgb(255,128,0)" if $color is 16744448 (orange)
```

SVG_FADE_TO_GREY_SCALE

SVG_FADE_TO_GREY_SCALE (*svgObject* {; *value*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ SVG object reference
<i>value</i>	Zahl	→ Grey value

Beschreibung

The **SVG_FADE_TO_GREY_SCALE** command applies a filter to transform the gray scale for an SVG image whose reference is passed in the *svgObject* parameter.

You can pass the gray scale value to be applied in the optional *value* parameter. If you do not pass this parameter, the transformation is in accordance with the visual perception of the luminance (30% red, 59% green and 11% blue).

SVG_Filter_ColorMatrix

SVG_Filter_ColorMatrix (*svgObject* {; *in* ; *result*} {; *type* {; *values*} }) -> Funktionsergebnis

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	SVG object reference
<i>in</i>	Text	Identifies input for the given filter primitive
<i>result</i>	Text	Provides a reference for the output result of a filter
<i>type</i>	Text	Indicates the type of matrix operation
<i>values</i>	Text	Numeric values for the transformation matrix
Funktionsergebnis	SVG_Ref	Reference for SVG object with new color values

Beschreibung

The **SVG_Filter_ColorMatrix** command applies a color matrix transformation to each pixel in the source image passed in the *svgObject* parameter to produce a result with a new set of color values.

In the *in* parameter, you can either pass a string which matches a previous 'result' value or one of the six following keywords:

- *SourceGraphic*: the target element (image, shape, group etc.) that references the filter. This keyword represents the graphics elements that were the original input into the 'filter' element
- *SourceAlpha*: the canvas beneath the *SourceGraphic*. This keyword represents the graphics elements that were the original input into the 'filter' element.
- *BackgroundImage*: the canvas beneath the *SourceGraphic*. This keyword represents an image snapshot of the canvas under the filter region at the time that the 'filter' element was invoked.
- *BackgroundAlpha*: the alpha channel of the canvas beneath the *SourceGraphic*. Same as *BackgroundImage* except only the alpha channel is used
- *FillPaint*: a pseudo-graphic equal to the size of the filter region filled with the fill property of the target element. This keyword represents the value of the 'fill' property on the target element for the filter effect.
- *StrokePaint*: a pseudo-graphic equal to the size of the filter region filled with the stroke property of the target element. This keyword represents the value of the 'stroke' property on the target element for the filter effect.

If no value is passed and this is the first filter primitive, then the *SourceGraphic* is used as its input. If no value is provided and this is a subsequent filter primitive, then this filter primitive will use the result from the previous filter primitive as its input.

In the *result* parameter, you pass a reference for the output result of a filter which can be referenced by the *in* parameter on a subsequent use of this command within the same 'filter' element. If no value is provided, the output is only available for re-use as the implicit input for the next filter primitive if that filter primitive provides no value for its *in* parameter.

In the *type* parameter, you can specify the type of matrix operation by passing one of the following keywords:

- *saturate*: adjusts the saturation of all RGB color channels using a real number value of 0 to 1 that is passed in the *values* parameter.
- *hueRotate*: rotates the pixel hue of all RGB color channels by the angle specified (in degree) in the *values* parameter,
- *luminanceToAlpha*: converts the red, green and blue channels into a luminance value. The RGB channels are set to black (0,0,0).)
- *matrix*: sets the color using the list of values passed in the *values* parameter. Allows the value of each channel in the output to be specified from a combination of its existing color and alpha channels.

If you do not pass a *type* parameter, by default the effect is as if a value of *matrix* were specified.

In the *values* parameter, you pass numeric values based on the keyword passed in the *type* parameter:

- With the "matrix" keyword: you pass a list of 20 matrix values, separated by whitespace and/or a comma.
- With the "saturate" keyword: you pass a single real number value (0 to 1). The permitted value according to the specification is 0-1, but many browsers accept higher values >1 to allow over-saturation.
- With the "hueRotate" keyword: you pass a single real number value (to indicate degrees of rotation).
- With the "luminanceToAlpha" keyword: you do not pass a numeric value. The *values* parameter is not used with this type, which discards the alpha channel and replaces it with values equal to the input's luminance.

If you do not pass a *values* parameter, the default behavior depends on the keyword passed in the *type* parameter:

- With the "matrix" keyword: by default the values of the identity matrix are used
- With the "saturate" keyword: by default, the value is 1 (no change).
- With the "hueRotate" keyword: by default the value is 0 (no change).
- With the "luminanceToAlpha" keyword: by default, this parameter is not used.

Note: Under Windows, this command requires the prior disabling of Direct2D (see the [Direct2D disabled](#) constant in the description of the **SET DATABASE PARAMETER** command).

Beispiel



```
C_TEXT($Dom_filter;$Dom_node;$Dom_rect;$Dom_svg;$Txt_matrix)
```

```
SVG_SET_OPTIONS(SVG_Get_options?+5)
```

```
$Dom_svg:=SVG_New
```

```
$Dom_filter:=SVG_Define_filter($Dom_svg;"Matrix")
$txt_matrix:=\
".33 .33 .33 0 0 "\
+"33 .33 .33 0 0 "\
+"33 .33 .33 0 0 "\
+"33 .33 .33 0 0"
```

```
$Dom_node:=SVG_Filter_ColorMatrix($Dom_filter;"SourceGraphic";"";"matrix";$Txt_matrix)
```

```
$Dom_filter:=SVG_Define_filter($Dom_svg;"Saturate")
$Dom_node:=SVG_Filter_ColorMatrix($Dom_filter;"SourceGraphic";"";"saturate";"1.5")
```

```

// another syntax for value
//$Dom_node:=SVG_Filter_ColorMatrix
($Dom_filter;"SourceGraphic";"";"saturate";String(1,5;"&xml"))

$Dom_filter:=SVG_Define_filter($Dom_svg;"HueRotate90")
$Dom_node:=SVG_Filter_ColorMatrix($Dom_filter;"SourceGraphic";"";"hueRotate";"90")

$Dom_filter:=SVG_Define_filter($Dom_svg;"LuminanceToAlpha")
$Dom_node:=SVG_Filter_ColorMatrix($Dom_filter;"SourceGraphic";"";"luminanceToAlpha")

$Dom_rect:=SVG_New_rect($Dom_svg;2;0;797;100;0;0;"none";"coral")

$Dom_rect:=SVG_New_rect($Dom_svg;2;100;797;100;0;0;"none";"coral")
SVG_SET_FILTER($Dom_rect;"Matrix")

$Dom_rect:=SVG_New_rect($Dom_svg;2;200;797;100;0;0;"none";"coral")
SVG_SET_FILTER($Dom_rect;"Saturate")

$Dom_rect:=SVG_New_rect($Dom_svg;2;300;797;100;0;0;"none";"coral")
SVG_SET_FILTER($Dom_rect;"HueRotate90")

$Dom_rect:=SVG_New_rect($Dom_svg;2;400;797;100;0;0;"none";"coral")
SVG_SET_FILTER($Dom_rect;"LuminanceToAlpha")

SVG_New_text($Dom_svg;"No filter";110;10;"Verdana";60;Bold; -1;"black")
SVG_New_text($Dom_svg;"Matrix";110;110;"Verdana";60;Bold; -1;"black")
SVG_New_text($Dom_svg;"Saturate";110;210;"Verdana";60;Bold; -1;"black")
SVG_New_text($Dom_svg;"HueRotate";110;310;"Verdana";60;Bold; -1;"black")
SVG_New_text($Dom_svg;"Luminance";110;410;"Verdana";60;Bold; -1;"black")

//View the result
SVGTool_SHOW_IN_VIEWER($Dom_svg)

//SVG_SAVE_AS_TEXT($Dom_svg;System folder/Desktop)+"export.svg")

//Don't forget to clear the memory
SVG_CLEAR($Dom_svg)

```

SVG_GET_COLORS_ARRAY

SVG_GET_COLORS_ARRAY (colorNamesArrayPointer)

Parameter	Typ	Beschreibung
colorNamesArrayPointer	Zeiger	→ Pointer to array receiving color names

Beschreibung

The *SVG_GET_COLORS_ARRAY* command fills in the array pointed to by the *colorNamesArrayPointer* parameter with the names of colors recognized by SVG.

See Also: <http://www.w3.org/TR/SVG/types.html#ColorKeywords>

SVG_GET_DEFAULT_BRUSHES

SVG_GET_DEFAULT_BRUSHES (line {; background})

Parameter	Typ		Beschreibung
line	Zeiger	→	Alpha variable
background	Zeiger	→	Alpha variable

Beschreibung

The *SVG_GET_DEFAULT_BRUSHES* command returns, in the variable pointed to by *line*, the current default color for drawing lines.

If the optional *background* parameter is passed, the variable pointed to by this parameter will receive the current default color used for backgrounds.

If they have not been modified, these colors are, respectively, black and white.

Beispiel

See the *SVG_SET_DEFAULT_BRUSHES* command.

SVG_Get_named_color_value

SVG_Get_named_color_value (colorName {; rgbComponent}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
colorName	Text	→ SVG color name
rgbComponent	Text	→ "R", "G" or "B" to indicate color component
Funktionsergebnis	Lange Ganzzahl	→ Returns color value

Beschreibung

The **SVG_Get_named_color_value** command returns the value of the SVG color whose name is specified in the *colorName* parameter.

In the optional *rgbComponent* parameter, you can pass either "R" (red), "G" (green) or "B" (blue) to indicate the specific color component for which you want to get the value. If you do not pass this parameter, the command returns the (complete) long color value.

SVG_SET_BRIGHTNESS

SVG_SET_BRIGHTNESS (*svgObject* ; *brightness* {; *brightness2* ; *brightness3*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ SVG object reference
<i>brightness</i>	Zahl	→ Values between 0 and 1 to darken; > 1 to brighten, applied globally or only to red component
<i>brightness2</i>	Zahl	→ Brightness value for green component
<i>brightness3</i>	Zahl	→ Brightness value for blue component

Beschreibung

The **SVG_SET_BRIGHTNESS** command sets the brightness for an SVG image or container whose reference is passed in the *svgObject* parameter.

In the *brightness* parameter, you pass either a value between 0 and 1 to darken the brightness, or a value greater than 1 to brighten it. When you pass a single *brightness* parameter, the brightness factor is applied globally to the object.

Alternatively, you can pass two additional (optional) *brightness2* and *brightness3* parameters, in which case each brightness value is applied to a separate part of the color component, i.e. *brightness* is applied to the "R" (red) part, *brightness2* is applied to the "G" (green) part and *brightness3* is applied to the "B" (blue) part.

⚙️ SVG_SET_DEFAULT_BRUSHES

SVG_SET_DEFAULT_BRUSHES (line {; background})

Parameter	Typ		Beschreibung
line	String	→	Color
background	String	→	Color

Beschreibung


The *SVG_SET_DEFAULT_BRUSHES* command can be used to set the default colors used by the component.

The *line* parameter contains the new color that will be used for lines. The optional *background* parameter contains the new color to be used for drawing backgrounds.

You can pass an empty string in either of these parameters in order to reset the default value of the component; in other words, black for the lines and white for the background.

Beispiel

Like Mondrian...



```
$svg:=SVG_New
` Set the default colors
SVG_SET_DEFAULT_BRUSHES("black";"white")
` 4-point thick lines
SVG_SET_STROKE_WIDTH($svg;4)
$g:=SVG_New_group($svg)
SVG_New_rect($g;2;2;40;40)
SVG_New_rect($g;2;45;40;100)
SVG_SET_FILL_BRUSH(SVG_New_rect($g;2;144;40;60);"midnightblue")
SVG_SET_FILL_BRUSH(SVG_New_rect($g;42;2;120;142);"red")
SVG_New_rect($g;42;144;95;60)
SVG_New_rect($g;137;144;25;25)
SVG_SET_FILL_BRUSH(SVG_New_rect($g;137;169;25;35);"yellow")
SVG_SET_TRANSFORM_TRANSLATE($g;10;10)
` Caption
SVG_New_text($svg;"Inspired by Piet Mondrian - 1930,\rComposition II in Red, Blue, and
Yellow";10;220;"";9)
```

SVG_SET_HUE

`SVG_SET_HUE (svgObject ; hue)`

Parameter	Typ	Beschreibung
<code>svgObject</code>	SVG_Ref	→ SVG object reference
<code>hue</code>	Lange Ganzzahl	→ Hue value

Beschreibung

The **SVG_SET_HUE** method sets a hue value for the SVG object designated by the *svgObject* parameter. *svgObject* must be an SVG container (svg, group, symbol, pattern, marker, etc.) or an image; otherwise, an error is returned.

In the *hue* parameter, you pass a value between 0 and 360.

SVG_SET_SATURATION

SVG_SET_SATURATION (*svgObject* ; *saturation*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	SVG object reference
<i>saturation</i>	Lange Ganzzahl	Saturation value

Beschreibung

The **SVG_SET_SATURATION** method sets a saturation value for the SVG element designated by the *svgObject* parameter. *svgObject* must be an SVG container (svg, group, symbol, pattern, marker, etc.) or an image; otherwise, an error is returned.

In the *saturation* parameter, you pass a value between 0 and 100



Documents

- ⚙️ SVG_CLEAR
- ⚙️ SVG_Copy
- ⚙️ SVG_Export_to_picture
- ⚙️ SVG_Export_to_XML
- ⚙️ SVG_New
- ⚙️ SVG_Open_file
- ⚙️ SVG_Open_picture
- ⚙️ SVG_SAVE_AS_PICTURE
- ⚙️ SVG_SAVE_AS_TEXT
- ⚙️ SVG_SET_DOCUMENT_VARIABLE
- ⚙️ SVG_Validate_file

SVG_CLEAR

SVG_CLEAR {{ svgObject }}

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	SVG object reference

Beschreibung

The **SVG_CLEAR** command frees the memory taken up by the SVG object designated by *svgObject*.

svgObject can be an SVG root object (created with the *SVG_New*, *SVG_Copy* or *SVG_Open_file* commands) or any valid SVG object.

If *svgObject* is not passed, the command frees all the SVG objects created using *SVG_New*, *SVG_Copy* or *SVG_Open_file* commands. This syntax is useful during the development phase during which an SVG reference can be created but the memory was not released because of an error that prevents the execution of the method from completing. In a final development, any SVG reference that is no longer used must be freed using the *SVG_CLEAR* command.

SVG_Copy

SVG_Copy (*svgObject*) -> Funktionsergebnis

Parameter

svgObject
Funktionsergebnis

Typ

SVG_Ref
SVG_Ref



Beschreibung

Reference of SVG objec to copy
Reference of new SVG object

Beschreibung

The *SVG_Copy* command creates a new SVG document that is a copy of the document referenced by *svgObject*.

The command returns a 16-character string (*SVG_Ref*) that consists of the reference in memory of the document virtual structure. This reference must be used with the other commands of the component.

Important: Once you no longer need it, do not forget to call the *SVG_CLEAR* command with this reference in order to free up the memory.

Example

```
svgRef:=SVG_New
...
svgRef Copy:=SVG_Copy(svgRef)
```

SVG_Export_to_picture

SVG_Export_to_picture (*svgObject* {; *ExportTyp*}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	 SVG object reference
ExportTyp	Lange Ganzzahl	 0 = Do not store data source 1 (default) = Copy data source 2 = Own data source
Funktionsergebnis	Bild	 Picture rendered by SVG engine

Beschreibung

The *SVG_Export_to_picture* command returns the picture described by the SVG structure referenced by *svgObject*.

The optional *exportType* parameter can be used to specify the way in which the XML data source must be handled by the command. For more information about this parameter, refer to the description of the 4D **SVG EXPORT TO PICTURE** command. If this parameter is omitted, the default value is 1, [Copy XML Data Source](#).

Beispiel

```
svgRef:=SVG_New(500;200;Test component)
...
MyPicture:=SVG_Export_to_picture(svgRef;0)

SVG_CLEAR(svgRef)
```

SVG_Export_to_XML

SVG_Export_to_XML (*svgObject*) -> Funktionsergebnis

Parameter

svgObject
Funktionsergebnis

Typ

SVG_Ref
Text

Beschreibung

 SVG object reference
 XML text of SVG document

Beschreibung

The *SVG_Export_to_XML* command returns the XML text of the description of the SVG structure referenced by *svgObject*.

Beispiel

```
svgRef:=SVG_New(500;200;Test component)
```

```
...
```

```
MyText:=SVG_Export_to_XML(svgRef)
```

```
SVG_CLEAR(svgRef)
```

SVG_New

SVG_New {{ width ; height {; Titel {; Beschreibung {; rectangle {; Anzeige}}}} } })} ->
Funktionsergebnis

Parameter	Typ	Beschreibung
width	Lange Ganzzahl	Document width
height	Lange Ganzzahl	Document height
Titel	String	Document title
Beschreibung	String	Description
rectangle	Boolean	Set viewBox
Anzeige	Ganzzahl	Picture display format
Funktionsergebnis	SVG_Ref	SVG object reference

Beschreibung

The *SVG_New* command creates a new SVG document and returns its reference number.

The optional *width* and *height* parameters can be used to limit the space of the SVG document to the dimensions indicated. These 2 parameters are expected in user points ('px'); if you want to specify another unit, you must use the [SVG_SET_DIMENSIONS](#) command.

The optional *title* and *description* parameters can be used to give information about the contents.

If you pass True in the optional *rectangle* parameter, the viewBox ('viewBox' attribute) is automatically set to the size of the document created.

Note: It is possible to modify the coordinates of the graphic viewBox and to adjust the fitting of the picture to it more precisely using the [SVG_SET_VIEWBOX](#) command.

The optional *display* parameter can be used to indicate whether the graphic must be fitted to the size of the document. You can pass one of the following 4D picture display format constants as parameter: [Scaled to fit](#) [prop centered](#) or [Scaled to Fit](#).

The command returns a 16-character string (*SVG_Ref*) that consists of the reference in memory of the document virtual structure. This reference must be used with the other commands of the component.

Important: Once you no longer need it, do not forget to call the [SVG_CLEAR](#) command with this reference in order to free up the memory.

Beispiel

```
svgRef:=SVG_New  
svgRef:=SVG_New(500;200)  
svgRef:=SVG_New(900;700;"SVG component test";"This is an example";True;Scaled to fit)
```

SVG_Open_file

SVG_Open_file (path) -> Funktionsergebnis

Parameter	Typ	Beschreibung
path Funktionsergebnis	String SVG_Ref	 Pathname of SVG document to open  Document reference

Beschreibung

The *SVG_Open_file* command parses (and validates with the DTD) the SVG document found at the location designated by the *path* parameter and returns an SVG reference (16-character string) for this document.

Important: Once you no longer need it, do not forget to call the *SVG_CLEAR* command with this reference in order to free up the memory.

SVG_Open_picture

SVG_Open_picture (Bild) -> Funktionsergebnis

Parameter	Typ	Beschreibung
Bild Funktionsergebnis	Bild SVG_Ref	 4D picture field or variable  Reference of SVG document

Beschreibung

The *SVG_Open_picture* command analyzes an SVG picture and returns an SVG reference for this picture. If *picture* does not contain an SVG picture, the command returns an empty string.

Important: Once you no longer need it, remember to call the *SVG_CLEAR* command with this reference in order to free up the memory.

Beispiel

```
READ PICTURE FILE("");$picture)
If(OK=1)
  $ref:=SVG_Open_picture($picture)
  ...
  SVG_CLEAR($ref)
End if
```

SVG_SAVE_AS_PICTURE

SVG_SAVE_AS_PICTURE (*svgObject* ; *Dokumentname* {; *Codec*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ SVG object reference
<i>Dokumentname</i>	String	→ Document name or Full pathname of document
<i>Codec</i>	String	→ Picture codec ID

Beschreibung

The **SVG_SAVE_AS_PICTURE** command writes the contents of the SVG object specified by *svgObject* into the picture file specified by *document*. If *svgObject* is not an SVG document, an error is generated.

In *document*, you can pass the full pathname of the file, or only the file name – in which case the file will be created next to the database structure file. If you pass an empty string ("") in *document*, the standard Save file dialog box appears so that the user can specify the name, location and format of the file to be created.

The optional *codec* parameter can be used to specify the format in which to save the picture. If this parameter is omitted, the picture is saved in png format.

The **SVG_SAVE_AS_PICTURE** modifies the value of the variable (if any) designated by the **SVG_SET_DOCUMENT_VARIABLE** command.

Beispiel

```
svgRef:=SVG_New(500;200;"Sales statistics")
...
SVG_SAVE_AS_PICTURE(svgRef;"test.png") `Save
SVG_SAVE_AS_PICTURE(svgRef;"test.gif";".gif")
SVG_CLEAR(svgRef)
```

SVG_SAVE_AS_TEXT

SVG_SAVE_AS_TEXT (*svgObject* {; *Dokumentname*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ SVG object reference
<i>Dokumentname</i>	String	→ Document name or Full pathname of document

Beschreibung

The **SVG_SAVE_AS_TEXT** command writes the content of the SVG object specified by *svgObject* into the disk file specified by *document*. If *svgObject* is not an SVG document, an error is generated.

In *document*, you can pass the full pathname of the file, or only the file name – in which case the file will be created next to the database structure file. If you pass an empty string ("") in *document* or omit this parameter, the standard Save file dialog box appears so that the user can specify the name, location and format of the file to be created.

The **SVG_SAVE_AS_TEXT** modifies the value of the variable (if any) designated by the **SVG_SET_DOCUMENT_VARIABLE** command.

Beispiel

```
svgRef:=SVG_New(500;200;"Sales statistics")
...
SVG_SAVE_AS_TEXT(svgRef;"test.svg") //The document is saved next to the structure
SVG_CLEAR(svgRef)
```

SVG_SET_DOCUMENT_VARIABLE

SVG_SET_DOCUMENT_VARIABLE (pointer)

Parameter	Typ	Beschreibung
pointer	Zeiger	Pointer to variable to set

Beschreibung

The **SVG_SET_DOCUMENT_VARIABLE** method sets a pointer to the variable of the host database that is updated after each call to **SVG_SAVE_AS_PICTURE** or **SVG_SAVE_AS_TEXT**. You must call this method only once per session (in an initialization method, for instance).

In the *pointer* parameter, you pass a pointer to the variable whose value you want to follow (usually the **Document** system variable).

You can pass a Nil pointer in the *pointer* parameter to remove the link.

SVG_Validate_file

SVG_Validate_file (path) -> Funktionsergebnis

Parameter	Typ	Beschreibung
path	String	 Pathname of SVG document to validate
Funktionsergebnis	Boolean	 True if the document corresponds to the DTD

Beschreibung

The *SVG_Validate_file* command attempts to validate the document specified in *path* on disk with the DTD (1.0). The command returns True if the document is well formed and False otherwise.



Drawing

- ⚙️ [SVG_Add_object](#)
- ⚙️ [SVG_ADD_POINT](#)
- ⚙️ [SVG_New_arc](#)
- ⚙️ [SVG_New_circle](#)
- ⚙️ [SVG_New_ellipse](#)
- ⚙️ [SVG_New_ellipse_bounded](#)
- ⚙️ [SVG_New_embedded_image](#)
- ⚙️ [SVG_New_image](#)
- ⚙️ [SVG_New_line](#)
- ⚙️ [SVG_New_path](#)
- ⚙️ [SVG_New_polygon](#)
- ⚙️ [SVG_New_polygon_by_arrays](#)
- ⚙️ [SVG_New_polyline](#)
- ⚙️ [SVG_New_polyline_by_arrays](#)
- ⚙️ [SVG_New_rect](#)
- ⚙️ [SVG_New_regular_polygon](#)
- ⚙️ [SVG_PATH_ARC](#)
- ⚙️ [SVG_PATH_CLOSE](#)
- ⚙️ [SVG_PATH_CURVE](#)
- ⚙️ [SVG_PATH_LINE_TO](#)
- ⚙️ [SVG_PATH_MOVE_TO](#)
- ⚙️ [SVG_PATH_QCURVE](#)
- ⚙️ [SVG_Use](#)

SVG_Add_object

SVG_Add_object (targetSVGObject ; sourceSVGObject) -> Funktionsergebnis

Parameter

targetSVGObject
sourceSVGObject
Funktionsergebnis

Typ

SVG_Ref
SVG_Ref
SVG_Ref

Beschreibung

→ Reference of parent element
→ Reference of object to be added
↳ Reference of SVG object

Beschreibung

The *SVG_Add_object* command is used to place an SVG object designated by *sourceSVGObject* in the SVG container designated by *targetSVGObject* and return its reference. The SVG container can be the root of the document or any other reference to an SVG object that is able to contain this type of element.

SVG_ADD_POINT

SVG_ADD_POINT (*parentSVGOBJet* ; *x* ; *y* {; *x2* ; *y2* ; ... ; *xN* ; *yN*})

Parameter	Typ	Beschreibung
<i>parentSVGOBJet</i>	SVG_Ref	→ Reference of parent element
<i>x</i>	Lange Ganzzahl	→ Coordinate on X axis of new point(s)
<i>y</i>	Lange Ganzzahl	→ Coordinate on Y axis of new point(s)

Beschreibung

The *SVG_ADD_POINT* command adds one or more segments to the path referenced by *parentSVGOBJet*. The path may be of the 'path', 'polyline' or 'polygon' type. If *parentSVGOBJet* is not a path reference of this type, an error is generated.

If several pairs of coordinates are passed, the different points will be added successively. In this case, if the last pair of coordinates is incomplete (missing *y*), it will be ignored.

Example

See the examples for the **SVG_New_polyline** command.

SVG_New_arc

SVG_New_arc (parentSVGObject ; x ; y ; radius ; start ; end {; foregroundColor {; backgroundColor {; strokeWidth}}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
x	Lange Ganzzahl	Coordinate on center X axis
y	Lange Ganzzahl	Coordinate on center Y axis
radius	Lange Ganzzahl	Radius of circle
start	Lange Ganzzahl	Value in degrees of start of arc
end	Lange Ganzzahl	Value in degrees of end of arc
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of arc

Beschreibung

The *SVG_New_arc* command creates a new circle arc in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

The optional *foregroundColor* and *backgroundColor* parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional *strokeWidth* parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel 1


Draw an arc from 0° to 90° (default fill and border color, default line thickness):



```
svgRef:=SVG_New  
objectRef:=SVG_New_arc(svgRef;100;100;90;90;180)
```

Beispiel 2

Draw the arc from 90° to 180° of a light blue circle with a blue edge and a 2-point link thickness:



```
svgRef:=SVG_New  
objectRef:=SVG_New_arc(svgRef;100;100;90;180;270;"blue";"lightblue";2)
```

SVG_New_circle

`SVG_New_circle (parentSVGObject ; x ; y ; radius {; foregroundColor {; backgroundColor {; strokeWidth}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
x	Lange Ganzzahl	Coordinate on center X axis
y	Lange Ganzzahl	Coordinate on center Y axis
radius	Lange Ganzzahl	Radius of circle
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of circle

Beschreibung

The `SVG_New_circle` command creates a new circle in the SVG container designated by `parentSVGObject` and returns its reference. If `parentSVGObject` is not an SVG document, an error is generated.

The circle is positioned and sized according to the center coordinates (`x` and `y`) and the `radius` passed as a parameter.

The optional `foregroundColor` and `backgroundColor` parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional `strokeWidth` parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel 1

Draw a circle (default fill and border color, default line thickness):



```
svgRef:=SVG_New  
objectRef:=SVG_New_circle(svgRef;100;100;90)
```

Beispiel 2

Draw a light blue circle with a blue edge and a 2-point link thickness:



```
svgRef:=SVG_New  
objectRef:=SVG_New_circle(svgRef;100;100;90;"blue";"lightblue";2)
```

SVG_New_ellipse

`SVG_New_ellipse (parentSVGObject ; x ; y ; xRadius ; yRadius {; foregroundColor {; backgroundColor {; strokeWidth}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
x	Lange Ganzzahl	Coordinate on center X axis of ellipse
y	Lange Ganzzahl	Coordinate on center Y axis of ellipse
xRadius	Lange Ganzzahl	Radius on X axis
yRadius	Lange Ganzzahl	Radius on Y axis
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of ellipse

Beschreibung

The `SVG_New_ellipse` command creates a new ellipse in the SVG container designated by `parentSVGObject`. If `parentSVGObject` is not an SVG document, an error is generated.

The ellipse is positioned and sized according to the values of `x`, `y`, `width` and `height`.

The optional `foregroundColor` and `backgroundColor` parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional `strokeWidth` parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel 1


Draw an ellipse (default fill and border color, default line thickness):



```
svgRef:=SVG_New  
objectRef:=SVG_New_ellipse(svgRef;100;50;90;40)
```

Beispiel 2

Draw a light blue ellipse with a blue edge and a 2-point line thickness:



```
svgRef:=SVG_New  
objectRef:=SVG_New_ellipse(svgRef;100;50;90;40;"blue";"lightblue";2)
```

SVG_New_ellipse_bounded

`SVG_New_ellipse_bounded (parentSVGObject ; x ; y ; width ; height {; foregroundColor {; backgroundColor {; strokeWidth}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
x	Lange Ganzzahl	Coordinate on X axis of upper left corner
y	Lange Ganzzahl	Coordinate on Y axis of upper left corner
width	Lange Ganzzahl	Width of bounding rectangle
height	Lange Ganzzahl	Height of bounding rectangle
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of ellipse

Beschreibung

The `SVG_New_ellipse_bounded` command creates a new ellipse in the SVG container designated by `parentSVGObject`. If `parentSVGObject` is not an SVG document, an error is generated.

The ellipse created fits into the rectangle set by `x`, `y`, `width` and `height`.

The optional `foregroundColor` and `backgroundColor` parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional `strokeWidth` parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel 1


Draw an ellipse (default fill and border color, default line thickness):



```
svgRef:=SVG_New  
objectRef:=SVG_New_ellipse_bounded(svgRef;10;10;200;100)
```

Beispiel 2

Draw a light blue ellipse with a blue edge and a 2-point line thickness:



```
svgRef:=SVG_New  
objectRef:=SVG_New_ellipse_bounded(svgRef;100;100;200;100;"blue";"lightblue";2)
```

SVG_New_embedded_image

SVG_New_embedded_image (parentSVGObject ; Bild {; x {; y}}{; codec}) ->
Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	→ Reference of parent element
Bild	Bild	→ Picture to be embedded
x	Lange Ganzzahl	→ Coordinate on X axis of upper left corner
y	Lange Ganzzahl	→ Coordinate on Y axis of upper left corner
codec	Text	→ Codec to use
Funktionsergebnis	SVG_Ref	→ SVG object reference

Beschreibung

The **SVG_New_embedded_image** command can be used to embed the *picture* picture in the SVG container designated by *parentSVGObject* and to return its reference. If *parentSVGObject* is not an SVG document, an error is generated.

The picture will be encoded in base64 then embedded in the document.

The *picture* parameter is a 4D picture field or variable.

The optional *x* and *y* parameters can be used to specify the position of the upper left corner of the picture in the SVG containers (default value 0).

The optional *codec* parameter sets the codec to use for the *picture*. By default, if this parameter is omitted, the codec is ".png".

Beispiel

Embed the 'logo4D.png' picture located in the 'Resources' folder:



```
svgRef:=SVG_New
$Path:=Get 4D folder(Current resources folder)+"logo4D.png"
READ PICTURE FILE($Path;$Picture)
If(OK=1)
    objectRef:=SVG_New_embedded_image(svgRef;$Picture)
End if
```

SVG_New_image

SVG_New_image (parentSVGObject ; Url {; x ; y {; width ; height}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
Url	String	Address of picture
x	Lang Ganzzahl	Coordinate on X axis of upper left corner
y	Lang Ganzzahl	Coordinate on Y axis of upper left corner
width	Lang Ganzzahl	Width of picture
height	Lang Ganzzahl	Height of picture
Funktionsergebnis	SVG_Ref	SVG object reference

Beschreibung

The *SVG_New_image* command can be used to reference a picture at the *url* address in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

The *url* parameter specifies the location of the picture and can take several forms:

- A **local URL** (a pathname in the form: file://...): in this case, the picture will only be displayed if the file is actually accessible at the time the picture is rendered. This local URL can be relative (in the form: "#Pictures/myPicture.png"); in this case the command prefixes the pathname with that of the **Resources** folder of the host database. If the *width* and *height* parameters are omitted, they will be calculated by the command (to be avoided since this is slower than when the sizes are known). In the case of a relative path, if it is not valid, an error is generated.
- A **non-local URL** (<http://mySite.com/pictures/myPicture.jpeg>). In this case, no verification is carried out concerning the validity of the link and an error will be generated if the *width* and *height* parameters are omitted.
- A **relative URL** ("..picture.png"). This is particularly useful in client/server mode, when files are stored in the "Resources" folder. Relatives URLs can begin with:
 - "/", to indicate the "~/Resources/SVG/" path
 - "./", to indicate the "~/Resources/" path
 - "../", to indicate the database folder.

The optional *x* and *y* parameters can be used to specify the position of the upper left corner of the picture in the SVG containers (default value 0).

The *width* and *height* parameters specify the size of the rectangle in which the picture will be displayed and thus determine the size and aspect ratio of the picture. These parameter are only optional in the case of a picture referenced by a relative path in the **Resources** folder of the host database. If *width* and/or *height* equal 0 then the picture is not rendered.

Beispiel 1

Place the 'logo4D.png' picture located in the 'Pictures' folder of the 'Resources' folder:



```
svgRef:=SVG_New  
objectRef:=SVG_New_image(svgRef;"#Pictures/logo4D.png")
```

Beispiel 2

Place the '4dlogo.gif' picture that can be accessed in the 'pictures' directory of the '4d.com' site:



```
svgRef:=SVG_New  
objectRef:=SVG_New_image(svgRef;"http://www.4d.com/pictures/4dlogo.gif";20;20;39;53)
```

Beispiel 3

Here are a few examples for accessing pictures using relative URLs:

```
SVG_New_image($Dom_svg;"./images/picture.png";10;10)  
// base is the "Resources" folder  
// XML code will be xlink:href="../images/picture.png"
```

```
SVG_New_image($Dom_svg;"../picture.png";70;180)  
// base is the database's folder  
// XML code will be xlink:href="picture.png"
```

```
SVG_New_image($Dom_svg;"/sample pictures/picture.png";110;90;100;100)  
// base is the "SVG" folder in the "Resources" folder  
// XML code will be xlink:href="sample%20pictures/picture.gif"
```

SVG_New_line

SVG_New_line (parentSVGObject ; startX ; startY ; endX ; endY {; color {; strokeWidth}} }) ->
Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
startX	Lange Ganzzahl	Horizontal start position
startY	Lange Ganzzahl	Vertical start position
endX	Lange Ganzzahl	Horizontal end position
endY	Lange Ganzzahl	Vertical end position
color	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of line

Beschreibung

The *SVG_New_line* command creates a new line in the SVG container designated by *parentSVGObject* and returns its reference. The object is positioned according to the *startX*, *startY*, *endX* and *endY* coordinates. The SVG container can be the document root or any other reference to an SVG object that can contain this type of element.

The optional *color* parameter contains the name of the line color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional *strokeWidth* parameter contains the pen size expressed in pixels. Its default value is 1.

Beispiel

Draw a blue line that is 3 pixels thick:



```
svgRef:=SVG_New  
objectRef:=SVG_New_line(svgRef;10;10;200;100;"blue";3)
```

SVG_New_path

SVG_New_path (parentSVGObject ; x ; y {; foregroundColor {; backgroundColor {; strokeWidth}}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
x	Lange Ganzzahl	Coordinate on X axis of start of path
y	Lange Ganzzahl	Coordinate on Y axis of start of path
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	SVG object reference

Beschreibung

The *SVG_New_path* command starts a new path in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

A path represents the outline of a shape. A path is depicted by calling upon the concept of a current point. By analogy with a drawing on paper, the current point can be assimilated to the position of the pen. This point can change and the outline of a shape (open or closed) can be traced by moving the pen along a straight or curved line.

Paths represent the geometry of the outline of an object, defined according to the statements of the following elements: *SVG_PATH_MOVE_TO* (establish a new current point), *SVG_PATH_LINE_TO* (draw a straight line), *SVG_PATH_CURVE* (draw a curve using a cubic Bezier curve), *SVG_PATH_ARC* (draw a circular or elliptical arc) and *SVG_PATH_CLOSE* (close the current form by drawing a line to the last beginning of the path). It is possible to have compound paths (in other words, a path with several subpaths) that can be used for effects such as a "doughnut hole" in objects.


The *x* and *y* parameters can be used to specify the start position of a path in the SVG container.

The optional *foregroundColor* and *backgroundColor* parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional *strokeWidth* parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel 1

Draw a closed broken line:



```
svgRef:=SVG_New
objectRef:=SVG_New_path(svgRef;20;20;"red";"none";5)
  SVG_PATH_LINE_TO(objectRef;40)
  SVG_PATH_LINE_TO(objectRef;40;40)
  SVG_PATH_LINE_TO(objectRef;80;40;80;20;100;20;100;100;80;100;80;80;40;80;40;100;20;100)
  SVG_PATH_CLOSE(objectRef)
```

Beispiel 2


Draw a Bezier curve:



```
svgRef:=SVG_New  
objectRef:=SVG_New_path(svgRef;100;200;"aquamarine";"none";10)  
SVG_PATH_CURVE(objectRef;250;200;100;100;250;100)  
SVG_PATH_CURVE(objectRef;400;200;400;300)
```

Beispiel 3

Arc commands in path data:



```
svgRef:=SVG_New  
objectRef:=SVG_New_path(svgRef;20;300;"red";"none";2)  
SVG_SET_OPTIONS(SVG_Get_options?-4) `Change to relative coordinates  
SVG_PATH_LINE_TO(objectRef;50;-25)  
For($Lon_i;1;4;1)  
    SVG_PATH_ARC(objectRef;25;25*$Lon_i;50;-25;-30)  
    SVG_PATH_LINE_TO(objectRef;50;-25)  
End for
```

Beispiel 4

Complex path (cubic Bezier curve):



```
`Create a new SVG tree  
$Txt_svg:=SVG_New(174,96;125,04;"4D Logo","","";True)  
  
`Create a new path  
$Txt_path:=SVG_New_path($Txt_svg;150,665;13,021)  
`Set colors  
SVG_SET_STROKE_BRUSH($Txt_path;"#212a6f")  
SVG_SET_FILL_BRUSH($Txt_path;"#212a6f")  
...  
SVG_PATH_CURVE($Txt_path;-9,683;-6,54;-20,842;-8,888;-33,06;-10,462)  
SVG_PATH_CURVE($Txt_path;-7,042;-0,915;-14,587;-0,877;-22,087;-0,877)  
SVG_PATH_CURVE($Txt_path;-1,725;0;-4,312;-0,405;-5,761;0,24)  
SVG_PATH_CURVE($Txt_path;-1,762;0;-5,092;-0,382;-6,479;0,24)  
...  
SVG_PATH_CURVE($Txt_path;181,489;70,216;177,236;30,976;150,665;13,021)
```


```

$SVG_PATH_MOVE_TO($Txt_path;146,03;98,078)
...
$SVG_PATH_CURVE($Txt_path;153,11;78,668;151,407;89,558;146,03;98,078)

```

Beispiel 5

Quadratic Bezier curve:



```

`Create a new SVG tree
$svg:=SVG_New

`Reset stroke to black and set fill to none
$SVG_SET_DEFAULT_BRUSHES("", "none")

`Draw a quadratic Bezier curve in red
$qCurve:=SVG_New_path($svg;200;300)
$SVG_SET_STROKE_BRUSH($qCurve; "red")
$SVG_SET_STROKE_WIDTH($qCurve; 5)
$SVG_PATH_QCURVE($qCurve; 400; 50; 600; 300)
$SVG_PATH_QCURVE($qCurve; 1000; 300)

`End points in black
$g:=SVG_New_group($svg)
$SVG_Set_description($g; "End points")
$SVG_SET_DEFAULT_BRUSHES("black", "black")
$SVG_New_circle($g; 200; 300; 10)
$SVG_New_circle($g; 600; 300; 10)
$SVG_New_circle($g; 1000; 300; 10)

`Control points and lines from end points to control points in gray
$g:=SVG_New_group($svg)
$SVG_Set_description($g; "Control points and lines from end points to control points")
$SVG_SET_DEFAULT_BRUSHES($VG_Color_grey(50), "none")
$path:=SVG_New_path($svg; 200; 300)
$SVG_SET_STROKE_WIDTH($path; 2)
$SVG_PATH_LINE_TO($path; 400; 50; 600; 300; 800; 550; 1000; 300)
$gray:=$VG_Color_grey(50) `grey 50%
$SVG_SET_DEFAULT_BRUSHES($gray; $gray)
$SVG_New_circle($g; 400; 50; 10)
$SVG_New_circle($g; 800; 550; 10)

```

SVG_New_polygon

`SVG_New_polygon (parentSVGObject {; points {; foregroundColor {; backgroundColor {; strokeWidth}}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
points	String	Path
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of polygon

Beschreibung

The *SVG_New_polygon* command creates a new closed form in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not a valid reference, an error is generated.

The optional *points* parameter can be used to pass the path points of the polygon as expected by the SVG standard. If this parameter is omitted or empty, the points may be set using the [SVG_ADD_POINT](#) command.

The optional *foregroundColor* and *backgroundColor* parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the "Colors and gradients" section).

The optional *strokeWidth* parameter contains the size of the pen expressed in pixels. Its default value is 1.

SVG_New_polygon_by_arrays

`SVG_New_polygon_by_arrays (parentSVGObject ; xArrayPointer ; yArrayPointer {; foregroundColor {; backgroundColor {; strokeWidth}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
xArrayPointer	Zeiger	Coordinates on X axis of points
yArrayPointer	Zeiger	Coordinates on Y axis of points
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of polygon

Beschreibung

The `SVG_New_polygon_by_arrays` command draws a closed form consisting of a set of straight connected segments in the SVG container designated by `parentSVGObject` and returns its reference. If `parentSVGObject` is not an SVG document, an error is generated.

All the coordinate values are in the user coordinate system.

The optional `foregroundColor` and `backgroundColor` parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional `strokeWidth` parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel

Draw a star (default border color and line thickness):



```
ARRAY LONGINT($tX;0)
ARRAY LONGINT($tY;0)

APPEND TO ARRAY($tX;129)
APPEND TO ARRAY($tY;10)
APPEND TO ARRAY($tX;158)
APPEND TO ARRAY($tY;96)
APPEND TO ARRAY($tX;248)
APPEND TO ARRAY($tY;96)
APPEND TO ARRAY($tX;176)
APPEND TO ARRAY($tY;150)
APPEND TO ARRAY($tX;202)
APPEND TO ARRAY($tY;236)
APPEND TO ARRAY($tX;129)
APPEND TO ARRAY($tY;185)
```

```
APPEND TO ARRAY($tX;56)
APPEND TO ARRAY($tY;236)
APPEND TO ARRAY($tX;82)
APPEND TO ARRAY($tY;150)
APPEND TO ARRAY($tX;10)
APPEND TO ARRAY($tY;96)
APPEND TO ARRAY($tX;100)
APPEND TO ARRAY($tY;96)
```

```
objectRef:=SVG_New_polygon_by_arrays(svgRef;->$tX;->$tY)
```

SVG_New_polyline

`SVG_New_polyline (parentSVGObject {; points {; foregroundColor {; backgroundColor {; strokeWidth}}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
points	String	Path
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of line

Beschreibung

The `SVG_New_polyline` command creates a new open broken line in the SVG container designated by `parentSVGObject` and returns its reference. If `parentSVGObject` is not a valid reference, an error is generated.

The optional `points` parameter can be used to pass the path points of the line as expected by the SVG standard. If this parameter is omitted or empty, the points may be set with the [SVG_ADD_POINT](#) command.

The optional `foregroundColor` and `backgroundColor` parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the [Colors and Gradients](#) theme).

The optional `strokeWidth` parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel

Draw two triangles:



```
$polyline:=SVG_New_polyline($svg;"10,10 200,100 10,100 10,10";"blue";"blue:50")
$polyline:=SVG_New_polyline($svg;"";"red";"red:50")
SVG_ADD_POINT($polyline;205;15)
SVG_ADD_POINT($polyline;15;105)
SVG_ADD_POINT($polyline;205;105)
SVG_ADD_POINT($polyline;205;15)
```

SVG_New_polyline_by_arrays

`SVG_New_polyline_by_arrays (parentSVGObject ; xArrayPointer ; yArrayPointer {; foregroundColor {; backgroundColor {; strokeWidth}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
xArrayPointer	Zeiger	Coordinates on X axis of points
yArrayPointer	Zeiger	Coordinates on Y axis of points
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of line

Beschreibung

The `SVG_New_polyline_by_arrays` command draws a broken line composed of straight segments connected together in the SVG container designated by `parentSVGObject` and returns its reference. If `parentSVGObject` is not an SVG document, an error is generated.

Usually, 'polyline' elements design open forms but they can be used for closed forms as well. In this case the last point must be set as equal to the first.

All the coordinate values are in the user coordinate system.

The optional `foregroundColor` and `backgroundColor` parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional `strokeWidth` parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel 1

Draw a triangle (default border color and line thickness):




```
ARRAY LONGINT($tX;0)
ARRAY LONGINT($tY;0)

APPEND TO ARRAY($tX;10)
APPEND TO ARRAY($tY;10)
APPEND TO ARRAY($tX;200)
APPEND TO ARRAY($tY;100)
APPEND TO ARRAY($tX;10)
APPEND TO ARRAY($tY;100)
APPEND TO ARRAY($tX;10)
APPEND TO ARRAY($tY;10)
```

```
svgRef:=SVG_New
objectRef:=SVG_New_polyline_by_arrays(svgRef;->$tX;->$tY)
```

Beispiel 2

Draw a line diagram:



```
ARRAY LONGINT($tX;0)
ARRAY LONGINT($tY;0)
`X axis
For($Lon_i;0;200;20)
    APPEND TO ARRAY($tX;$Lon_i)
End for
`Values
APPEND TO ARRAY($tY;100)
APPEND TO ARRAY($tY;100)
APPEND TO ARRAY($tY;30)
APPEND TO ARRAY($tY;30)
APPEND TO ARRAY($tY;80)
APPEND TO ARRAY($tY;60)
APPEND TO ARRAY($tY;10)
APPEND TO ARRAY($tY;40)
APPEND TO ARRAY($tY;50)
APPEND TO ARRAY($tY;70)
```

```
objectRef:=SVG_New_polyline_by_arrays(svgRef;->$tX;->$tY;"crimson";"none";5)
```

SVG_New_rect

SVG_New_rect (parentSVGObject ; x ; y ; width ; height {; roundedX {; roundedY {; foregroundColor {; backgroundColor {; strokeWidth}}}}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
x	Lange Ganzzahl	X of upper left corner
y	Lange Ganzzahl	Y of upper left corner
width	Lange Ganzzahl	Width of rectangle
height	Lange Ganzzahl	Height of rectangle
roundedX	Lange Ganzzahl	Horizontal curve
roundedY	Lange Ganzzahl	Vertical curve
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of rectangle

Beschreibung

The *SVG_New_rect* command creates a new rectangle in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

The rectangle is positioned and sized according to the values of *x*, *y*, *width* and *height*.

The optional *roundedX* and *roundedY* parameters can be used to round off the angles according to the indicated values. If the *roundedY* parameter is omitted (or is -1), the curve will be regular. Pass -1 in these parameters if you want them to be ignored by the command.

The optional *foregroundColor* and *backgroundColor* parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional *strokeWidth* parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel 1

Draw a rectangle (default fill and border color, default line thickness):



```
svgRef:=SVG_New  
objectRef:=SVG_New_rect(svgRef;10;10;200;100)
```

Beispiel 2

Draw a blue rectangle with a 3-pixel red border:



```
svgRef:= SVG_New  
objectRef:=SVG_New_rect (svgRef;10;10;200;100;0;0;"red";"blue";3)
```

Beispiel 3

Draw a square with rounded edges (default fill and border color, default line thickness):



```
svgRef:=SVG_New  
objectRef:=SVG_New_rect(svgRef;10;10;100;100;20)
```

Beispiel 4

Draw a light blue rectangle with rounded ends and a blue edge (default line thickness):



```
svgRef:=SVG_New  
objectRef:=SVG_New_rect(svgRef;10;10;200;100;-1;50;"blue";"lightblue")
```

SVG_New_regular_polygon

SVG_New_regular_polygon (parentSVGObject ; width ; number {; x {; y {; foregroundColor {; backgroundColor {; strokeWidth}}}}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
width	Lange Ganzzahl	Diameter of surrounding circle
number	Lange Ganzzahl	Number of sides
x	Lange Ganzzahl	Coordinate on center X axis
y	Lange Ganzzahl	Coordinate on center Y axis
foregroundColor	String	Color or gradient name
backgroundColor	String	Color or gradient name
strokeWidth	Zahl	Line thickness
Funktionsergebnis	SVG_Ref	Reference of polygon

Beschreibung

The *SVG_New_regular_polygon* command draws a regular polygon with number of sides fit into a circle with a diameter of *width* in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.


The optional *x* and *y* parameters can be used to specify the center of the circle. If they are omitted, the figure will be drawn in the upper left corner of the document.

The optional *foregroundColor* and *backgroundColor* parameters contain, respectively, the name of the line color and of the background color. (For more information about colors, please refer to the commands of the **Colors and Gradients** theme).

The optional *strokeWidth* parameter contains the size of the pen expressed in pixels. Its default value is 1.

Beispiel 1


Draw a pentagon (default fill and border color, default line thickness):



```
svgRef:=SVG_New  
objectRef:=SVG_New_regular_polygon(svgRef;100;5)
```

Beispiel 2

Draw an octagon, the circle containing it and the trace lines:



```
svgRef:=SVG_New
$width:=200
$sides:=8
objectRef:=SVG_New_regular_polygon(svgRef;$width;$sides;0;0;"crimson";"palevioletred";2)

$radius:=$width/2
objectRef:=SVG_New_rect(svgRef;0;0;$width;$width;0;0;"blue";"none")
objectRef:=SVG_New_line(svgRef;0;$radius;$width;$radius;"blue")
objectRef:=SVG_New_line(svgRef;$radius;0;$radius;$width;"blue")
objectRef:=SVG_New_line(svgRef;0;0;$width;$width;"blue")
objectRef:=SVG_New_line(svgRef;$width;0;0;$width;"blue")
objectRef:=SVG_New_circle(svgRef;$radius;$radius;$radius;"blue";"none")
```

SVG_PATH_ARC

SVG_PATH_ARC (parentSVGObject ; xRadius ; yRadius ; x ; y {; rotation {; arcpath}})

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	→ Reference of path element
xRadius	Lange Ganzzahl	→ Radius of ellipse on X axis
yRadius	Lange Ganzzahl	→ Radius of ellipse on Y axis
x	Lange Ganzzahl	→ Coordinate on X axis of destination point
y	Lange Ganzzahl	→ Coordinate on Y axis of destination point
rotation	Lange Ganzzahl	→ Value of rotation
arcpath	Lange Ganzzahl	→ Sets the way the arc will be drawn

Beschreibung

The *SVG_PATH_ARC* command draws an elliptical arc, from the current point to the point (*x*, *y*), at the end of the path referenced by *parentSVGObject*. If *parentSVGObject* is not a path reference ('path' element), an error is generated.

The size and orientation of the ellipse are set by two radii (*xRadius*, *yRadius*) and a *rotation* value on the X axis that indicates the rotation of the ellipse as a whole with respect to the current coordinate system.


The optional *arcpath* parameter can be used to apply a combination of constraints which will determine how the arc will be drawn. The large-arc-flag constraint is used to choose (or not) the larger of the two possible arcs (greater than 180°) and the sweep-flag constraint chooses the direction it will be drawn (positive angle or negative angle).

The following values, representing the four possible combinations of the two constraints, can be passed:

- 0: large-arc-flag = 0, sweep-flag = 1
- 1: large-arc-flag = 1, sweep-flag = 0
- 2: large-arc-flag = 0, sweep-flag = 0
- 3: large-arc-flag = 1, sweep-flag = 1

When large-arc-flag is equal to 1, the larger arc is drawn (and the smaller when it is equal to 0). When sweep-flag is equal to 1, the arc is drawn at a positive angle (and at a negative angle when it is equal to 0).

The following drawing illustrates the four possible combinations:



By default, the value of arcpath is 0 (large-arc-flag=0, sweep-flag=1).

Beispiel

See the examples for the *SVG_New_path* command.

SVG_PATH_CLOSE

SVG_PATH_CLOSE (parentSVGObject)

Parameter

parentSVGObject

Typ

SVG_Ref

Beschreibung

Reference of path



Beschreibung

The *SVG_PATH_CLOSE* command closes the current subpath referenced by *parentSVGObject* by drawing a straight line from the current point to the initial point. If *parentSVGObject* is not a path reference ('path' element), an error is generated.

Beispiel

See the examples for the [*SVG_New_path*](#) command.

SVG_PATH_CURVE

`SVG_PATH_CURVE (parentSVGObject {; controlStartX ; controlStartY} ; controlEndX ; controlEndY ; x ; y)`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	→ Reference of parent element
controlStartX	Lange Ganzzahl	→ Coordinate on X axis of control point
controlStartY	Lange Ganzzahl	→ Coordinate on Y axis of control point
controlEndX	Lange Ganzzahl	→ Coordinate on X axis of control point
controlEndY	Lange Ganzzahl	→ Coordinate on Y axis of control point
x	Lange Ganzzahl	→ Coordinate on X axis of destination point
y	Lange Ganzzahl	→ Coordinate on Y axis of destination point

Beschreibung

The `SVG_PATH_CURVE` command adds a cubic Bezier curve to the path referenced by `parentSVGObject` starting from the current point to the point whose coordinates are passed (`x`, `y`). If `parentSVGObject` is not a path reference ('path' element), an error is generated.

The optional `controlStartX` and `controlStartY` parameters can be used to specify the position of the control point at the start of the curve. If they are omitted, the first control point is supposed to be the reflection of the second control point of the previous command with respect to the current point.

The `controlEndX` and `controlEndY` parameters are used to specify the position of the control point at the end of the curve.

Beispiel

See the examples for the [SVG_New_path](#) command.

SVG_PATH_LINE_TO

SVG_PATH_LINE_TO (parentSVGObject ; x {; y}{; x2 ; y2 ; ... ; xN ; yN})

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	→ Reference of parent element
x	Lange Ganzzahl	→ Coordinate on X axis of new point(s)
y	Lange Ganzzahl	→ Coordinate on Y axis of new point(s)

Beschreibung

The *SVG_PATH_LINE_TO* command adds one or more straight segments to the path referred by *parentSVGObject*. If *parentSVGObject* is not a path reference ('path' element), an error is generated.

The *x* and *y* parameters can be used to specify the start position of the path in the SVG container.

- If only the *x* parameter is provided, the line will be drawn horizontally from the current point (*xc*, *yc*) to the point (*x*, *yc*).
- If both *x* and *y* are passed, a line will be drawn from the current point (*xc*, *yc*) to the point (*x*, *y*).
- If several pairs of coordinates are passed, the different points will be added successively. In this case, if the last pair of coordinates is incomplete (missing *y*), it will be ignored.

Example

See the examples for the [SVG_New_path](#) command

SVG_PATH_MOVE_TO

SVG_PATH_MOVE_TO (parentSVGObject ; x ; y)

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of path
x	Lange Ganzzahl	Coordinate on X axis
y	Lange Ganzzahl	Coordinate on Y axis

Beschreibung

The *SVG_PATH_MOVE_TO* command begins a new subpath at the point of the given coordinates (x, y) in the path referenced by *parentSVGObject*. If *parentSVGObject* is not a path reference ('path' element), an error is generated.

The effect produced is as if the "pen" were lifted and moved to a new location. The current point becomes the new starting point which will be taken into account by the [*SVG_PATH_CLOSE*](#) command.

Example

See the examples for the [*SVG_New_path*](#) command.

SVG_PATH_QCURVE

SVG_PATH_QCURVE (parentSVGObject {; controlX ; controlY} ; x ; y)

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	→ Reference of parent element
controlX	Lange Ganzzahl	→ Coordinate on X axis of control point
controlY	Lange Ganzzahl	→ Coordinate on Y axis of control point
x	Lange Ganzzahl	→ Coordinate on X axis of destination point
y	Lange Ganzzahl	→ Coordinate on Y axis of destination point

Beschreibung

The [SVG_PATH_CURVE](#) command adds a quadratic Bezier curve from the current point to the point of the coordinates (x, y) to the line referenced by *parentSVGObject*. If *parentSVGObject* is not a path reference ('path' element), an error is generated.

The optional *controlX* and *controlY* parameters can be used to specify the position of the control point at the beginning of the curve. If they are omitted, the first control point is supposed to be a reflection of the second control point of the previous command with respect to the current point.

Beispiel

See the examples of the [SVG_New_path](#) command.

SVG_Use

`SVG_Use (parentSVGObjec ; id {; x ; y ; width ; height {; mode}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObjec	SVG_Ref	Reference of parent element
id	String	Name of symbol
x	Lange Ganzzahl	X position of viewBox
y	Lange Ganzzahl	Y position of viewBox
width	Lange Ganzzahl	Width of viewBox
height	Lange Ganzzahl	Height of viewBox
mode	String	Adjustment to viewBox
Funktionsergebnis	SVG_Ref	SVG object reference

Beschreibung

The `SVG_Use` command places an occurrence of the symbol in the SVG container designated by `parentSVGObject` and returns its reference. If `parentSVGObject` is not an SVG document or if `id` is not the object name of an SVG document, an error is generated.

A symbol is used to specify graphic objects; it is never rendered directly but may be instantiated using the `SVG_Use` command.


The `id` parameter specifies the name of the symbol.

The optional `x`, `y`, `width` and `height` parameters specify the viewBox rectangle ('viewBox' attribute).

The optional `mode` parameter can be used to indicate if the graphic must be fitted, and how so, to the size of the viewBox. (see the `SVG_New` command).

Beispiel

Specify a graphic composed of two red circles and two blue squares. Then use this graphic in a loop to create 36 occurrences with varying positions, opacity and rotation of the original graphic.



```
$SVG:=SVG_New
`Draw a background
$VG_New_rect($VG;20;20;650;650;0;0;"gray";"lemonchiffon")
`Specify a symbol composed of 2 squares and 2 circles
$Symbol:=SVG_Define_symbol($VG;"MySymbol";0;0;110;110;"true")
$VG_New_circle($Symbol;30;30;25;"red";"palevioletred")
$VG_New_rect($Symbol;10;60;40;40;0;0;"blue";"cornflowerblue")
$VG_New_rect($Symbol;60;10;40;40;0;0;"blue";"cornflowerblue")
$VG_New_circle($Symbol;80;80;25;"red";"palevioletred")
```

```
`In a group...
$g:=SVG_New_group($SVG)
`...positioned 20 units from the top left corner of the document...
SVG_SET_TRANSFORM_TRANSLATE($g;20;20)
`...place 36 patterns by varying the position, opacity and rotation
For($x;0;540;90) `6 columns
  For($y;0;540;90) `6 rows
    $use:=SVG_Use($g;"MySymbol";$x;$y;110;110)
    SVG_SET_OPACITY($use;100-($y/12)+($x/12))
    SVG_SET_TRANSFORM_ROTATE($use;($x*(18/50))+($y*(18/50));($x+55);($y+55))
  End for
End for
```

Filters

-  SVG Filters
-  SVG_Filter_Blend
-  SVG_Filter Blur
-  SVG_Filter_Offset

SVG Filters

The commands of the "**Filters**" theme can be used to set filter effects that are applicable to the SVG elements. A filter effect consists of a succession of graphic operations, applied to a source graphic, which produces a modified graphic.

The result of the filter effect is rendered on the target device in place of the original source graphic.

A filter is set using the *SVG_Define_filter* command, found in the "**Structure and Definitions**" theme, and is applied using the *SVG_SET_FILTER* command, found in the "**Attributes**" theme. The commands of the "**Filters**" theme are used to construct filtering operations or "filter primitives".

SVG_Filter_Bland

SVG_Filter_Bland (filterRef ; picture ; backgroundPict {; mode {; Auswahlname}} }) ->
Funktionsergebnis

Parameter	Typ	Beschreibung
filterRef	SVG_Ref	Reference of filter
picture	String	Picture source
backgroundPict	String	Background picture source
mode	String	Mixing mode
Auswahlname	String	Target of filter primitive
Funktionsergebnis	SVG_Ref	Reference of primitive

Beschreibung

The *SVG_Filter_Bland* command sets a blend filter for the *filterRef* filter and returns its reference. If *filterRef* is not a filter reference, an error is generated.

This filter is made up of two sources, *backgroundPict* and *picture*, with the help of the mixing modes currently used by the imaging software.

The optional *mode* parameter can be used to set the combination mode of the pixels used for the blend (see the specification). Its value must be: "normal" (default value), "multiply", "screen", "darken" or "lighten".

The optional *name* parameter is the name, if any, assigned to the result of this filter primitive.

Note: Starting with 4D v14 R5, this command works under Windows with Direct2D enabled in software mode (see the [Direct2D software](#) constant in the description of the **SET DATABASE PARAMETER** command).

Beispiel

In a form, we display two identical SVG pictures then we create a "blend" filter and assign to the one on the right. This filter is a combination of the "offset" and "blur" filters:

```
$root:=SVG_New(400;400;"filters test") //definition of first (left) picture
$rect:=SVG_New_rect($root;10;10;380;100;0;0;"darkblue";"white";1)
SVG_SET_FILL_BRUSH($root;"orange")
$textAreaRef:=SVG_New_textArea($root;"Hello World!";10;10;380;100;"arial";60;Normal;Align
center)
<>pict1:=SVG_Export_to_picture($root) //display first picture

$root2:=SVG_New(400;400;"filters test") //definition of identical (right) picture

//create filter
$filter:=SVG_Define_filter($root2;"MyShadow")
$vGraph:=True //applied on graphic layer - pass False to apply to the alpha layer
If($vGraph)
  $ref1:=SVG_Filter_Blr($filter;2;"sourceGraphic";"blurResult") //"blurResult" will be used as the
"input" of the offset filter
Else
  $ref1:=SVG_Filter_Blr($filter;2;"sourceAlpha";"blurResult") //"blurResult" will be used as the
"input" of the offset filter
End if
```

```

//Adding offset filter
$ref2:=SVG_Filter_Offset($filter;5;5;"blurResult";"alphaBlurOffset")
//Adding blend filter
$ref3:=SVG_Filter_Bland($filter;"sourceGraphic";"alphaBlurOffset";"normal";"finalFilter";)

$rect2:=SVG_New_rect($root2;10;10;380;100;0;0;"darkblue";"white";1)
SVG_SET_FILL_BRUSH($root2;"orange")
$textAreaRef2:=SVG_New_textArea($root2;"Hello World!";10;10;380;100;"arial";60;Normal;Align
center)

SVG_SET_FILTER($textAreaRef2;"MyShadow") //apply final filter
<>pict2:=SVG_Export_to_picture($root2) //display second picture

```

Result (blur input filter = sourceGraphic):



Result (blur input filter = sourceAlpha):



SVG_Filter Blur

SVG_Filter Blur (filterRef ; deviation {; input {; Auswahlname}} }) -> Funktionsergebnis

Parameter	Typ	Beschreibung
filterRef	SVG_Ref	Reference of filter
deviation	Zahl	Standard deviation for blur operation
input	String	Source of filter primitive
Auswahlname	String	Target of filter primitive
Funktionsergebnis	SVG_Ref	Reference of primitive

Beschreibung

The *SVG_Filter Blur* command sets a Gaussian blur for the *filterRef* filter and returns its reference. If *filterRef* is not a filter reference, an error is generated.

The *deviation* parameter can be used to set the standard deviation for the blur operation. If the number is an integer, the same deviation will be applied to the X and Y axes. If the number includes a decimal part, the integer part represents the deviation to be applied to the X axis and the decimal part represents the deviation to be applied to the Y axis.

The optional *input* parameter identifies the graphic source of the filter primitive. You can pass:

- either "sourceGraphic", indicating that the graphic is the filter source (default),
- or "sourceAlpha", which indicates that the alpha channel is the filter source.

The optional *name* parameter is the name, if any, assigned to the result of this filter primitive.

Note: Starting with 4D v14 R5, this command works under Windows with Direct2D enabled in software mode (see the [Direct2D software](#) constant in the description of the **SET DATABASE PARAMETER** command).

Beispiel

In a form, we display two identical SVG pictures then we create a "blur" filter and assign to the one on the right:

```
$root:=SVG_New(400;400;"filters test") //definition of first (left) picture
$rect:=SVG_New_rect($root;10;10;380;100;0;0;"darkblue";"white";1)
SVG_SET_FILL_BRUSH($root;"orange")
$textAreaRef:=SVG_New_textArea($root;"Hello World!";10;10;380;100;"arial";60;Normal;Align center)
<>pict1:=SVG_Export_to_picture($root) //display first picture

$root2:=SVG_New(400;400;"filters test") //definition of identical (right) picture

//create filter
$filter1:=SVG_Define_filter($root2;"blur")
// filter definition
$vGraph:=True //applied on graphic layer - pass False to apply to the alpha layer
If($vGraph)
  SVG_Filter Blur($filter1;Deviation{Deviation};"sourceGraphic")
Else
  SVG_Filter Blur($filter1;Deviation{Deviation};"sourceAlpha")
End if
```


```

$rect2:=SVG_New_rect($root2;10;10;380;100;0;"darkblue";"white";1) //definition of identical
(right) picture
  SVG_SET_FILL_BRUSH($root2;"orange")
$pict2:=SVG_New_picture($root2;$rect2)
$textAreaRef2:=SVG_New_textArea($root2;"Hello World!";10;10;380;100;"arial";60;Normal;Align
center)


SVG_SET_FILTER($textAreaRef2;"blur") //apply filter
<>pict2:=SVG_Export_to_picture($root2) //display second picture

```

Result (input = sourceGraphic):



Result (input = sourceAlpha):



SVG_Filter_Offset

SVG_Filter_Offset (filterRef ; dx {; dy {; input {; AuswahlName}}}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
filterRef	SVG_Ref	Reference of filter
dx	Lange Ganzzahl	Offset on X axis
dy	Lange Ganzzahl	Offset on Y axis
input	String	Source of filter primitive
AuswahlName	String	Target of filter primitive
Funktionsergebnis	SVG_Ref	Reference of primitive

Beschreibung

The *SVG_Filter_Offset* command sets an offset for the *filterRef* filter and returns its reference. If *filterRef* is not a filter reference, an error is generated.

The *dx* parameter is the value of the horizontal offset.

The optional *dy* parameter is the value of the vertical offset.

The optional *input* parameter identifies the graphic source of the filter primitive. You can pass:

- either "sourceGraphic", indicating that the graphic is the filter source (default),
- or "sourceAlpha", which indicates that the alpha channel is the filter source.

The optional *name* is the name, if any, assigned to the result of this filter primitive.

Note: Starting with 4D v14 R5, this command works under Windows with Direct2D enabled in software mode (see the [Direct2D software](#) constant in the description of the **SET DATABASE PARAMETER** command).

Beispiel

In a form, we display two identical SVG pictures then we create an "offset" filter and assign to the one on the right:

```
$root:=SVG_New(400;400;"filters test") //definition of first (left) picture
$rect:=SVG_New_rect($root;10;10;380;100;0;0;"darkblue";"white";1)
SVG_SET_FILL_BRUSH($root;"orange")
$textAreaRef:=SVG_New_textArea($root;"Hello World!";10;10;380;100;"arial";60;Normal;Align
center)
<>pict1:=SVG_Export_to_picture($root) //display first picture

$root2:=SVG_New(400;400;"filters test") //definition of identical (right) picture
$rect2:=SVG_New_rect($root2;10;10;380;100;0;0;"darkblue";"white";1)
SVG_SET_FILL_BRUSH($root2;"orange")
$textAreaRef2:=SVG_New_textArea($root2;"Hello World!";10;10;380;100;"arial";60;Normal;Align
center)

$filter:=SVG_Define_filter($root2;"Offset") //create filter
SVG_Filter_Offset($filter;10;20)
SVG_SET_FILTER($textAreaRef2;"Offset") //apply filter

<>pict2:=SVG_Export_to_picture($root2) //display second picture
```

Result:

pict1

Hello World!

pict2

Hello World!



Structure and Definitions

- ⚙️ [SVG_Define_clip_path](#)
- ⚙️ [SVG_Define_filter](#)
- ⚙️ [SVG_Define_linear_gradient](#)
- ⚙️ [SVG_Define_marker](#)
- ⚙️ [SVG_Define_pattern](#)
- ⚙️ [SVG_Define_radial_gradient](#)
- ⚙️ [SVG_Define_shadow](#)
- ⚙️ [SVG_Define_solidColor](#)
- ⚙️ [SVG_Define_style](#)
- ⚙️ [SVG_DEFINE_STYLE_WITH_ARRAYS](#)
- ⚙️ [SVG_Define_symbol](#)
- ⚙️ [SVG_DELETE_OBJECT](#)
- ⚙️ [SVG_Get_default_encoding](#)
- ⚙️ [SVG_New_group](#)
- ⚙️ [SVG_SET_DEFAULT_ENCODING](#)
- ⚙️ [SVG_Set_description](#)
- ⚙️ [SVG_SET_PATTERN_CONTENT_UNITS](#)
- ⚙️ [SVG_SET_PATTERN_UNITS](#)
- ⚙️ [SVG_Set_title](#)

SVG_Define_clip_path

SVG_Define_clip_path (parentSVGObject ; clipPathID) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	→ Reference of parent element
clipPathID	Text	→ Name of clip path
Funktionsergebnis	SVG_Ref	↔ Reference of clip path

Beschreibung

The *SVG_Define_clip_path* command specifies a new clip path in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not (or does not belong to) an SVG document, an error is generated.

The *clipPathID* parameter designates the name of the clip path. This name will be used to associate a clip path with an object. If an element with the same name already exists in the document, an error is generated.

See Also: <http://www.w3.org/TR/2001/REC-SVG-20010904/masking.html#EstablishingANewClippingPath>

Beispiel

Refer to the example of the *SVG_SET_CLIP_PATH* command.

SVG_Define_filter

`SVG_Define_filter (parentSVGObject ; id {; frameX ; frameY {; frameWidth ; frameHeight {; frameUnit ; filterUnit}}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
id	String	Name of symbol
frameX	Lange Ganzzahl	Coordinate on X axis
frameY	Lange Ganzzahl	Coordinate on Y axis
frameWidth	Lange Ganzzahl	Width of target rectangle
frameHeight	Lange Ganzzahl	Height of target rectangle
frameUnit	String	Coordinate system of frame
filterUnit	String	Filter system of values
Funktionsergebnis	SVG_Ref	Reference of filter

Beschreibung

The `SVG_Define_filter` command sets a new filter in the SVG container designated by `parentSVGObject` and returns its reference. If `parentSVGObject` is not an SVG document, an error is generated.

A filter is a succession of graphic operations that will be applied to the target element. The filter element is never rendered directly; it will be applied to an object using the [SVG_SET_FILTER](#) command.

The `id` parameter specifies the name of the marker. The name will be used to associate a filter with an object. If an element with the same name exists, it will be replaced.

The optional `frameX`, `frameY`, `frameWidth` and `frameHeight` parameters set a rectangular region in the document to which this filter will be applied.

The optional `frameUnit` parameter sets the coordinate system for the 4 previous parameters. Expected values: "userSpaceOnUse" or "objectBoundingBox" (default value).

The optional `filterUnit` parameter sets the coordinate system for the lengths and the filter definition properties. Expected values: "userSpaceOnUse" (default value) or "objectBoundingBox".

Beispiel

In this example, we want to perform the following operations:

- create a rectangle with 50% blue background
- create a 4% blur filter and apply it to this rectangle
- save the result in an SVG file on disk.

```
$Dom_SVG:=SVG_New

//creation of a rectangle with 50% blue background
$Dom_rect:=SVG_New_rect($Dom_SVG;50;50;50;50;0;0;"blue:50";"blue:50")

//creation of 4% blur filter
$Dom_filter:=SVG_Define_filter($Dom_SVG;"blur")
SVG_Filter_Blr($Dom_filter;4)
SVG_Filter_Offset($Dom_filter;4)
```

```
//application of this filter to the rectangle  
SVG_SET_FILTER($Dom_rect;"blur")  
  
//saving result in an SVG file  
SVG_SAVE_AS_TEXT($Dom_SVG;System folder/Desktop)+"test.svg")  
  
SVG_CLEAR($Dom_SVG)
```

Result:



SVG_Define_linear_gradient

```
SVG_Define_linear_gradient ( parentSVGObject ; id ; startColor ; endColor {; rotation {; spreadMethod {; x1 ; y1 ; x2 ; y2}{; startColorOffset ; endColorOffset}}}} ) ->
Funktionsergebnis
```

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
id	String	Name of gradient
startColor	String	Start color
endColor	String	End color
rotation	Ganzzahl	Rotation of gradient vector
spreadMethod	Text	Gradient spread method (pad, reflect or repeat)
x1	Zahl	x1 coordinate of gradient vector (If omitted = 0)
y1	Zahl	y1 coordinate of gradient vector (If omitted = 1)
x2	Zahl	x2 coordinate of gradient vector (If omitted = 0)
y2	Zahl	y2 coordinate of gradient vector (If omitted = 1)
startColorOffset	Zahl	Percentage value of offset for start color
endColorOffset	Zahl	Percentage value of offset for end color
Funktionsergebnis	String	Reference of gradient

Beschreibung

The **SVG_Define_linear_gradient** command sets a new linear gradient in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

A gradient consists in a continuous progressive color transition from one color to another along a vector. Once specified, gradients are called on a given graphic element, while indicating whether this element must be filled or edged with the gradient called.


The *id* parameter specifies the name of the gradient. If an element with the same name exists, it will be replaced. This is the name that will be used to call the gradient each time a color expression is expected by using the syntax "url(#ID)".

The *startColor* and *endColor* parameters specify the colors used to begin and end the gradient.

The optional *rotation* parameter sets the position and direction of the gradient vector (see example).

The optional *spreadMethod* parameter defines the filling to be used when the gradient begins or ends within the bounds of the *parentSVGObject*. You can pass one of the following strings in this parameter:

- "pad": use the terminal colors of the gradient to fill the remainder of the area.
- "reflect": reflect the gradient pattern start-to-end, end-to-start, start-to-end, etc. continuously until the object is filled.
- "repeat": repeat the gradient pattern start-to-end, start-to-end, start-to-end, etc. continuously until the object is filled.



If this parameter is omitted, the "pad" value effect is used.

The optional *x1*, *y1*, *x2* and *y2* parameters define the gradient vector. This vector provides the starting and ending points used by the rendering engine. You can pass percentages expressed as ratios (0...1) in these parameters.


Starting with V14, you can pass the optional *startColorOffset* and *endColorOffset* parameters to define the percentage value, respectively, of the start color and end color offset. You can pass

either a real value < 1, or a value between 0 and 100 to set the percentage, i.e. "0.1" and/or "10" are both interpreted as 10%.

Passing a negative value is interpreted as 0% for the *startColorOffset* parameter and as 100% for the *endColorOffset* parameter. If you pass a value > 100, it is interpreted as 100%.

Beispiel 1

Draw 6 solid squares where each uses a linear gradient paint server while varying the rotation and direction of the gradient vector:



```
$svg:=SVG_New
```

```
SVG_Define_linear_gradient($svg;"demoGradient_1";"red";"yellow")
SVG_New_rect($svg;10;10;90;90;0;0;"black";"url(#demoGradient_1)")
SVG_New_text($svg;"rotation = 0\rrotation = 180";50;40;"",-1;-1;Align center)
```

```
SVG_Define_linear_gradient($svg;"demoGradient_2";"red";"yellow";-180)
SVG_New_rect($svg;110;10;90;90;0;0;"black";"url(#demoGradient_2)")
SVG_New_text($svg;"rotation = -180";150;50;"",-1;-1;Align center)
```

```
SVG_Define_linear_gradient($svg;"demoGradient_3";"red";"yellow";45)
SVG_New_rect($svg;10;110;90;90;0;0;"black";"url(#demoGradient_3)")
SVG_New_text($svg;"rotation = 45";50;150;"",-1;-1;Align center)
```

```
SVG_Define_linear_gradient($svg;"demoGradient_4";"red";"yellow";-45)
SVG_New_rect($svg;110;110;90;90;0;0;"black";"url(#demoGradient_4)")
SVG_New_text($svg;"rotation = -45";150;150;"",-1;-1;Align center)
```

```
SVG_Define_linear_gradient($svg;"demoGradient_5";"red";"yellow";90)
SVG_New_rect($svg;10;210;90;90;0;0;"black";"url(#demoGradient_5)")
SVG_New_text($svg;"rotation = 90";50;250;"",-1;-1;Align center)
```

```
SVG_Define_linear_gradient($svg;"demoGradient_6";"red";"yellow";-90)
SVG_New_rect($svg;110;210;90;90;0;0;"black";"url(#demoGradient_6)")
SVG_New_text($svg;"rotation = -90";150;250;"",-1;-1;Align center)
```

```
//Save document
SVG_SAVE_AS_TEXT($svg;"test.svg")
```

```
//Free up memory  
SVG_CLEAR($svg)
```

Beispiel 2

Example using the *startColorOffset* and *endColorOffset* parameters (added in v14):

```
$Dom_node:=SVG_Define_linear_gradient($Dom_svg;"clicked";"black:50";"black:20";-90;"reflect";0;80)
```


will give the definition:

```
<linearGradient id="clicked" spreadMethod="reflect" x1="0" x2="0" y1="1" y2="0">    <stop  
offset="0%" stop-color="black" stop-opacity="0.5"/>    <stop offset="80%" stop-color="black"  
stop-opacity="0.2"/> </linearGradient>
```

Beispiel 3

This example illustrates the effect of the *startColorOffset* and *endColorOffset* parameters:

```
$svg:=SVG_New  
  
SVG_Define_linear_gradient($svg;"demoGradient_1";"red";"yellow";-180;"reflect")  
SVG_New_rect($svg;10;10;90;90;0;0;"black";"url(#demoGradient_1)")  
SVG_New_text($svg;"offset=0/100";50;50;"";-1;-1;Align_center)  
  
SVG_Define_linear_gradient($svg;"demoGradient_2";"red";"yellow";-180;"reflect";20;80)  
SVG_New_rect($svg;110;10;90;90;0;0;"black";"url(#demoGradient_2)")  
SVG_New_text($svg;"offset=20/80";150;50;"";-1;-1;Align_center)  
//Save document  
SVG_SAVE_AS_TEXT($svg;"test2.svg")  
//Free up memory  
SVG_CLEAR($svg)
```



SVG_Define_marker

`SVG_Define_marker (parentSVGObject ; id {; x ; y {; width ; height {; orientation}}}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
id	String	Name of symbol
x	Lange Ganzzahl	Coordinate on X axis of reference point
y	Lange Ganzzahl	Coordinate on Y axis of reference point
width	Lange Ganzzahl	Width of marker
height	Lange Ganzzahl	Height of marker
orientation	Lange Ganzzahl	Orientation of marker
Funktionsergebnis	SVG_Ref	Reference of marker

Beschreibung

The *SVG_Define_marker* command creates a marker in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

A marker object is used to draw an arrow or multiple markers (the points of a curve for example). A marker will be attached to an SVG element with the [*SVG_SET_MARKER*](#) command.

The *id* parameter specifies the name of the marker. The name will be used to associate a marker with an object. If an element with the same name exists, it will be replaced.

The optional *x* and *y* parameters specify the coordinates of the reference point that must line up exactly with the marker position.

The optional *width* and *height* parameters specify the width and height of the rendered rectangle.

The optional *orientation* parameter can be used to adjust the orientation of the marker. A value included between 0 and 360 represents the angle between the X axis of the marker and that of the user space. If this parameter is omitted or if its value does not fall in the 0 - 360 interval, the placement will be calculated automatically by the rendering engine according to the object.

Beispiel

Refer to the example of the [*SVG_SET_MARKER*](#) command.

SVG_Define_pattern

SVG_Define_pattern (parentSVGObject ; patternID {; Breite {; Höhe {; PositionX {; PositionY {; unit {; viewBox}}}}} }) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
patternID	Text	Name of pattern
Breite	Lange Ganzzahl	Width of pattern
Höhe	Lange Ganzzahl	Height of pattern
PositionX	Lange Ganzzahl	Position X of pattern
PositionY	Lange Ganzzahl	Position Y of pattern
unit	Text	Unit of lengths and positions
viewBox	Text	Viewbox rectangle
Funktionsergebnis	SVG_Ref	Reference of pattern

Beschreibung

The *SVG_Define_pattern* command is used to set a new custom pattern in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not (or does not belong to) an SVG document, an error is generated.

The *patternID* parameter specifies the name of the pattern. This name will be used to associate the pattern with an object. If an element with the same name already exists, an error is generated.


The optional *width*, *height*, *x*, *y*, *unit* and *viewBox* parameters define the reference rectangle of the pattern, in other words, the way the pattern tiles will be placed and spaced.

The pattern will be associated as fill or stroke paint by passing the "url(#id)" string as the value when a color expression is expected.

See Also: <http://www.w3.org/TR/SVG/patterns.html#Patterns>

Beispiel 1

Setting a pattern and using it to fill an ellipse:



```
//Definition of pattern
$Dom_pattern:=SVG_Define_pattern($Dom_SVG;"MyPattern";100;100;0;0;" ";"0 0 10 10")
$Dom_path:=SVG_New_path($Dom_pattern;0;0)

SVG_PATH_MOVE_TO($Dom_path;0;0)
SVG_PATH_LINE_TO($Dom_path;7;0)
SVG_PATH_LINE_TO($Dom_path;3,5;7)
```

```


$SVG_PATH_CLOSE($Dom_path)
$SVG_SET_FILL_BRUSH($Dom_path;"red")
$SVG_SET_STROKE_BRUSH($Dom_path;"blue")

//Drawing an ellipse filled with the pattern
$Dom_ellipse:=SVG_New_ellipse($Dom_SVG;400;200;350;150;"black";"url(#MyPattern);5

```

Beispiel 2

Setting a pattern and using it to fill and stroke the outline of an ellipse:



```

//Definition of pattern
$Dom_pattern:=SVG_Define_pattern($Dom_SVG;"MyPattern ";80;80;0;0;"";"0 0 20 20")
$Dom_rect:=SVG_New_rect($Dom_pattern;0;0;20;20;0;0;"white";"red")

//Drawing an ellipse
$Dom_ellipse:=SVG_New_ellipse($Dom_SVG;400;200;350;150)

//Using pattern for filling and outline
$SVG_SET_FILL_BRUSH($Dom_ellipse;"url(#MyPattern)")
$SVG_SET_STROKE_BRUSH($Dom_ellipse;"url(#MyPattern)")

```

SVG_Define_radial_gradient

`SVG_Define_radial_gradient (parentSVGObject ; id ; startColor ; endColor {; cx ; cy ; r {; fx ; fy}}) -> Funktionsergebnis`

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
id	String	Name of gradient
startColor	String	Start color
endColor	String	End color
cx	Ganzzahl	Coordinate on X axis of center of endColor
cy	Ganzzahl	Coordinate on Y axis of center of endColor
r	Ganzzahl	Radius of endColor
fx	Ganzzahl	Coordinate on X axis of center of startColor
Ganzzahl	Coordinate on Y axis of center of startColor	
Funktionsergebnis	String	Reference of gradient

Beschreibung

The *SVG_Define_radial_gradient* command sets a new radial gradient in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

A gradient consists in a continuous progressive color transition from one color to another along a vector. Once specified, gradients are called on a given graphic element, while indicating whether this element must be filled or edged with the gradient called.


The *id* parameter specifies the name of the gradient. If an element with the same name exists, it will be replaced. This is the name that will be used to call the gradient each time a that a color expression is expected by using the syntax "url(#ID)".

The *startColor* and *endColor* parameters specify the colors used to begin and end the gradient.

The optional *cx*, *cy* and *r* parameters specify, in percent, the external border circle of the *endColor* of the gradient. Their values must be included between 0 and 100.

The optional *fx* and *fy* parameters specify, in percent, the focus point of the gradient. The *startColor* begins at the point [*fx,fy*]. Their values must be included between 0 and 100. If these arguments are omitted, this point coincides with [*cx,cy*].

Beispiel



```
$svg:=SVG_New
```

```
SVG_Define_radial_gradient($svg;"grad1";"yellow";"red")
SVG_New_rect($svg;10;10;90;90;0;0;"black";"url(#grad1)")
SVG_New_text($svg;"grad1";12;10)
```

```
SVG_Define_radial_gradient($svg;"grad2";"yellow";"red";50;50;20;50;50)
SVG_New_rect($svg;110;10;90;90;0;0;"black";"url(#grad2)")
SVG_New_text($svg;"grad2";112;10)
```

```
SVG_Define_radial_gradient($svg;"grad3";"yellow";"red";80;60;50;60;80)
SVG_New_rect($svg;10;110;90;90;0;0;"black";"url(#grad3)")
SVG_New_text($svg;"grad3";12;110)
```

```
SVG_Define_radial_gradient($svg;"grad4";"yellow";"red";20;50;80;20;30)
SVG_New_rect($svg;110;110;90;90;0;0;"black";"url(#grad4)")
SVG_New_text($svg;"grad4";112;110)
```

`Save document

```
SVG_SAVE_AS_TEXT($svg;"test.svg")
```

`Free up memory

```
SVG_CLEAR($svg)
```

SVG_Define_shadow

SVG_Define_shadow (parentSVGObject ; id {; deviation {; offsetX {; offsetY}}}) ->
Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
id	String	Name of filter
deviation	Lange Ganzzahl	Value of shadow dispersion
offsetX	Lange Ganzzahl	Offset on X axis
offsetY	Lange Ganzzahl	Offset on Y axis
Funktionsergebnis	SVG_Ref	Reference of filter

Beschreibung

The *SVG_Define_shadow* command sets a new shadow filter in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

This filter will be applied to objects for which a shadow is desired using the [*SVG_SET_FILTER*](#) command.

The *id* parameter specifies the name of the filter. This name will be used to associate a filter with an object. If an element with the same name exists, it will be replaced.

The optional *deviation* parameter sets the intensity of the shadow dispersion. Default value: 4.

The optional *offsetX* and *offsetY* parameters specify, respectively, the horizontal and vertical offset of the shadow with respect to the object. Default value: 4.

Beispiel

Declaration of a filter that can be used to make a shadow beneath an object:



```
$svg:=SVG_New  
  
$text:=SVG_New_text($svg;"SVG";52;76-45;"Verdana";45)  
SVG_SET_FONT_COLOR($text;"red")  
` Set filter  
SVG_Define_shadow($svg;"myShadow")  
` and apply it to text  
SVG_SET_FILTER($text;"myShadow")
```

SVG_Define_solidColor

SVG_Define_solidColor (parentSVGObject ; id ; color {; opacity}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
id	String	Color name
color	String	Color expression
opacity	Lange Ganzzahl	Opacity
Funktionsergebnis	SVG_Ref	Color reference

Beschreibung

The *SVG_Define_solidColor* command sets a new custom color in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

The *id* parameter specifies the color name. The name will be used to associate a color with an object. If an element with the same name exists, it will be replaced.

The *color* parameter is a color expression recognized by SVG (see [Colors and Gradients](#)).

The optional *opacity* parameter can be used to specify an opacity (from 0 to 100) for this color. If the parameter is omitted, the opacity will be 100%.

The color set in this way will be associated with the fill or stroke paint by passing the string "url(#ID)" as the value when a color expression is expected.

Example

```
`Set blue to 50%
$SVG_Define_solidColor($svg;"MyColor";"blue";50)
...
$SVG_New_rect($svg;0;0;20;20;0;0;"url(#MyColor)";"url(#MyColor)")
...
$line:=$SVG_New_line(10;10;100;100)
$SVG_SET_STROKE_BRUSH($line;"url(#MyColor)")
```

SVG_Define_style

SVG_Define_style (parentSVGObject ; style {; type {; media}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
style	Text	Definition of style OR Pathname of file to use
type	Text	Type of content
media	Text	Media descriptor
Funktionsergebnis	SVG_Ref	Reference of style

Beschreibung

The *SVG_Define_style* command is used to set a new style sheet in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not (or does not belong to) an SVG document, an error is generated.

The *style* parameter is used to embed style sheets directly within SVG content:

- If the *style* parameter contains a valid pathname to a CSS file, the style definition is done using a mechanism referencing external style sheets. The path, if it begins with the # character or by the string "file:", expresses a relative path whose root is the "Resources" folder of the database.
- The *style* parameter can also be a URL of the "http://..." type; in this case, the style sheet will be referenced as an external resource.
- In addition, the *style* parameter can be a URL relative to the "Resources/SVG/" subfolder of the database. This is particularly useful in client/server mode, when files are stored in the "Resources" folder. Relatives URLs can begin with:
 - "/", to indicate the "~/Resources/SVG/" path
 - "./", to indicate the "~/Resources/" path
 - "../", to indicate the database folder.

For examples of relative URLs, refer to the **SVG_New_image** command.


The optional *type* parameter specifies the language of the style sheet for the contents of the element. The default value is "text/css".

The optional *media* parameter specifies the intended destination media for the style information. If you omit this parameter, the default value used is "all". If the value is not included in the list of media types recognized by CSS2, an error is generated.

See Also: <http://www.w3.org/TR/SVG/styling.html#StyleElement>

Beispiel 1

Setting an embedded style and overlay of one of the elements:



```

//Definition of style
$Txt_style:=".colored {fill: yellow; fill-opacity: 0.6; stroke: red;stroke-width:8; stroke-opacity: 0.6}"
$SVG_Define_style($Dom_SVG;$Txt_style)

//Creating a group and assigning a default style
$Dom_g:=SVG_New_group($Dom_SVG)
$SVG_Set_Class($Dom_g;"colored")

//Drawing a rectangle
$Dom_rect:=SVG_New_rect($Dom_g;25;30;320;240;10;10;"");"") 

//Drawing a circle and style overlay with a custom outline color
$Dom_circle:=SVG_New_circle($Dom_g;300;250;100;"");"")
$SVG_Set_Stroke_Brush($Dom_circle;"blue")

```

Beispiel 2

Referencing the "mystyle.css" file placed in the "dev" folder of the "Resources" folder:



```

//Definition of style
$SVG_Define_style($Dom_svg;"#dev/monstyle.css")

//Creating a group and assigning a default style
$Dom_g:=SVG_New_group($Dom_SVG)
$SVG_Set_Class($Dom_g;"colored")

//Drawing a rectangle
$Dom_rect:=SVG_New_rect($Dom_g;25;30;320;240;10;10;"");"") 

```

mystyle.css file:

```
.colored {fill: red; fill-opacity: 0.6; stroke: blue; stroke-width:8; stroke-opacity: 0.6}
```

SVG_DEFINE_STYLE_WITH_ARRAYS

```
SVG_DEFINE_STYLE_WITH_ARRAYS ( svgObject ; namesArrayPointer ; valuesArrayPointer {;
className {; type {; media {; title}}}} )
```

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	SVG object reference
namesArrayPointer	Zeiger	Pointer to array of style names
valuesArrayPointer	Zeiger	Pointer to array of style values
className	Text	CSS class name
type	Text	Type of contents
media	Text	Media descriptor
title	Text	Style name

Beschreibung

The **SVG_DEFINE_STYLE_WITH_ARRAYS** method defines styles (using arrays) for the SVG object designated in the *svgObject*. parameter.

- If the *svgObject* parameter designates the root element, styles are set as "style" elements included in the "defs" section (Internal Style Sheet). In this case, the *className* parameter is mandatory (if it is missing, an error is returned). You can then assign the *className* style sheet to the SVG objects by passing its name to the **SVG_SET_CLASS** method (see example 1).
- If the *svgObject* parameter designates an SVG element other than the root element, the style is set as a style attribute for this element (Inline Style Sheet) (see example 2).

The optional *type* parameter specifies the language of the style sheet for the contents of the element. The default value is "text/css".

The optional *media* parameter indicates the desired destination media for the style information. If you omit this parameter, the default value used is "all". If the value is not included in the list of media types recognized by CSS2, an error is generated.

The optional *title* parameter adds an attribute of the "title" type.

Beispiel 1

Example of definition of internal styles:

```
ARRAY TEXT($arrnames;0)
ARRAY TEXT($arrvalues;0)
APPEND TO ARRAY($arrnames;"fill")
APPEND TO ARRAY($arrvalues;"black")
APPEND TO ARRAY($arrnames;"font-family")
APPEND TO ARRAY($arrvalues;'"Lucida Grande' Verdana")
APPEND TO ARRAY($arrnames;"font-size")
APPEND TO ARRAY($arrvalues;"20px")
APPEND TO ARRAY($arrnames;"text-align")
APPEND TO ARRAY($arrvalues;"center")

$svg:=SVG_New
SVG_DEFINE_STYLE_WITH_ARRAYS($svg;->$arrnames;->$arrvalues;"title")
$object:=SVG_New_textArea($svg;"Hello World!";10;10;200;310)
SVG_SET_CLASS($object;"title")
```

This method generates the following code:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?> <svg  
xmlns="http://www.w3.org/2000/svg">      <defs id="4D">          <style  
type="text/css">.title{fill:red;font-family:'Lucida Grande' Verdana;font-size:20px;text-align:center;}  
</style>      </defs>      <textArea class="title" height="310" width="200" x="10" y="10">Hello  
World!</textArea> </svg>
```

Beispiel 2

Example of definition of inline styles:

```
ARRAY TEXT($arrnames;0)  
ARRAY TEXT($arrvalues;0)  
APPEND TO ARRAY($arrnames;"fill")  
APPEND TO ARRAY($arrvalues;"black")  
APPEND TO ARRAY($arrnames;"font-family")  
APPEND TO ARRAY($arrvalues;"'Lucida Grande' Verdana")  
APPEND TO ARRAY($arrnames;"font-size")  
APPEND TO ARRAY($arrvalues;"20px")  
APPEND TO ARRAY($arrnames;"text-align")  
APPEND TO ARRAY($arrvalues;"center")  
  
$svg:=SVG_New  
$object:=SVG_New_textArea($svg;"Hello World!";10;10;200;310)  
SVG_DEFINE_STYLE_WITH_ARRAYS($object;->$arrnames;->$arrvalues)
```

This method generates the following code:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?> <svg  
xmlns="http://www.w3.org/2000/svg">      <textArea height="310" style="fill:red;font-  
family:'Lucida Grande' Verdana;font-size:20px;text-align:center;" width="200" x="10" y="10">Hello  
World!</textArea> </svg>
```

SVG_Define_symbol

SVG_Define_symbol (parentSVGObject ; id {; x {; y {; width {; height {; mode}}}}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
id	String	Name of symbol
x	Lange Ganzzahl	X position of viewBox
y	Lange Ganzzahl	Y position of viewBox
width	Lange Ganzzahl	Width of viewBox
height	Lange Ganzzahl	Height of viewBox
mode	String	Adjustment to viewBox
Funktionsergebnis	SVG_Ref	Reference of symbol

Beschreibung

The *SVG_Define_symbol* command creates a symbol in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

A symbol object is used to specify graphic objects that may be instantiated using the [SVG_Use](#) command.

The *id* parameter specifies the name of the symbol.

The optional *x*, *y*, *width* and *height* parameters specify the viewBox rectangle ('viewBox' attribute).

The optional *mode* parameter can be used to indicate if the graphic must be fitted, and how so, to the size of the viewBox. For more information about this point, please refer to the description of the [SVG_New](#) command.

Beispiel

Refer to the description of the [SVG_Use](#) command.

SVG_DELETE_OBJECT

SVG_DELETE_OBJECT (*svgObject*)

Parameter

svgObject

Typ

SVG_Ref



Beschreibung

Reference of SVG element

Beschreibung

The *SVG_DELETE_OBJECT* command deletes the SVG object designated by *svgObject* from the document to which it belongs. An error is generated when *svgObject* is not a valid reference.

SVG_Get_default_encoding

SVG_Get_default_encoding -> Funktionsergebnis

Parameter	Typ	Beschreibung
Funktionsergebnis	Text	 Character set

Beschreibung

The *SVG_Get_default_encoding* command returns the encoding used when a new document is created.

SVG_New_group

SVG_New_group (parentSVGObject {; id {; Url {; target}}}) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
id	String	Name of group
Url	String	External link
target	String	Target of link
Funktionsergebnis	SVG_Ref	Reference of group

Beschreibung

The *SVG_New_group* command creates a group in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not a valid SVG group or document, an error is generated.

The group ('g' element) can be used to group together several linked graphic elements, which will inherit the properties of the group.

The optional *id* parameter can be used to assign a name to the group. Named groups are necessary for several purposes such as animation and reusable objects.


The optional *url* parameter can be used to associate an external link. Group objects are then clickable (similar to the 'a' element of HTML).

The optional *target* parameter specifies the name of the target where the document will open when the link is activated. The values expected are those of the HTML specification to which are added the 'new' value for opening a new window and the 'none' value which is equivalent to not processing this attribute.

Note: External links are ignored when the SVG is displayed in a picture object (variable or field) of a 4D form. Management of external references is handled by the rendering engine. Under these conditions, the result may depend on the platform and the viewing software.

Beispiel 1

A group of lines, all the same color:



```
$SVG:=SVG_New
$group:=SVG_New_group($SVG)
`Assign a color to the group elements
SVG_SET_STROKE_BRUSH($group;"firebrick")
$newobject:=SVG_New_line($group;100;300;300;100;"";5)
$newobject:=SVG_New_line($group;300;300;500;100;"";10)
$newobject:=SVG_New_line($group;500;300;700;100;"";15)
$newobject:=SVG_New_line($group;700;300;900;100;"";20)
$newobject:=SVG_New_line($group;900;300;1100;100;"";25)
```

Beispiel 2

Clickable text:

www.w3.org

\$SVG:=*SVG_New*

\$group:=*SVG_New_group(\$SVG;"w3Link";"http://www.w3.org";"new")*

\$newobject:=*SVG_New_text(\$group;"www.w3.org";10;10;"arial";12;Underline;Align left;"blue")*

SVG_SET_DEFAULT_ENCODING

SVG_SET_DEFAULT_ENCODING {{ Codierung }}

Parameter	Typ	Beschreibung
Codierung	String	Character set

Beschreibung

The *SVG_SET_DEFAULT_ENCODING* command is used to set the encoding that will be used when subsequent documents are created.

If the *encoding* parameter is omitted, the command reestablishes the default character set: "UTF-8".

SVG_Set_description

SVG_Set_description (parentSVGObject ; Beschreibung) -> Funktionsergebnis

Parameter

parentSVGObject
Beschreibung
Funktionsergebnis

Typ

SVG_Ref
String
SVG_Ref

Beschreibung

→ Reference of parent element
→ Text of comments
→ Reference of description

Beschreibung

The *SVG_Set_description* command sets a text for the SVG element designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG element, an error is generated.

A description is often used to insert a comment or explanatory text in the SVG code.

Beispiel

```
$SVG:=SVG_New
$g:=SVG_group($SVG)
SVG_Set_title($g;"Company sales per region")
SVG_Set_description($g;"Bar diagram of company sales per region.")
```

SVG_SET_PATTERN_CONTENT_UNITS

SVG_SET_PATTERN_CONTENT_UNITS (*patternObject* ; *sysCoord*)

Parameter	Typ	Beschreibung
<i>patternObject</i>	SVG_Ref	→ Reference of pattern to modify
<i>sysCoord</i>	Text	→ System of coordinates to be used

Beschreibung

The *SVG_SET_PATTERN_CONTENT_UNITS* command is used to set the system of coordinates for the contents of the pattern designated by *patternObject*. If *patternObject* is not a pattern, an error is generated.

The *sysCoord* parameter specifies the name of the system to be used. It must be set to "userSpaceOnUse" or "objectBoundingBox", otherwise an error is generated.

See Also: <http://www.w3.org/TR/SVG/patterns.html#Patterns>

SVG_SET_PATTERN_UNITS

SVG_SET_PATTERN_UNITS (patternObject ; sysCoord)

Parameter	Typ	Beschreibung
patternObject	SVG_Ref	→ Reference of pattern to modify
sysCoord	Text	→ System of coordinates to be used

Beschreibung

The *SVG_SET_PATTERN_UNITS* command is used to set the system coordinates for the *x*, *y*, *width* and *height* attributes of the pattern designated by *patternObject*. If *patternObject* is not a pattern, an error is generated.

The *sysCoord* parameter specifies the name of the system to be used. It must be set to "userSpaceOnUse" or "objectBoundingBox", otherwise an error is generated.

See Also: <http://www.w3.org/TR/SVG/patterns.html#Patterns>

SVG_Set_title

SVG_Set_title (parentSVGObject ; Titel) -> Funktionsergebnis

Parameter

parentSVGObject
Titel
Funktionsergebnis

Typ

SVG_Ref
String
SVG_Ref

Beschreibung

→ Reference of parent element
→ Text of title
→ Reference of title

Beschreibung

The *SVG_Set_title* command specifies a title for the SVG element designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG element, an error is generated.

A title is text data that is not included in the rendered picture but is used for structuring complex documents. Certain SVG rendering engines use the text of this element to display a help tip when the mouse moves over the object.

Beispiel

```
$SVG:=SVG_New
$rec:=SVG_New_rect($SVG;20;20;650;650;0;0;"gray";"lemonchiffon")
SVG_Set_title($rec;"Background rectangle")
$Symbol:=SVG_Define_symbol($SVG;"MySymbol";0;0;110;110;"true")
SVG_Set_title($Symbol;" Set a symbol composed of 2 squares and 2 circles ")
...
```

Text

-  [SVG_APPEND_TEXT_TO_TEXTAREA](#)
-  [SVG_Get_text](#)
-  [SVG_New_text](#)
-  [SVG_New_textArea](#)
-  [SVG_New_tspan](#)
-  [SVG_New_vertical_text](#)
-  [SVG_SET_FONT_COLOR](#)
-  [SVG_SET_FONT_FAMILY](#)
-  [SVG_SET_FONT_SIZE](#)
-  [SVG_SET_FONT_STYLE](#)
-  [SVG_SET_TEXT_ANCHOR](#)
-  [SVG_SET_TEXT_KERNING](#)
-  [SVG_SET_TEXT_LETTER_SPACING](#)
-  [SVG_SET_TEXT_RENDERING](#)
-  [SVG_SET_TEXT_WRITING_MODE](#)
-  [SVG_SET_TEXTAREA_TEXT](#)

SVG_APPEND_TEXT_TO_TEXTAREA

SVG_APPEND_TEXT_TO_TEXTAREA (*svgObject* ; *addedText*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ Reference of text element
<i>addedText</i>	Text	→ Text to be added

Beschreibung

The *SVG_APPEND_TEXT_TO_TEXTAREA* command is used to append text to the textual content of the text object designated by *svgObject*. If *svgObject* is not a "textArea" object, an error is generated.

Line return characters are automatically replaced by "<tbreak/>" elements.

Beispiel

Adding the following text:

It is today, 28/04/10

and it was exactly 17:59:55

```
//Display outlines using 'rect' element
$Dom_rect:=SVG_New_rect($Dom_SVG;10;10;500;200;0;0;"blue:50";"none")

//Creating the text
$Dom_text:=SVG_New_textArea($Dom_SVG;"It is today, ";10;30;500;200;"'Arial'";36;0;3)

//Adding the date and 2 CR
SVG_APPEND_TEXT_TO_TEXTAREA($Dom_text;String(Current date)+"\r\r")

//Lastly, adding the current time
SVG_APPEND_TEXT_TO_TEXTAREA($Dom_text;"and it was exactly "+String(Current time))
```

SVG_Get_text

SVG_Get_text (*svgObject*) -> Funktionsergebnis

Parameter

svgObject
Funktionsergebnis

Typ

SVG_Ref
Text

Beschreibung

Reference of text element
Text contents

Beschreibung

The *SVG_Get_text* command returns the textual content of the element designated by *svgObject*. If *svgObject* is not a text object reference ('text', 'textArea' or 'tspan'), an error is generated.

In the case of a textArea object, <tbreak/> elements are converted to CRs.

SVG_New_text

SVG_New_text (parentSVGObject ; Text {; x {; y {; font | styleDef {; Größe {; Stil {; Ausrichtung {; color {; rotation {; lineSpacing {; stretching}}}}}}}} }) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
Text	Text	Text to insert
x	Zahl	Coordinate on X axis
y	Zahl	Coordinate on Y axis
font styleDef	Text	Font name or Style definition
Größe	Lange Ganzzahl	Size of characters in points
Stil	Lange Ganzzahl	Style of characters
Ausrichtung	Lange Ganzzahl	Alignment
color	String	Text color
rotation	Zahl	Angle of rotation of text
lineSpacing	Zahl	Line spacing in points
stretching	Zahl	Horizontal stretch factor
Funktionsergebnis	SVG_Ref	Reference of SVG text object

Beschreibung

The **SVG_New_text** command inserts the text in text in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

Note: Starting with 4D v15, the **SVG_New_text** command supports simple Styled text (the text can contain different styles, but SPAN attributes must not be nested). See example 5.

The optional *x* and *y* parameters can be used to specify the position on the X and Y axis of the upper corner of the first character of text. This point is situated differently according to the alignment value: to the left for a left alignment, to the right for a right alignment or in the center when the text is centered.

The **SVG_New_text** command accepts two different syntaxes for setting characters:

- You can pass various values in the *font*, *size*, *style* and *alignment* parameters: *font* and *size* can be used to specify the font and size, in points, to be used. When these parameters are omitted, the text will be written in **Times New Roman 12 pts**. The optional *style* parameter gives information about the character style used. In the *style* parameter, you must pass one of the following values or a combination of several of them (or you can also use the corresponding 4D constants from the **Font Styles** theme):

- 0 = Plain
- 1 = Bold
- 2 = Italic
- 4 = Underline
- 8 = Strikethrough

The optional *alignment* parameter can be used to set the type of alignment to be applied to the drawn text. You can pass one of the following values:

- 2 = Align left
- 3 = Center
- 4 = Align right

The optional *color* parameter contains the name of the font color. (For more information about colors, please refer to the **Colors and Gradients** section).

The optional *rotation* parameter can be used to specify the rotation to be applied to the text.

The optional *lineSpacing* parameter can be used to specify the value of the line spacing if the text has more than one line. Default value = 1.

The optional *stretching* parameter can be used to specify a horizontal stretching (value >1) or condensing (value included between 0 and 1) factor of the text.

- Or you can pass a style definition in the *styleDef* parameter (instead of the *font* parameter) and then omit the following parameters. For example, you can pass:

```
SVG_New_textArea($Dom_svg;"Hello World !";x;y;vWidth;vHeight;style_definition)
```

... where the *style_definition* parameter contains a complete style definition. If you pass, for instance, "{font-size:48px;fill:red;}", this definition is added as a style attribute in the form:

```
style="font-size:48px;fill:red;"
```

In this case, any additional parameters are ignored.

Beispiel 1

Simple text using default text properties:

```
Hello world!
```

```
$SVG:=SVG_New  
$textID:=SVG_New_text($SVG;"Hello world!")
```

Beispiel 2

Text that is blue, italic, underlined and aligned to the right:

```
Hello world!  
Bonjour le monde!  
Hola Mundo!
```

```
$SVG:=SVG_New  
$text:="Hello world!\rBonjour le monde!\rHola Mundo!"  
$size:=48  
$font:="helvetica"  
$textID:=SVG_New_text($SVG;$text;400;10;$font;$size;Italic+Underline;Align right;"blue")
```

Beispiel 3

Vertical text:

```
Hello world
```

```
$SVG:=SVG_New  
$textID:=SVG_New_text($SVG;$text;-250;0;"";48;-1;-1;"red";-90)
```

Beispiel 4

Condensed or expanded text:

```
Hello world (condensed)  
Hello world (normal)  
Hello world (stretched)
```

```
$SVG:=SVG_New  
$textID:=SVG_New_text($SVG;"Hello world (condensed)";0;0;"",-1;-1;-1;"blue";0;1;0,8)  
$textID:=SVG_New_text($SVG;"Hello world (normal)";0;24)  
$textID:=SVG_New_text($SVG;"Hello world (stretched)";0;48;"",-1;-1;-1;"red";0;1;2)
```

Beispiel 5

Display of multi-style text:

```
C_TEXT($Dom_svg;$Dom_text;$Txt_buffer)  
//definition of multi-style text  
$Txt_buffer:="<SPAN STYLE=\"font-size:18pt\">Hello </SPAN>"+\  
"<SPAN STYLE=\"font-size:24pt;font-weight:bold;color:#D81E05\">World</SPAN>"+\  
"<SPAN STYLE=\"font-size:36pt\">!</SPAN><BR/>"+\  
"<SPAN STYLE=\"font-size:19pt;font-style:italic\">It's </SPAN>"+\  
"<SPAN STYLE=\"font-size:24pt\">Monday</SPAN>"  
$Dom_svg:=SVG_New  
  
//title  
SVG_SET_FONT_COLOR(SVG_New_text($Dom_svg;"______ svg_Newtext  
_____" ;10;30); "blue")  
//text  
$Dom_text:=SVG_New_text($Dom_svg;$Txt_buffer;50;50)  
  
SVGTool_SHOW_IN_VIEWER($Dom_svg)  
SVG_CLEAR($Dom_svg)
```

SVG_New_textArea

SVG_New_textArea (parentSVGObject ; Text {; x {; y {; textWidth {; textHeight {; font | styleDef {; Größe {; Stil {; Ausrichtung}}}}}}} }) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
Text	Text	Text to insert
x	Lange Ganzzahl	Coordinate on X axis
y	Lange Ganzzahl	Coordinate on Y axis
textWidth	Lange Ganzzahl	Width of text area
textHeight	Lange Ganzzahl	Height of text area
font styleDef	Text	Font name or Style definition
Größe	Ganzzahl	Size of characters in points
Stil	Ganzzahl	Style of characters
Ausrichtung	Ganzzahl	Alignment
Funktionsergebnis	SVG_Ref	Reference of SVG text object

Beschreibung

The **SVG_New_textArea** command inserts a text area in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

The "textArea" element is recommended by the SVG tiny 1.2 standard and implemented in 4D v11 SQL beginning with version 11.3 (see <http://www.w3.org/TR/SVGMobile12/text.html#TextAreaElement>). This element implements a text area that, unlike the "text" element, automatically handles the line feed when the text exceeds the width requested.

Notes:

- In the "textArea" element, <tbreak/> elements replace line returns.
- Starting with 4D v15, the **SVG_New_textArea** command supports simple Styled text (the text can contain different styles, but SPAN attributes must not be nested). See example 2.

The optional *x* and *y* parameters can be used to specify the position on the X and Y axes of the top left corner of the area.

The optional *textWidth* and *textHeight* parameters specify the size of the area in the user coordinate space. If one or the other of these parameters is not provided, the text area will automatically be fitted to its contents.

The **SVG_New_textArea** command accepts two different syntaxes for setting characters:

- You can pass various values in the *font*, *size*, *style* and *alignment* parameters: *font* and *size* can be used to specify the font and size, in points, to be used. When these parameters are omitted, the text will be written in **Times New Roman 12 pts**.

The optional *style* parameter gives information about the character style used. In the *style* parameter, you must pass one of the following values or a combination of several of them (or you can also use the corresponding 4D constants from the **Font Styles** theme):

- 0 = Plain
- 1 = Bold
- 2 = Italic
- 4 = Underline
- 8 = Strikethrough

The optional *alignment* parameter can be used to set the type of alignment to be applied to

the drawn text. You can pass one of the following values:

- 1 = Align default (left)
- 2 = Align left
- 3 = Center
- 4 = Align right
- 5 = Justify

- Or you can pass a style definition in the *styleDef* parameter (instead of the *font* parameter) and then omit the following parameters. For example, you can pass:


```
SVG_New_textArea($Dom_svg;"Hello World !";x;y;vWidth;vHeight;style_definition)
```

... where the *style_definition* parameter contains a complete style definition. If you pass, for instance, "{font-size:48px;fill:red;}", this definition is added as a style attribute in the form:

```
style="font-size:48px;fill:red;"
```

In this case, any additional parameters are ignored.

Beispiel 1



```
$svg:=SVG_New
`Position a border rectangle
$rec:=SVG_New_rect($svg;5;5;210;320;0;0;"#777";"peachpuff";3)
`The text
$txt:="Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed non risus. Suspendisse lectus tortor, dignissim sit amet, adipiscing nec, ultricies sed, dolor."
$txtArea:=SVG_New_textArea($svg;$txt;10;10;200;310;"Georgia";25;italic;5)
`Save document
SVG_SAVE_AS_TEXT($svg;"test.svg")
```

Beispiel 2

Display of multi-style text:

```
C_TEXT($Dom_svg;$Dom_text;$Txt_buffer)
//definition of multi-style text
$Txt_buffer:="<SPAN STYLE=\"font-size:18pt\>Hello </SPAN>"+\
```

```
"<SPAN STYLE=\"font-size:24pt;font-weight:bold;color:#D81E05\">World</SPAN>"+\n"<SPAN STYLE=\"font-size:36pt\\">!</SPAN><BR/>"+\n"<SPAN STYLE=\"font-size:19pt;font-style:italic\\">It's </SPAN>"+\n"<SPAN STYLE="font-size:24pt\ ">Monday</SPAN>"\n$Dom_svg:=SVG_New\n\n//title\nSVG_SET_FONT_COLOR(SVG_New_text($Dom_svg;"----- SVG_New_textArea\n-----";10;30;"",-1);\"blue\")\n//textArea\n$Dom_text:=SVG_New_textArea($Dom_svg;$Txt_buffer;50;50)\n\nSVGTool_SHOW_IN_VIEWER($Dom_svg)\nSVG_CLEAR($Dom_svg)
```

SVG_New_tspan

SVG_New_tspan (*parentSVGObject* ; *Text* {*x* {*y* {*font | styleDef* {*Größe* {*Stil* {*Ausrichtung* {*color*}}}}}} }) -> Funktionsergebnis

Parameter	Typ	Beschreibung
<i>parentSVGObject</i>	SVG_Ref	Reference of parent element
<i>Text</i>	Text	Text to insert
<i>x</i>	Lange Ganzzahl	Coordinate on X axis
<i>y</i>	Lange Ganzzahl	Coordinate on Y axis
<i>font styleDef</i>	Text	Font name or Style definition
<i>Größe</i>	Ganzzahl	Size of characters in points
<i>Stil</i>	Ganzzahl	Style of characters
<i>Ausrichtung</i>	Ganzzahl	Alignment
<i>color</i>	String	Text color
Funktionsergebnis	SVG_Ref	Reference of SVG text object

Beschreibung

The **SVG_New_tspan** command creates a new element in the 'text', 'tspan' or 'textArea' element designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not a reference to a 'text', 'tspan' or 'textArea' element, an error is generated.

The different optional parameters are described with the **SVG_New_text** command. If certain optional parameters are omitted, their values are inherited from parent element(s).

Beispiel 1

In a text, it is possible to create paragraphs that inherit the properties of a parent.



```
$SVG:=SVG_New
```

`Creates a new text that is in Arial, blue, and aligned to the left

```
$textID:=SVG_New_text($SVG;"";0;0;"arial";-1;-1;Align left;"blue")
```

`Nested paragraphs with indentation and changing of size and style

```
$textID:=SVG_New_tspan($textID;"TITLE 1";10;10;"";24;Bold+Underline)
```

```
$textID:=SVG_New_tspan($textID;"Title 2";20;42;"";12;Bold)
```

```
$textID:=SVG_New_tspan($textID;"Title 3";30;60;"";10;Bold+Italic)
```

```
$textID:=SVG_New_tspan($textID;"Title 4";40;78;"";8;Italic)
```

Beispiel 2

Changing a property while remaining in the same "text" element, here the size of the text.

Writing with **SVG** is **easy**

```
$textID:=SVG_New_text($SVG;"Writing ";10;10;"arial";12)
```

```
SVG_SET_FONT_SIZE(SVG_New_tspan($textID;"with ");14)
```

```
SVG_SET_FONT_SIZE(SVG_New_tspan($textID;"SVG ");18)
```

```
SVG_SET_FONT_SIZE(SVG_New_tspan($textID;"is ");24)
SVG_SET_FONT_SIZE(SVG_New_tspan($textID;"easy ");36)
```

SVG_New_vertical_text

SVG_New_vertical_text (parentSVGObject ; Text {; x {; y {; Schrift {; Größe {; Stil {; Ausrichtung {; color {; rotation}}}}}}} }) -> Funktionsergebnis

Parameter	Typ	Beschreibung
parentSVGObject	SVG_Ref	Reference of parent element
Text	Text	Text to insert
x	Lange Ganzzahl	Coordinate on X axis
y	Lange Ganzzahl	Coordinate on Y axis
Schrift	String	Font name
Größe	Ganzzahl	Size of characters in points
Stil	Ganzzahl	Style of characters
Ausrichtung	Ganzzahl	Alignment
color	String	Text color
rotation	Lange Ganzzahl	Angle of rotation of text
Funktionsergebnis	SVG_Ref	Reference of SVG text object

Beschreibung

The *SVG_New_vertical_text* command inserts the text of text vertically in the SVG container designated by *parentSVGObject* and returns its reference. If *parentSVGObject* is not an SVG document, an error is generated.

The optional *x* and *y* parameters can be used to specify the position on the X and Y axis of the bottom left corner of the first character of text.

The optional *font* and *size* parameters can be used to specify the font and its size, in points, to be used. When these parameters are not passed, the text will be written in Times New Roman 12 pt.

The optional *style* parameter gives the character style used. In this parameter, you must pass one of the following styles, or a combination of several of these values:

- 0 = Plain
- 1 = Bold
- 2 = Italic
- 4 = Underline
- 8 = Strikethrough


The optional *alignment* parameter can be used to set the type of alignment applied to the text drawn. You can pass on eof the following values:

- 2 = Align left
- 3 = Center
- 4 = Align right

The optional *color* parameter contains the name of the font color. (For more information about colors, please refer to the "[Colors and Gradients](#)" section).

The optional *rotation* parameter can be used to specify the rotation to be applied to the text.

Beispiel



```
$SVG:=SVG_New
```

```
$textID:=SVG_New_text($SVG;"Hello world";10;12)
```

```
$textID:=SVG_New_vertical_text($SVG;"Hello world";22;3;"";-1;-1;Center;"blue")
```

SVG_SET_FONT_COLOR

`SVG_SET_FONT_COLOR (svgObject ; color)`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
color	String	Text color

Beschreibung

The `SVG_SET_FONT_COLOR` command can be used to specify the font color for the for the SVG object having the `svgObject` reference. If `svgObject` does not reference a valid element, an error is generated.

The `color` parameter contains the name of the color to be used. (For more information about colors, please refer to the "[SVG Colors](#)" section).

SVG_SET_FONT_FAMILY

SVG_SET_FONT_FAMILY (*svgObject* ; Schrift {; Schrift2 ; ... ; SchriftN})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
Schrift	String	Font name

Beschreibung

The *SVG_SET_FONT_FAMILY* command can be used to specify the font for the SVG object having the *svgObject* reference. If *svgObject* does not reference a valid element, an error is generated.

The *font* parameter contains the name of the font to be used. When several names are passed, the command automatically builds the list of font family names and/or generic family names.

Beispiel

Passing several font names:

```
SVG_SET_FONT_FAMILY(svgObject;"Lucida grande";"Sans-serif")
// will build the following list: " 'Lucida grande' 'Sans-serif'"
```

SVG_SET_FONT_SIZE

SVG_SET_FONT_SIZE (*svgObject* ; Größe)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of SVG element
Größe	Ganzzahl	Size of characters in points

Beschreibung

The *SVG_SET_FONT_SIZE* command can be used to specify the font *size* for the SVG object having the *svgObject* reference. If *svgObject* does not reference a valid element, an error is generated.

The *size* parameter contains the font size in points.

SVG_SET_FONT_STYLE

`SVG_SET_FONT_STYLE (svgObject ; Stil)`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element
Stil	Ganzzahl	Style of characters

Beschreibung

The `SVG_SET_FONT_STYLE` command can be used to specify the text style for the SVG object having the `svgObject` reference. If `svgObject` does not reference a valid element, an error is generated.

In the `style` parameter, you must pass one of the following values or a combination of several values:

- 0 = Plain
- 1 = Bold
- 2 = Italic
- 4 = Underline
- 8 = Strikethrough

SVG_SET_TEXT_ANCHOR

SVG_SET_TEXT_ANCHOR (*svgObject* ; *Ausrichtung*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ Reference of SVG element
<i>Ausrichtung</i>	Ganzzahl	→ Alignment

Beschreibung

The *SVG_SET_TEXT_ANCHOR* command can be used to modify the alignment of the SVG object having the *svgObject* reference. If *svgObject* does not reference a valid element, an error is generated.

In the *alignment* parameter, you must pass one of the following values:

- 1 = Align default (left)
- 2 = Align left
- 3 = Center
- 4 = Align right
- 5 = Justify (only for textArea object)

SVG_SET_TEXT_KERNING

SVG_SET_TEXT_KERNING (*svgObject* ; *kerning* {; *unit*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of text element
<i>kerning</i>	Zahl	Letter spacing
<i>unit</i>	Text	Unit of spacing value

Beschreibung

The *SVG_Get_text* command is used to modify the kerning for the text object designated by *svgObject*. If *svgObject* is not an SVG text object, an error is generated.

The optional *unit* parameter is used to specify the unit of the kerning value. The default value is "%".

If *kerning* is -1, the kerning value is set to 'auto'.

Note: Under Windows, the implementation is limited to text from left to right and top to bottom (disabled for right to left text) and to the 'text' and 'tspan' elements; under Mac OS, support is not limited.

See Also: <http://www.w3.org/TR/SVG/text.html#KerningProperty>

Beispiel

Examples of kerning variations:

Hello world !
Hello world !

```
//Reference
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;40;"";36)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;80;"";36)
SVG_SET_TEXT_KERNING($Dom_text;0,5)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;120;"";36)
SVG_SET_TEXT_KERNING($Dom_text;1)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;160;"";36)
SVG_SET_TEXT_KERNING($Dom_text;1,5)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;200;"";36)
SVG_SET_TEXT_KERNING($Dom_text;2)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;240;"";36)
SVG_SET_TEXT_KERNING($Dom_text;1,5)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;280;"";36)
SVG_SET_TEXT_KERNING($Dom_text;1)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;320;"";36)
```

```
SVG_SET_TEXT_KERNING($Dom_text;0,5)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;360;"";36)
SVG_SET_TEXT_KERNING($Dom_text;0)
```

⚙ SVG_SET_TEXT_LETTER_SPACING

SVG_SET_TEXT_LETTER_SPACING (*svgObject* ; *spacing* {; *unit*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of text element
<i>spacing</i>	Zahl	Letter spacing
<i>unit</i>	Text	Unit of value

Beschreibung

The *SVG_SET_TEXT_LETTER_SPACING* command is used to modify the letter spacing for the text object designated by *svgObject* in addition to the spacing due to the 'kerning' property. If *svgObject* is not an SVG text object, an error is generated.

The optional *unit* parameter is used to specify the unit of the spacing value. The default value is "%".

If *spacing* is -1, the spacing value is set to 'normal'.

See Also: <http://www.w3.org/TR/SVG/text.html#LetterSpacingProperty>

Beispiel

Examples of spacing variations:

Hello world !
Hello world !
H e l l o w o r l d
Hello world !
Hello world !
Hello world !
Hello world !
H e l l o w o r l d
Hello world !
H e l l o w o r l d
H e l l o w o r l d

```
//Reference
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;40;"";36)

$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;80;"";36)
SVG_SET_TEXT_LETTER_SPACING($Dom_text;1)
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;120;"";36)
SVG_SET_TEXT_LETTER_SPACING($Dom_text;1;"em")
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;160;"";36)
SVG_SET_TEXT_LETTER_SPACING($Dom_text;1;"px")
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;200;"";36)
SVG_SET_TEXT_LETTER_SPACING($Dom_text;1;"pt")
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;240;"";36)
SVG_SET_TEXT_LETTER_SPACING($Dom_text;1;"pc")
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;280;"";36)
SVG_SET_TEXT_LETTER_SPACING($Dom_text;1;"mm")
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;320;"";36)
SVG_SET_TEXT_LETTER_SPACING($Dom_text;1;"cm")
```

```
$Dom_text:=SVG_New_text($Dom_SVG;"Hello world !";20;360;"";36)
SVG_SET_TEXT_LETTER_SPACING($Dom_text;1;"in")
```

SVG_SET_TEXT_RENDERING

SVG_SET_TEXT_RENDERING (*svgObject* ; *rendering*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ Reference of text element
<i>rendering</i>	Text	→ Value of rendering

Beschreibung

The *SVG_SET_TEXT_RENDERING* command is used to define the tradeoffs to make regarding the rendering of text for the text object designated by *svgObject*. If *svgObject* is not an SVG text object, an error is generated.

The *rendering* parameter can have one of the following values: "auto", "optimizeSpeed", "optimizeLegibility", "geometricPrecision" or "inherit". Otherwise, an error is generated.

See Also: <http://www.w3.org/TR/2001/REC-SVG-20010904/painting.html#TextRenderingProperty>

⚙️ SVG_SET_TEXT_WRITING_MODE

SVG_SET_TEXT_WRITING_MODE (*svgObject* ; *writingMode*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	Reference of text element
<i>writingMode</i>	Text	Direction of writing


Beschreibung

The *SVG_SET_TEXT_WRITING_MODE* command is used to set whether the writing direction for the text object designated by *svgObject* will be left to right, right to left or bottom to top. If *svgObject* is not an SVG text object, an error is generated.

The *writingMode* parameter can have one of the following values: "lr-tb", "rl-tb", "tb-rl", "lr", "rl", "tb" or "inherit ". Otherwise, an error is generated.

Beispiel

Writing from right to left:



```
//Frame
$Dom_SVG:=SVG_New_rect($Dom_SVG;5;5;210;310;0;0;"blue";"none")

//Text
$Dom_text:=SVG_New_textArea($Dom_SVG;$Txt_sample;10;10;200;300;"Baghdad 'Arial Unicode
MS"';25)
SVG_SET_TEXT_WRITING_MODE($Dom_text;"rl")
```

SVG_SET_TEXTAREA_TEXT

`SVG_SET_TEXTAREA_TEXT (svgObject ; theText)`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	→ Reference of text element
theText	Text	→ Text to set

Beschreibung

The `SVG_SET_TEXTAREA_TEXT` command can be used to set/replace the textual content of the text object designated by `svgObject`. If `svgObject` is not a "textArea" object, an error is generated.

The line return characters are automatically replaced by "`<tbreak/>`" elements.

Utilities

-  SVG_ABOUT
-  SVG_Count_elements
-  SVG_ELEMENTS_TO_ARRAYS
-  SVG_Estimate_weight
-  SVG_Find_ID
-  SVG_Get_options
-  SVG_Get_root_reference
-  SVG_Get_version
-  SVG_Is_reference_valid
-  SVG_Post_comment
-  SVG_Read_element_type
-  SVG_Read_last_error
-  SVG_References_array
-  SVG_ROTATION_CENTERED
-  SVG_SCALING_CENTERED
-  SVG_Set_error_handler
-  SVG_SET_OPTIONS
-  SVGTool_SET_VIEWER_CALLBACK
-  SVGTool_SHOW_IN_VIEWER

SVG_ABOUT

SVG_ABOUT

Dieser Befehl benötigt keine Parameter

Beschreibung

The *SVG_ABOUT* command displays a dialog with the 4D SVG logo indicating the version number of the component:



SVG_Count_elements

SVG_Count_elements (*svgObject*) -> Function result

Parameter

svgObject
Function result

Typ

SVG_Ref
Lange Ganzzahl



Beschreibung

SVG reference
Number of objects

Beschreibung

The *SVG_Count_elements* command returns the number of graphic objects contains in the *svgObject* passed as parameter. A group counts as one object. To find out the number of graphic objects in a group, passed its reference to the command. If *svgObject* is not valid, an error is generated.

SVG_ELEMENTS_TO_ARRAYS

```
SVG_ELEMENTS_TO_ARRAYS ( svgObject ; refsArrayPointer {; typesArrayPointer {;  
namesArrayPointer} } )
```

Parameter	Typ	Beschreibung
svgObject	Alpha	SVG reference
refsArrayPointer	Zeiger	String array of object references
typesArrayPointer	Zeiger	String array of object types
namesArrayPointer	Zeiger	String array of object IDs

Beschreibung

The *SVG_ELEMENTS_TO_ARRAYS* command fills the array pointed to by *refsArrayPointer* with the references of the graphic objects of the first level for the SVG reference passed in *svgObject*. If the optional *typesArrayPointer* pointer is passed, the array will be filled with the object types. If the optional *namesArrayPointer* pointer is passed, the array will be filled with object IDs. A group counts as one object. To find out this information for the graphic objects in a group, passed its reference to the command. If *svgObject* is not valid or if this attribute does not exist, an error is generated.

SVG_Estimate_weight

SVG_Estimate_weight (*svgObject*) -> Funktionsergebnis

Parameter

svgObject
Funktionsergebnis

Typ

SVG_Ref
Zahl

Beschreibung

 Reference of SVG document
 Size in bytes of SVG document

Beschreibung

The *SVG_Estimate_weight* command returns the size in bytes of the SVG tree whose reference is passed as in the *svgObject* parameter. If *svgObject* is not a valid reference, an error is generated.

SVG_Find_ID

SVG_Find_ID (*svgObject* ; *Auswahlname*) -> Funktionsergebnis

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ Reference of SVG object
<i>Auswahlname</i>	String	→ ID of SVG element
Funktionsergebnis	SVG_Ref	→ Reference of element

Beschreibung

The *SVG_Find_ID* command returns the reference of the element whose ID is passed in the *name* parameter, belonging to the SVG structure whose root element is passed in *svgObject*. If the element is not found, an error is generated.

SVG_Get_options

SVG_Get_options -> Funktionsergebnis

Parameter	Typ	Beschreibung
Funktionsergebnis	Lange Ganzzahl	 Options

Beschreibung

The *SVG_Get_options* command returns a longint representing a 32-bit array where each bit can represent an option of the component. You can use the operators on the 4D bits to check the state of an option (??), and to enable (?+) or disable (?-) one of them.

The following options are currently available:

Bit	Option	Default
1	Assign an ID automatically when creating an element	0 (disabled)
2	Automatically close any objects that can be	0 (disabled)
3	Create objects with a background	1 (enabled)
4	Absolute coordinates for paths	1 (enabled)
5	Create more readable code	0 (disabled)
6	Beep when an error occurs	1 (enabled)
7	Do not display 4D errors	0 (disabled)
8	Transparent pictures	1 (enabled)
9	Use trigonometric origin	0 (disabled)
10	Automatic Arial Substitution	1 (enabled)
11	Set shape-rendering='crispEdges' as default for a new canvas	0 (disabled)
12	Check parameters	1 (enabled)
13	Keep extra spaces	0 (disabled)
14	Centered rotation	0 (disabled)

- *Assign an ID automatically when creating an element*

If this option is enabled, when the component creates a new element, it systematically adds and fills in an 'id' attribute for the object created, if this is not already specified.

- *Automatically close objects*

If this option is enabled, the objects created with the [SVG_New_arc](#) and [SVG_New_polyline_by_arrays](#) commands will be automatically closed.

- *Create objects with a background*

If this option is enabled, closed objects will be created with a background color; otherwise, the background will be transparent.

- *Absolute coordinates for paths*

When drawing paths with the [SVG_PATH_MOVE_TO](#), [SVG_PATH_LINE_TO](#), [SVG_PATH_CURVE](#) and [SVG_PATH_ARC](#) commands, the coordinates passed will be interpreted as absolute if this option is enabled; otherwise they will be considered as relative.

- *Create more readable code*

This option can be used to create indented and well-spaced code which is nevertheless unwieldy; its activation is particularly useful during the debugging phase.

- *Beep when an error occurs*

When an error occurs and no host database error-handling method has been installed with the [SVG_Set_error_handler](#) command, a beep is emitted if this option is enabled.

- *Do not display 4D errors*

This option which is enabled by default blocks the display of 4D errors by installing an error-handling method peculiar to the component. You may prefer not to use this internal management and to let 4D display these messages. This can be useful during debugging for example.

- *Transparent pictures*

By default, SVG pictures created with the [SVG_New](#) command are transparent. By disabling this option, the pictures will be on a white background.

- *Use trigonometric origin*

By default, SVG places the origin at the top of the scale of degrees (midnight). This option lets you pass coordinates according to the usual trigonometric reference points (3h or 15mn). Conversion is performed on the fly.

- *Automatic Arial Substitution*

By default, 4D SVG replaces 'Arial' font with 'Arial Unicode MS', 'Arial' to improve compatibility with non-Roman characters (e.g. Japanese). In certain cases, you may want to disable this functioning. This option means you do not have to replace Arial fonts.

- *Set shape-rendering='crispEdges' as default for a new canvas*

The crispEdges attribute (see [SVG_SET_SHAPE_RENDERING](#)) can be forced by default using this option.

- *Checks parameters*

By default, 4D SVG checks the validity of parameters passed to commands. Once the development step is finished, you may want to disable this option to speed up code execution.

- *Keep extra spaces (New in v14)*

Allows multiple adjacent spaces to be displayed in text objects.

- *Centered rotation (New in v14)*

If this option is enabled, the [SVG_SET_TRANSFORM_ROTATE](#) command attempts to perform a centered rotation when the 3rd and 4th parameter are not passed. The center of rotation is calculated based on the x, y, width and height attributes of the object. If the object referenced does not have these attributes, the rotation is performed around the point (0,0).

Beispiel

See the [SVG_SET_OPTIONS](#) command.

SVG_Get_root_reference

SVG_Get_root_reference (*svgObject*) -> Funktionsergebnis

Parameter	Typ		Beschreibung
<i>svgObject</i>	SVG_Ref		SVG object reference
Funktionsergebnis	SVG_Ref		Root SVG element

Beschreibung

The **SVG_Get_root_reference** returns the reference of the root element for the SVG object whose reference was passed in the *svgObject* parameter.

SVG_Get_version

SVG_Get_version -> Funktionsergebnis

Parameter

Funktionsergebnis

Typ

String



Beschreibung

Version number

Beschreibung

The *SVG_Get_version* command returns the version of the component in alphanumeric form. The string returned always includes the version and subversion number ("11.0" for the version 11 and "11.3" for the 3rd update of version 11). When it is a Beta version, the distribution number is specified, prefixed by the letter "B" ("11.3B1" for the Beta 1 of version 11.3)

SVG_Is_reference_valid

SVG_Is_reference_valid (*svgObject*) -> Funktionsergebnis

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	Reference of SVG element

svgObject Boolean

Funktionsergebnis

True if reference belongs to an SVG element

Beschreibung

The *SVG_Is_reference_valid* command returns **True** if the reference passed in the *svgObject* parameter is that of an element of the SVG tree. If the element does not belong to an SVG tree, the command returns **False**. If *svgObject* is not a valid reference, an error is generated.

SVG_Post_comment

SVG_Post_comment (*svgObject* ; *comment*) -> Funktionsergebnis

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	→ SVG object reference
<i>comment</i>	Text	→ Text to be added as a comment
Funktionsergebnis	SVG_Ref	↗ Reference of comment

Beschreibung

The **SVG_Post_comment** adds the text passed in *comment* as an XML comment to the SVG object designated by the *svgObject* parameter.

The method returns the SVG reference of the comment.

Beispiel

The following code:

```
[#code4D]C_TEXT($comment)
$comment:="Modified on "+String(Current date)
$ref:= SVG_Post_comment ($svg; $comment )
.. adds the following to the $svg SVG object:
<!--Modified on 12/12/2011-->[#/codeXML]
```

SVG_Read_element_type

SVG_Read_element_type (*svgObject*) -> Funktionsergebnis

Parameter

svgObject
Funktionsergebnis

Typ

SVG_Ref

Beschreibung

 Reference of SVG element
 Type of element

Beschreibung

The *SVG_Read_element_type* command returns the type of element whose reference is passed in the *svgObject* parameter.

If *svgObject* is not a valid reference or if this attribute does not exist, an error is generated.

SVG_Read_last_error

SVG_Read_last_error -> Function result

Parameter	Typ	Beschreibung
Function result	Lange Ganzzahl	 Number of last error

Beschreibung

The *SVG_Read_last_error* command returns the number of the last error that occurred during the execution of a 4D SVG component command and resets this error.

The error number returned can be specific to a component command or may be an error generated by 4D. The following errors are generated by the component:

- 8850 Insufficient number of parameters
- 8851 Invalid parameter type
- 8852 Invalid reference
- 8853 Incorrect value for attribute
- 8854 The element does not accept this command
- 8855 Invalid (ID not found in document) object name (symbol, marker, filter, etc.)
- 8856 DTD file not found
- 8857 Incorrect value for a parameter
- 8858 Unknown error

Beispiel 1

Given the "SVG_error_mgmt" method of the example for the *SVG_Set_error_handler* command:

```
`Installation of error-handling method
$ Error_Method_Txt:=SVG_Set_error_handler("SVG_error_mgmt")
`from now on it is the SVG_error_mgmt method that will be executed in the case of an error

`Creation of new SVG document
$SVG:=SVG_New(1200;900;"SVG Component Test";"";True)
SVG_SET_VIEWBOX($SVG;0;0;1500;1000)

If(SVG_Read_last_error=0)

...
Else
`The SVG_error_mgmt method has been called and has received the error number
End if

`Uninstalling of error-handling method
SVG_Set_error_handler
```

Beispiel 2

Given the following **SVG_error_mgmt** method:

C_LONGINT(\$1)

C_TEXT(\$2)

 `Keep the error and the context

errorNumber:=\$1

commandName:=\$2

 `Set the OK system variable to 0

OK:=0

This method can be used as follows:

 ` Installation of error-handling method

\$ Error_Method_Txt:=SVG_Set_error_handler("SVG_error_mgmt")

 ` Creation of new SVG document

\$SVG:=SVG_New(1200;900;" SVG Component Test ";"";True)

SVG_SET_VIEWBOX(\$SVG;0;0;1500;1000)

If(OK=1)

 ...

Else

ALERT("Error No." +String(errorNumber) + " during execution of the command

\"""+commandName+"""")

End if

 ` Uninstalling of error-handling method

SVG_Set_error_handler

SVG_References_array

SVG_References_array (refsArrayPointer) -> Funktionsergebnis

Parameter	Typ	Beschreibung
refsArrayPointer	Zeiger	→ Alpha array of document references
Funktionsergebnis	Lange Ganzzahl	▷ Number of references

Beschreibung

The *SVG_References_array* command returns the list of current SVG document references in the array pointed to by *refsArrayPointer*. As the result, the command returns the number of references found.

SVG_References_array is useful when debugging. Each time an SVG document is created with the *SVG_New*, *SVG_Copy* or *SVG_Open_file* component commands, the component adds the reference returned by the command to an internal array. When an SVG document is released using the *SVG_CLEAR* command, the component removes its reference from the array.

SVG_ROTATION_CENTERED

SVG_ROTATION_CENTERED (*svgObject* ; *angle*)

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	SVG object reference
<i>angle</i>	Zahl	Angle of rotation

Beschreibung

The **SVG_ROTATION_CENTERED** command performs a centered rotation for the SVG object whose reference is passed in the *svgObject* parameter. This type of rotation can only be applied to objects having *x*, *y*, *width* and *height* attributes.

In the *angle* parameter, you pass the angle of rotation to be performed.

SVG_SCALING_CENTERED

SVG_SCALING_CENTERED (*svgObject* ; *scale* {; *x* ; *y*})

Parameter	Typ	Beschreibung
<i>svgObject</i>	SVG_Ref	SVG object reference
<i>scale</i>	Zahl	Scale value
<i>x</i>	Zahl	X axis
<i>y</i>	Zahl	Y axis

Beschreibung

The **SVG_SCALING_CENTERED** command performs a centered scaling of the SVG image whose reference is passed in the *svgObject* parameter.

In the *scale* parameter, you pass a positive scale value (>1). If you pass 1, the scale is set to 100%.

In the optional *x* and *y* parameters, you can pass, respectively, the x- and y-axis coordinates for the center point. If you do not pass these parameters, the center point is determined based on the "x", "y", "width" and "height" attributes of the object (if any). If this type of transformation is applied to an object that does not have these attributes, and the optional *x* and *y* parameters are omitted, an empty string is returned.

SVG_Set_error_handler

SVG_Set_error_handler {{ Methodename }} -> Funktionsergebnis

Parameter	Typ	Beschreibung
Methodename	String	→ Name of method to install
Funktionsergebnis	String	→ Name of method previously installed

Beschreibung

The *SVG_Set_error_handler* command can be used to install the host database method *method* that will be called in the case of an error and which returns the name of the previously installed method.

The commands of the component carry out a minimum of verifications when they are called: minimum number of parameters, validity of references, for the element to which a command is applied. The component thus handles errors in a structured manner and allows the host database to retrieve any errors.

When default functioning has not been modified, if an error occurs a beep is emitted and the command is interrupted.

The host database can retrieve the error number and the name of the faulty command in one of these methods. To do this, the host database must create a method that will receive the error number as the first parameter and the command name as the second parameter.

This method, if it is installed by the *SVG_Set_error_handler* command, will be called when an error occurs; in this case, no beep is generated by the code of the component.

If *method* is omitted or is an empty string, the method is uninstalled and the behavior changes back to the default behavior.

Note: The host database method that will be called by the component must have the "Shared by components and host database" property.

Beispiel

Installation of the *SVG_error_mgmt* method (host database method) as the error-handling method:

```
$error:=SVG_Set_error_handler("SVG_error_mgmt")
```

Method code:

```
` SVG_error_mgmt method  
ALERT("Error No."+$String($1)+" during execution of the command \"\""+$2+"\\\"")
```

SVG_SET_OPTIONS

SVG_SET_OPTIONS {(*Optionen*)}

Parameter

Optionen

Typ

Lange Ganzzahl

Beschreibung

4D SVG component options



Beschreibung

The *SVG_SET_OPTIONS* command can be used to set the options of the 4D SVG component with the *options* longint. For more information about the contents of *options*, please refer to the description of the [SVG_Get_options](#) command.

Since all options will be set at once, this command must have been preceded with a call to the [SVG_Get_options](#) command, followed by the use of the **Bitwise Operators** of 4D.

If the *options* parameter is not passed, all the options are reset to their default value (see the [SVG_Get_options](#) command).


Beispiel 1

Create readable code:

```
$Options :=SVG_Get_options  
$Options :=$Options ?+5 `enable the option  
SVG_SET_OPTIONS($Options)
```

Beispiel 2

Draw a pie chart diagram:



```
$svg:=SVG_New  
  
`Enable automatic closing of objects  
SVG_SET_OPTIONS(SVG_Get_options?+2)  
  
SVG_New_arc($svg;100;100;90;0;105;"gray";"lightcoral";1)  
SVG_New_arc($svg;100;100;90;105;138;"gray";"lightskyblue";1)  
SVG_New_arc($svg;100;100;90;138;230;"gray";"lightgreen";1)  
SVG_New_arc($svg;100;100;90;230;270;"gray";"lightsteelblue";1)  
SVG_New_arc($svg;100;100;90;270;360;"gray";"lightyellow";1)
```

Beispiel 3

Displaying multiple spaces in text objects using the *Keep extra spaces* option (13) (added in v14):

```
$Txt_buffer:="abc      def"  
$Dom_text:=SVG_New_textArea($Dom_svg;$Txt_buffer;50;50)
```

is displayed as "abc def"

```
SVG_SET_OPTIONS(SVG_Get_options?+13) // keep spaces in text objects  
$Txt_buffer:="abc      def"  
$Dom_text:=SVG_New_textArea($Dom_svg;$Txt_buffer;50;50)
```

is displayed as "abc def"

SVGTool_SET_VIEWER_CALLBACK

SVGTool_SET_VIEWER_CALLBACK (*MethodenName*)

Parameter	Typ	Beschreibung
MethodenName	Text	→ Name of 4D project method

Beschreibung

The *SVGTool_SET_VIEWER_CALLBACK* command is used to install *methodName* as the project method that will be called when the [On Clicked](#) and [On Mouse Move](#) events occur on the image displayed by the [*SVGTool_SHOW_IN_VIEWER*](#) command.

This method receives a text parameter that is the ID of the element being clicked or over which the mouse is moving as provided by the 4D [**SVG Find element ID by coordinates**](#) command.

This parameter must be declared in the *methodName* project method of the host database by inserting it into the line C_TEXT(\$1).

You must assign the "Shared by components and host database" property to the *methodName* method.

If the method does not exist or is not shared, the error -10508 is generated by 4D.


SVGTool_SHOW_IN_VIEWER

`SVGTool_SHOW_IN_VIEWER (svgObject {; sources})`

Parameter	Typ	Beschreibung
svgObject	SVG_Ref	→ Reference of picture to be displayed
sources	String	→ Opens viewer directly on the source page

Beschreibung

The `SVGTool_SHOW_IN_VIEWER` command displays the SVG picture specified by `svgObject` in an SVG Viewer window. This tool is provided with the SVG component:



If you pass the optional `sources` parameter (added in v14), the viewer is opened directly on the source page.

For more information about the SVG Viewer, please refer to the [Development tools](#) section.

4D SVG Constants

 [SVG Colors \(Names\)](#)




 [SVG Colors \(RGB\)](#)





SVG Colors (Names)

Konstante	Typ	Wert	Kommentar
color SVG aliceblue	Zeichenkette	aliceblue	
color SVG antiquewhite	Zeichenkette	antiquewhite	
color SVG aqua	Zeichenkette	aqua	
color SVG aquamarine	Zeichenkette	aquamarine	
color SVG azure	Zeichenkette	azure	
color SVG beige	Zeichenkette	beige	
color SVG bisque	Zeichenkette	bisque	
color SVG black	Zeichenkette	black	
color SVG blanchedalmond	Zeichenkette	blanchedalmond	
color SVG blue	Zeichenkette	blue	
color SVG blueviolet	Zeichenkette	blueviolet	
color SVG brown	Zeichenkette	brown	
color SVG burlywood	Zeichenkette	burlywood	
color SVG cadetblue	Zeichenkette	cadetblue	
color SVG chartreuse	Zeichenkette	chartreuse	
color SVG chocolate	Zeichenkette	chocolate	
color SVG coral	Zeichenkette	coral	
color SVG cornflowerblue	Zeichenkette	cornflowerblue	
color SVG cornsilk	Zeichenkette	cornsilk	
color SVG crimson	Zeichenkette	crimson	
color SVG cyan	Zeichenkette	cyan	
color SVG darkblue	Zeichenkette	darkblue	


Konstante	Typ	Wert	Kommentar
color SVG darkcyan	Zeichenkette	darkcyan	
color SVG darkgoldenrod	Zeichenkette	darkgoldenrod	
color SVG darkgray	Zeichenkette	darkgray	
color SVG darkgreen	Zeichenkette	darkgreen	
color SVG darkgrey	Zeichenkette	darkgrey	
color SVG darkkhaki	Zeichenkette	darkkhaki	
color SVG darkmagenta	Zeichenkette	darkmagenta	
color SVG darkolivegreen	Zeichenkette	darkolivegreen	
color SVG darkorange	Zeichenkette	darkorange	
color SVG darkorchid	Zeichenkette	darkorchid	
color SVG darkred	Zeichenkette	darkred	
color SVG darksalmon	Zeichenkette	darksalmon	
color SVG darkseagreen	Zeichenkette	darkseagreen	
color SVG darkslateblue	Zeichenkette	darkslateblue	
color SVG darkslategray	Zeichenkette	darkslategray	
color SVG darkslategrey	Zeichenkette	darkslategrey	
color SVG darkturquoise	Zeichenkette	darkturquoise	
color SVG darkviolet	Zeichenkette	darkviolet	
color SVG deeppink	Zeichenkette	deeppink	
color SVG deepskyblue	Zeichenkette	deepskyblue	
color SVG dimgray	Zeichenkette	dimgray	
color SVG dimgrey	Zeichenkette	dimgrey	

Konstante	Typ	Wert	Kommentar
color SVG dodgerblue	Zeichenkette	dodgerblue	
color SVG firebrick	Zeichenkette	firebrick	
color SVG floralwhite	Zeichenkette	floralwhite	
color SVG forestgreen	Zeichenkette	forestgreen	
color SVG fuchsia	Zeichenkette	fuchsia	
color SVG gainsboro	Zeichenkette	gainsboro	
color SVG ghostwhite	Zeichenkette	ghostwhite	
color SVG gold	Zeichenkette	gold	
color SVG goldenrod	Zeichenkette	goldenrod	
color SVG gray	Zeichenkette	gray	
color SVG green	Zeichenkette	green	
color SVG greenyellow	Zeichenkette	greenyellow	
color SVG grey	Zeichenkette	grey	
color SVG honeydew	Zeichenkette	honeydew	
color SVG hotpink	Zeichenkette	hotpink	
color SVG indianred	Zeichenkette	indianred	
color SVG indigo	Zeichenkette	indigo	
color SVG ivory	Zeichenkette	ivory	
color SVG khaki	Zeichenkette	khaki	
color SVG lavender	Zeichenkette	lavender	
color SVG lavenderblush	Zeichenkette	lavenderblush	
color SVG lawngreen	Zeichenkette	lawngreen	

Konstante	Typ	Wert	Kommentar
color SVG lemonchiffon	Zeichenkette	lemonchiffon	
color SVG lightblue	Zeichenkette	lightblue	
color SVG lightcoral	Zeichenkette	lightcoral	
color SVG lightcyan	Zeichenkette	lightcyan	
color SVG lightgoldenrodyellow	Zeichenkette	lightgoldenrodyellow	
color SVG lightgray	Zeichenkette	lightgray	
color SVG lightgreen	Zeichenkette	lightgreen	
color SVG lightgrey	Zeichenkette	lightgrey	
color SVG lightpink	Zeichenkette	lightpink	
color SVG lightsalmon	Zeichenkette	lightsalmon	
color SVG lightseagreen	Zeichenkette	lightseagreen	
color SVG lightskyblue	Zeichenkette	lightskyblue	
color SVG lightslategrey	Zeichenkette	lightslategrey	
color SVG lightslategrey	Zeichenkette	lightslategrey	
color SVG lightsteelblue	Zeichenkette	lightsteelblue	
color SVG lightyellow	Zeichenkette	lightyellow	
color SVG lime	Zeichenkette	lime	
color SVG limegreen	Zeichenkette	limegreen	
color SVG linen	Zeichenkette	linen	
color SVG magenta	Zeichenkette	magenta	
color SVG maroon	Zeichenkette	maroon	
color SVG mediumaquamarine	Zeichenkette	mediumaquamarine	

Konstante	Typ	Wert	Kommentar
color SVG mediumblue	Zeichenkette	mediumblue	
color SVG mediumorchid	Zeichenkette	mediumorchid	
color SVG mediumpurple	Zeichenkette	mediumpurple	
color SVG mediumseagreen	Zeichenkette	mediumseagreen	
color SVG mediumslateblue	Zeichenkette	mediumslateblue	
color SVG mediumspringgreen	Zeichenkette	mediumspringgreen	
color SVG mediumturquoise	Zeichenkette	mediumturquoise	
color SVG mediumvioletred	Zeichenkette	mediumvioletred	
color SVG midnightblue	Zeichenkette	midnightblue	
color SVG mintcream	Zeichenkette	mintcream	
color SVG mistyrose	Zeichenkette	mistyrose	
color SVG moccasin	Zeichenkette	moccasin	
color SVG navajowhite	Zeichenkette	navajowhite	
color SVG navy	Zeichenkette	navy	
color SVG oldlace	Zeichenkette	oldlace	
color SVG olive	Zeichenkette	olive	
color SVG olivedrab	Zeichenkette	olivedrab	
color SVG orange	Zeichenkette	orange	
color SVG orangered	Zeichenkette	orangered	
color SVG orchid	Zeichenkette	orchid	
color SVG palegoldenrod	Zeichenkette	palegoldenrod	
color SVG palegreen	Zeichenkette	palegreen	





Konstante	Typ	Wert	Kommentar
color SVG paleturquoise	Zeichenkette	paleturquoise	
color SVG palevioletred	Zeichenkette	palevioletred	
color SVG papyawhip	Zeichenkette	papyawhip	
color SVG peachpuff	Zeichenkette	peachpuff	
color SVG peru	Zeichenkette	peru	
color SVG pink	Zeichenkette	pink	
color SVG plum	Zeichenkette	plum	
color SVG powderblue	Zeichenkette	powderblue	
color SVG purple	Zeichenkette	purple	
color SVG red	Zeichenkette	red	
color SVG rosybrown	Zeichenkette	rosybrown	
color SVG royalblue	Zeichenkette	royalblue	
color SVG saddlebrown	Zeichenkette	saddlebrown	
color SVG salmon	Zeichenkette	salmon	
color SVG sandybrown	Zeichenkette	sandybrown	
color SVG seagreen	Zeichenkette	seagreen	
color SVG seashell	Zeichenkette	seashell	
color SVG sienna	Zeichenkette	sienna	
color SVG silver	Zeichenkette	silver	
color SVG skyblue	Zeichenkette	skyblue	
color SVG slateblue	Zeichenkette	slateblue	
color SVG slategray	Zeichenkette	slategray	



Konstante	Typ	Wert	Kommentar
color SVG slategrey	Zeichenkette	slategrey	
color SVG snow	Zeichenkette	snow	
color SVG springgreen	Zeichenkette	springgreen	
color SVG steelblue	Zeichenkette	steelblue	
color SVG tan	Zeichenkette	tan	
color SVG teal	Zeichenkette	teal	
color SVG thistle	Zeichenkette	thistle	
color SVG tomato	Zeichenkette	tomato	
color SVG turquoise	Zeichenkette	turquoise	
color SVG violet	Zeichenkette	violet	
color SVG wheat	Zeichenkette	wheat	
color SVG white	Zeichenkette	white	
color SVG whitesmoke	Zeichenkette	whitesmoke	
color SVG yellow	Zeichenkette	yellow	
color SVG yellowgreen	Zeichenkette	yellowgreen	





 **SVG Colors (RGB)**

Konstante	Typ	Wert	Kommentar
color RGB aliceblue	Lange Ganzzahl	15792383	
color RGB antiquewhite	Lange Ganzzahl	16444375	
color RGB aqua	Lange Ganzzahl	65535	
color RGB aquamarine	Lange Ganzzahl	8388564	
color RGB azure	Lange Ganzzahl	15794175	
color RGB beige	Lange Ganzzahl	16119260	
color RGB bisque	Lange Ganzzahl	16770244	
color RGB black	Lange Ganzzahl	0	
color RGB blanchedalmond	Lange Ganzzahl	16772045	
color RGB blue	Lange Ganzzahl	255	
color RGB blueviolet	Lange Ganzzahl	9055202	
color RGB brown	Lange Ganzzahl	10824234	
color RGB burlywood	Lange Ganzzahl	14596231	
color RGB cadetblue	Lange Ganzzahl	6266528	
color RGB chartreuse	Lange Ganzzahl	8388352	
color RGB chocolate	Lange Ganzzahl	13789470	
color RGB coral	Lange Ganzzahl	16744272	
color RGB cornflowerblue	Lange Ganzzahl	6591981	
color RGB cornsilk	Lange Ganzzahl	16775388	
color RGB crimson	Lange Ganzzahl	14423100	
color RGB cyan	Lange Ganzzahl	65535	
color RGB darkblue	Lange Ganzzahl	139	


Konstante	Typ	Wert	Kommentar
color RGB darkcyan	Lange Ganzzahl	35723	
color RGB darkgoldenrod	Lange Ganzzahl	12092939	
color RGB darkgray	Lange Ganzzahl	11119017	
color RGB darkgreen	Lange Ganzzahl	25600	
color RGB darkgrey	Lange Ganzzahl	11119017	
color RGB darkkhaki	Lange Ganzzahl	12433259	
color RGB darkmagenta	Lange Ganzzahl	9109643	
color RGB darkolivegreen	Lange Ganzzahl	5597999	
color RGB darkorange	Lange Ganzzahl	16747520	
color RGB darkorchid	Lange Ganzzahl	10040012	
color RGB darkred	Lange Ganzzahl	9109504	
color RGB darksalmon	Lange Ganzzahl	15308410	
color RGB darkseagreen	Lange Ganzzahl	9419919	
color RGB darkslateblue	Lange Ganzzahl	4734347	
color RGB darkslategray	Lange Ganzzahl	3100495	
color RGB darkslategrey	Lange Ganzzahl	3100495	
color RGB darkturquoise	Lange Ganzzahl	52945	
color RGB darkviolet	Lange Ganzzahl	9699539	
color RGB deeppink	Lange Ganzzahl	16716947	
color RGB deepskyblue	Lange Ganzzahl	49151	
color RGB dimgray	Lange Ganzzahl	6908265	
color RGB dodgerblue	Lange Ganzzahl	2003199	

Konstante	Typ	Wert	Kommentar
color RGB firebrick	Lange Ganzzahl	11673122	
color RGB forestgreen	Lange Ganzzahl	2263842	
color RGB fuchsia	Lange Ganzzahl	16711935	
color RGB gainsboro	Lange Ganzzahl	14474460	
color RGB ghostwhite	Lange Ganzzahl	16316671	
color RGB gold	Lange Ganzzahl	16766720	
color RGB goldenrod	Lange Ganzzahl	14329120	
color RGB gray	Lange Ganzzahl	8421504	
color RGB green	Lange Ganzzahl	32768	
color RGB greenyellow	Lange Ganzzahl	11403055	
color RGB grey	Lange Ganzzahl	8421504	
color RGB honeydew	Lange Ganzzahl	15794160	
color RGB hotpink	Lange Ganzzahl	16738740	
color RGB indianred	Lange Ganzzahl	13458524	
color RGB indigo	Lange Ganzzahl	4915330	
color RGB ivory	Lange Ganzzahl	16777200	
color RGB khaki	Lange Ganzzahl	15787660	
color RGB lavender	Lange Ganzzahl	15132410	
color RGB lavenderblush	Lange Ganzzahl	16773365	
color RGB lawngreen	Lange Ganzzahl	8190976	
color RGB lemonchiffon	Lange Ganzzahl	16775885	
color RGB lightblue	Lange Ganzzahl	11393254	

Konstante	Typ	Wert	Kommentar
color RGB lightcoral	Lange Ganzzahl	1576136	
color RGB lightcyan	Lange Ganzzahl	14745599	
color RGB lightgoldenrodyellow	Lange Ganzzahl	16448210	
color RGB lightgray	Lange Ganzzahl	13882323	
color RGB lightgreen	Lange Ganzzahl	9498256	
color RGB lightgrey	Lange Ganzzahl	13882323	
color RGB lightpink	Lange Ganzzahl	16758465	
color RGB lightsalmon	Lange Ganzzahl	16752762	
color RGB lightseagreen	Lange Ganzzahl	2142890	
color RGB lightskyblue	Lange Ganzzahl	8900346	
color RGB lightslategrey	Lange Ganzzahl	7833753	
color RGB lightslategrey	Lange Ganzzahl	7833753	
color RGB lightsteelblue	Lange Ganzzahl	11584734	
color RGB lightyellow	Lange Ganzzahl	16777184	
color RGB lime	Lange Ganzzahl	65280	
color RGB limegreen	Lange Ganzzahl	3329330	
color RGB linen	Lange Ganzzahl	16445670	
color RGB magenta	Lange Ganzzahl	16711935	
color RGB maroon	Lange Ganzzahl	8388608	
color RGB mediumaquamarine	Lange Ganzzahl	6737322	
color RGB mediumblue	Lange Ganzzahl	205	
color RGB mediumorchid	Lange Ganzzahl	12211667	

Konstante	Typ	Wert	Kommentar
color RGB mediumpurple	Lange Ganzzahl	9662683	
color RGB mediumseagreen	Lange Ganzzahl	3978097	
color RGB mediumslateblue	Lange Ganzzahl	8087790	
color RGB mediumspringgreen	Lange Ganzzahl	64154	
color RGB mediumturquoise	Lange Ganzzahl	4772300	
color RGB mediumvioletred	Lange Ganzzahl	13047173	
color RGB midnightblue	Lange Ganzzahl	1644912	
color RGB mintcream	Lange Ganzzahl	16121850	
color RGB mistyrose	Lange Ganzzahl	16770273	
color RGB moccasin	Lange Ganzzahl	16770273	
color RGB navajowhite	Lange Ganzzahl	16768685	
color RGB navy	Lange Ganzzahl	128	
color RGB oldlace	Lange Ganzzahl	16643558	
color RGB olive	Lange Ganzzahl	8421376	
color RGB olivedrab	Lange Ganzzahl	7048739	
color RGB orange	Lange Ganzzahl	16753920	
color RGB orangered	Lange Ganzzahl	16729344	
color RGB orchid	Lange Ganzzahl	14315734	
color RGB palegoldenrod	Lange Ganzzahl	15657130	
color RGB palegreen	Lange Ganzzahl	10025880	
color RGB paleturquoise	Lange Ganzzahl	11529966	
color RGB palevioletred	Lange Ganzzahl	14381203	

Konstante	Typ	Wert	Kommentar
color RGB papyawhip	Lange Ganzzahl	16773077	
color RGB peachpuff	Lange Ganzzahl	16767673	
color RGB peru	Lange Ganzzahl	13468991	
color RGB pink	Lange Ganzzahl	16761035	
color RGB plum	Lange Ganzzahl	14524637	
color RGB powderblue	Lange Ganzzahl	11591910	
color RGB purple	Lange Ganzzahl	8388736	
color RGB red	Lange Ganzzahl	16711680	
color RGB rosybrown	Lange Ganzzahl	12357519	
color RGB royalblue	Lange Ganzzahl	4286945	
color RGB saddlebrown	Lange Ganzzahl	9127187	
color RGB salmon	Lange Ganzzahl	16416882	
color RGB sandybrown	Lange Ganzzahl	16032864	
color RGB seagreen	Lange Ganzzahl	3050327	
color RGB seashell	Lange Ganzzahl	16774638	
color RGB sienna	Lange Ganzzahl	10506797	
color RGB silver	Lange Ganzzahl	12632256	
color RGB skyblue	Lange Ganzzahl	8900331	
color RGB slateblue	Lange Ganzzahl	6970061	
color RGB slategray	Lange Ganzzahl	7372944	
color RGB slategrey	Lange Ganzzahl	7372944	
color RGB snow	Lange Ganzzahl	16775930	

Konstante	Typ	Wert	Kommentar
color RGB springgreen	Lange Ganzzahl	65407	
color RGB steelblue	Lange Ganzzahl	4620980	
color RGB tan	Lange Ganzzahl	13808780	
color RGB teal	Lange Ganzzahl	32896	
color RGB thistle	Lange Ganzzahl	14204888	
color RGB tomato	Lange Ganzzahl	16737095	
color RGB turquoise	Lange Ganzzahl	4251856	
color RGB violet	Lange Ganzzahl	15631086	
color RGB wheat	Lange Ganzzahl	16113331	
color RGB white	Lange Ganzzahl	16777215	
color RGB whitesmoke	Lange Ganzzahl	16119285	
color RGB yellow	Lange Ganzzahl	16776960	
color RGB yellowgreen	Lange Ganzzahl	10145074	

☰ Appendixes

✖ Appendix A, External links

Appendix A, External links

Here is a list of links concerning the SVG standard:

Overview

<http://www.w3.org/Graphics/SVG/>

Specification

<http://www.w3.org/TR/SVG12/> (Status: Working Draft 13 April 2005)

<http://www.yoyodesign.org/doc/w3c/svg1/> (French translation (Version 1.0))

Tutorials

<http://www.w3.org/Consortium/Offices/Presentations/SVG/1.svg>

Community

<http://svg.org/>

<http://svgfr.org>

<http://www.openclipart.org/>

<http://www.gosvg.net/>